

LMDC Air Metals Profile

Client: Lower Manhattan Development Corp.
Address: One Liberty Plaza, 20th Floor
New York, NY 10006

Job Number: 2043

<u>Date</u> <u>Collected</u>	<u>Location</u>	<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>CC</u>	<u>Flag</u>
09/14/2004	SW Washington/Alb.	Barium	0.0280	µg/m3	500	
09/14/2004	SW Washington/Alb.	Beryllium	<0.185	µg/m3	1.0	
09/14/2004	SW Washington/Alb.	Cadmium	< 0.0180	µg/m3	2.5	
09/14/2004	SW Washington/Alb.	Chromium	0.201	µg/m3	500	
09/14/2004	SW Washington/Alb.	Copper	< 0.185	µg/m3	500	
09/14/2004	SW Washington/Alb.	Lead	<0.101	µg/m3	30	
09/14/2004	SW Washington/Alb.	Manganese	< 0.0280	µg/m3	1000	
09/14/2004	SW Washington/Alb.	Nickel	< 0.0650	µg/m3	500	
09/14/2004	SW Washington/Alb.	Zinc	2.96	µg/m3	2500	
09/14/2004	SW Greenwich/Albany	Barium	0.0550	µg/m3	500	
09/14/2004	SW Greenwich/Albany	Beryllium	<0.185	µg/m3	1.0	
09/14/2004	SW Greenwich/Albany	Cadmium	<0.0180	µg/m3	2.5	
09/14/2004	SW Greenwich/Albany	Chromium	<0.185	µg/m3	500	
09/14/2004	SW Greenwich/Albany	Copper	0.222	µg/m3	500	
09/14/2004	SW Greenwich/Albany	Lead	< 0.102	µg/m3	30	
09/14/2004	SW Greenwich/Albany	Manganese	< 0.0280	µg/m3	1000	
09/14/2004	SW Greenwich/Albany	Nickel	<0.0650	µg/m3	500	
09/14/2004	SW Greenwich/Albany	Zinc	0.721	µg/m3	2500	
09/14/2004	East Greenwich	Barium	0.0550	µg/m3	500	
09/14/2004	East Greenwich	Beryllium	<0.185	µg/m3	1.0	
09/14/2004	East Greenwich	Cadmium	<0.0180	µg/m3	2.5	
09/14/2004	East Greenwich	Chromium	0.195	µg/m3	500	
09/14/2004	East Greenwich	Copper	< 0.185	µg/m3	500	
09/14/2004	East Greenwich	Lead	< 0.102	µg/m3	30	
09/14/2004	East Greenwich	Manganese	< 0.0280	µg/m3	1000	
09/14/2004	East Greenwich	Nickel	< 0.0650	µg/m3	500	
09/14/2004	East Greenwich	Zinc	1.04	µg/m3	2500	
09/14/2004	NW Washington/Cedar	Barium	0.0370	µg/m3	500	
09/14/2004	NW Washington/Cedar	Beryllium	< 0.184	µg/m3	1.0	
09/14/2004	NW Washington/Cedar	Cadmium	< 0.0180	µg/m3	2.5	
09/14/2004	NW Washington/Cedar	Chromium	0.241	µg/m3	500	
09/14/2004	NW Washington/Cedar	Copper	< 0.184	µg/m3	500	
09/14/2004	NW Washington/Cedar	Lead	< 0.101	µg/m3	30	
09/14/2004	NW Washington/Cedar	Manganese	< 0.0280	µg/m3	1000	
09/14/2004	NW Washington/Cedar	Nickel	< 0.0650	µg/m3	500	
09/14/2004	NW Washington/Cedar	Zinc	0.867	µg/m3	2500	

CC = Comparison Criteria
>CC = Exceeds Comparison Criteria

LMDC Air Metals Profile

Client: Lower Manhattan Development Corp. Job Number: 2043
Address: One Liberty Plaza, 20th Floor
New York, NY 10006

<u>Date</u>	<u>Collected</u>	<u>Location</u>	<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>CC</u>	<u>Flag</u>
09/14/2004		Blank	Barium	<0.15	µg	500	
09/14/2004		Blank	Beryllium	<1.0	µg	1.0	
09/14/2004		Blank	Cadmium	<0.10	µg	2.5	
09/14/2004		Blank	Chromium	<1.0	µg	500	
09/14/2004		Blank	Copper	<1.0	µg	500	
09/14/2004		Blank	Lead	<0.55	µg	30	
09/14/2004		Blank	Manganese	<0.15	µg	1000	
09/14/2004		Blank	Nickel	<0.35	µg	500	
09/14/2004		Blank	Zinc	2.6	µg	2500	
09/15/2004		SW Washington/Alb.	Barium	0.0780	µg/m3	500	
09/15/2004		SW Washington/Alb.	Beryllium	<0.173	µg/m3	1.0	
09/15/2004		SW Washington/Alb.	Cadmium	0.0260	µg/m3	2.5	
09/15/2004		SW Washington/Alb.	Chromium	<0.173	µg/m3	500	
09/15/2004		SW Washington/Alb.	Copper	<0.173	µg/m3	500	
09/15/2004		SW Washington/Alb.	Lead	<0.0950	µg/m3	30	
09/15/2004		SW Washington/Alb.	Manganese	<0.0260	µg/m3	1000	
09/15/2004		SW Washington/Alb.	Nickel	0.0690	µg/m3	500	
09/15/2004		SW Washington/Alb.	Zinc	0.251	µg/m3	2500	
09/15/2004		SW Greenwich/Albany	Barium	0.0690	µg/m3	500	
09/15/2004		SW Greenwich/Albany	Beryllium	< 0.173	µg/m3	1.0	
09/15/2004		SW Greenwich/Albany	Cadmium	0.0260	µg/m3	2.5	
09/15/2004		SW Greenwich/Albany	Chromium	<0.173	µg/m3	500	
09/15/2004		SW Greenwich/Albany	Copper	<0.173	µg/m3	500	
09/15/2004		SW Greenwich/Albany	Lead	0.0950	µg/m3	30	
09/15/2004		SW Greenwich/Albany	Manganese	<0.0260	µg/m3	1000	
09/15/2004		SW Greenwich/Albany	Nickel	0.060	µg/m3	500	
09/15/2004		SW Greenwich/Albany	Zinc	0.259	µg/m3	2500	
09/15/2004		East Greenwich	Barium	0.0780	µg/m3	500	
09/15/2004		East Greenwich	Beryllium	<0.173	µg/m3	1.0	
09/15/2004		East Greenwich	Cadmium	0.0170	µg/m3	2.5	
09/15/2004		East Greenwich	Chromium	<0.173	µg/m3	500	
09/15/2004		East Greenwich	Copper	<0.173	µg/m3	500	
09/15/2004		East Greenwich	Lead	<0.0950	µg/m3	30	
09/15/2004		East Greenwich	Manganese	<0.0260	µg/m3	1000	
09/15/2004		East Greenwich	Nickel	0.0780	µg/m3	500	
09/15/2004		East Greenwich	Zinc	0.276	µg/m3	2500	

CC = Comparison Criteria
>CC = Exceeds Comparison Criteria

LMDC Air Metals Profile

Client: Lower Manhattan Development Corp.
Address: One Liberty Plaza, 20th Floor
New York, NY 10006

Job Number: 2043

<u>Date</u> <u>Collected</u>	<u>Location</u>	<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>CC</u>	<u>Flag</u>
09/15/2004	NW Washington/Cedar	Barium	0.0870	µg/m3	500	
09/15/2004	NW Washington/Cedar	Beryllium	<0.173	µg/m3	1.0	
09/15/2004	NW Washington/Cedar	Cadmium	0.0260	µg/m3	2.5	
09/15/2004	NW Washington/Cedar	Chromium	0.201	µg/m3	500	
09/15/2004	NW Washington/Cedar	Copper	0.346	µg/m3	500	
09/15/2004	NW Washington/Cedar	Lead	<0.0950	µg/m3	30	
09/15/2004	NW Washington/Cedar	Manganese	<0.0260	µg/m3	1000	
09/15/2004	NW Washington/Cedar	Nickel	0.0690	µg/m3	500	
09/15/2004	NW Washington/Cedar	Zinc	0.424	µg/m3	2500	
09/15/2004	Blank	Barium	0.20	µg	500	
09/15/2004	Blank	Beryllium	<1.0	µg	1.0	
09/15/2004	Blank	Cadmium	0.15	µg	2.5	
09/15/2004	Blank	Chromium	<1.0	µg	500	
09/15/2004	Blank	Copper	<1.0	µg	500	
09/15/2004	Blank	Lead	<0.55	µg	30	
09/15/2004	Blank	Manganese	<0.15	µg	1000	
09/15/2004	Blank	Nickel	<0.35	µg	500	
09/15/2004	Blank	Zinc	0.60	µg	2500	
09/16/2004	SW Washington/Alb.	Barium	0.0690	µg/m3	500	
09/16/2004	SW Washington/Alb.	Beryllium	<0.172	µg/m3	1.0	
09/16/2004	SW Washington/Alb.	Cadmium	<0.0170	µg/m3	2.5	
09/16/2004	SW Washington/Alb.	Chromium	0.175	µg/m3	500	
09/16/2004	SW Washington/Alb.	Copper	<0.172	µg/m3	500	
09/16/2004	SW Washington/Alb.	Lead	<0.0950	µg/m3	30	
09/16/2004	SW Washington/Alb.	Manganese	<0.0260	µg/m3	1000	
09/16/2004	SW Washington/Alb.	Nickel	<0.060	µg/m3	500	
09/16/2004	SW Washington/Alb.	Zinc	0.155	µg/m3	2500	
09/16/2004	SW Greenwich/Albany	Barium	0.0610	µg/m3	500	
09/16/2004	SW Greenwich/Albany	Beryllium	<0.173	µg/m3	1.0	
09/16/2004	SW Greenwich/Albany	Cadmium	<0.0170	µg/m3	2.5	
09/16/2004	SW Greenwich/Albany	Chromium	<0.173	µg/m3	500	
09/16/2004	SW Greenwich/Albany	Copper	<0.173	µg/m3	500	
09/16/2004	SW Greenwich/Albany	Lead	<0.0950	µg/m3	30	
09/16/2004	SW Greenwich/Albany	Manganese	<0.0260	µg/m3	1000	
09/16/2004	SW Greenwich/Albany	Nickel	<0.0610	µg/m3	500	
09/16/2004	SW Greenwich/Albany	Zinc	0.164	µg/m3	2500	

CC = Comparison Criteria
>CC = Exceeds Comparison Criteria

LMDC Air Metals Profile

Client: Lower Manhattan Development Corp. Job Number: 2043
Address: One Liberty Plaza, 20th Floor
New York, NY 10006

<u>Date</u> <u>Collected</u>	<u>Location</u>	<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>CC</u>	<u>Flag</u>
09/16/2004	East Greenwich	Barium	0.631	µg/m3	500	
09/16/2004	East Greenwich	Beryllium	<0.173	µg/m3	1.0	
09/16/2004	East Greenwich	Cadmium	<0.0170	µg/m3	2.5	
09/16/2004	East Greenwich	Chromium	0.177	µg/m3	500	
09/16/2004	East Greenwich	Copper	<0.173	µg/m3	500	
09/16/2004	East Greenwich	Lead	<0.0950	µg/m3	30	
09/16/2004	East Greenwich	Manganese	<0.0260	µg/m3	1000	
09/16/2004	East Greenwich	Nickel	<0.060	µg/m3	500	
09/16/2004	East Greenwich	Zinc	0.190	µg/m3	2500	
09/16/2004	NW Washington/Cedar	Barium	0.060	µg/m3	500	
09/16/2004	NW Washington/Cedar	Beryllium	<0.172	µg/m3	1.0	
09/16/2004	NW Washington/Cedar	Cadmium	<0.0170	µg/m3	2.5	
09/16/2004	NW Washington/Cedar	Chromium	<0.172	µg/m3	500	
09/16/2004	NW Washington/Cedar	Copper	<0.172	µg/m3	500	
09/16/2004	NW Washington/Cedar	Lead	0.112	µg/m3	30	
09/16/2004	NW Washington/Cedar	Manganese	<0.0260	µg/m3	1000	
09/16/2004	NW Washington/Cedar	Nickel	<0.060	µg/m3	500	
09/16/2004	NW Washington/Cedar	Zinc	0.172	µg/m3	2500	
09/16/2004	Blank	Barium	<0.15	µg	500	
09/16/2004	Blank	Beryllium	<1.0	µg	1.0	
09/16/2004	Blank	Cadmium	<0.10	µg	2.5	
09/16/2004	Blank	Chromium	1.0	µg	500	
09/16/2004	Blank	Copper	<1.00	µg	500	
09/16/2004	Blank	Lead	<0.55	µg	30	
09/16/2004	Blank	Manganese	<0.15	µg	1000	
09/16/2004	Blank	Nickel	<0.35	µg	500	
09/16/2004	Blank	Zinc	<0.40	µg	2500	

SIGNED FOR AMBIENT GROUP, INC. BY: