

LMDC Air Metals Profile

Client: Lower Manhattan Development Corp.
Address: One Liberty Plaza, 20th Floor
New York, NY 10006

Job Number: 2043

<u>Date</u>	<u>Collected</u>	<u>Location</u>	<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>CC</u>	<u>Flag</u>
09/28/2004		SW Washington/Alb.	Barium	0.0260	µg/m3	500	
09/28/2004		SW Washington/Alb.	Beryllium	<0.0170	µg/m3	1.0	
09/28/2004		SW Washington/Alb.	Cadmium	<0.0170	µg/m3	2.5	
09/28/2004		SW Washington/Alb.	Chromium	<0.104	µg/m3	500	
09/28/2004		SW Washington/Alb.	Copper	<0.173	µg/m3	500	
09/28/2004		SW Washington/Alb.	Lead	<0.0950	µg/m3	30	
09/28/2004		SW Washington/Alb.	Manganese	<0.0260	µg/m3	1000	
09/28/2004		SW Washington/Alb.	Nickel	<0.060	µg/m3	500	
09/28/2004		SW Washington/Alb.	Zinc	0.216	µg/m3	2500	
09/28/2004		SE Greenwich/Albany	Barium	<0.0260	µg/m3	500	
09/28/2004		SE Greenwich/Albany	Beryllium	<0.0170	µg/m3	1.0	
09/28/2004		SE Greenwich/Albany	Cadmium	<0.0170	µg/m3	2.5	
09/28/2004		SE Greenwich/Albany	Chromium	<0.104	µg/m3	500	
09/28/2004		SE Greenwich/Albany	Copper	<0.173	µg/m3	500	
09/28/2004		SE Greenwich/Albany	Lead	<0.0950	µg/m3	30	
09/28/2004		SE Greenwich/Albany	Manganese	<0.0260	µg/m3	1000	
09/28/2004		SE Greenwich/Albany	Nickel	<0.060	µg/m3	500	
09/28/2004		SE Greenwich/Albany	Zinc	0.112	µg/m3	2500	
09/28/2004		East Greenwich VOID LOSS of POWER	Barium	0	µg/m3	500	
09/28/2004		East Greenwich VOID LOSS of POWER	Beryllium	0	µg/m3	1.0	
09/28/2004		East Greenwich VOID LOSS of POWER	Cadmium	0	µg/m3	2.5	
09/28/2004		East Greenwich VOID LOSS of POWER	Chromium	0	µg/m3	500	
09/28/2004		East Greenwich VOID LOSS of POWER	Copper	0	µg/m3	500	
09/28/2004		East Greenwich VOID LOSS of POWER	Lead	0	µg/m3	30	
09/28/2004		East Greenwich VOID LOSS of POWER	Manganese	0	µg/m3	1000	
09/28/2004		East Greenwich VOID LOSS of POWER	Nickel	0	µg/m3	500	
09/28/2004		East Greenwich VOID LOSS of POWER	Zinc	0	µg/m3	2500	
09/28/2004		Greenwich/Liberty	Barium	0.0260	µg/m3	500	
09/28/2004		Greenwich/Liberty	Beryllium	<0.0170	µg/m3	1.0	
09/28/2004		Greenwich/Liberty	Cadmium	<0.0170	µg/m3	2.5	
09/28/2004		Greenwich/Liberty	Chromium	0.112	µg/m3	500	

CC = Comparison Criteria
>CC = Exceeds Comparison Criteria

LMDC Air Metals Profile

Client: Lower Manhattan Development Corp.
Address: One Liberty Plaza, 20th Floor
New York, NY 10006

Job Number: 2043

<u>Date</u>	<u>Collected</u>	<u>Location</u>	<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>CC</u>	<u>Flag</u>
09/28/2004		Greenwich/Liberty	Copper	<0.172	µg/m3	500	
09/28/2004		Greenwich/Liberty	Lead	<0.0950	µg/m3	30	
09/28/2004		Greenwich/Liberty	Manganese	<0.0260	µg/m3	1000	
09/28/2004		Greenwich/Liberty	Nickel	<0.060	µg/m3	500	
09/28/2004		Greenwich/Liberty	Zinc	0.275	µg/m3	2500	
09/28/2004		NW Washington/Cedar VOID LOSS of POWER	Barium	0	µg/m3	500	
09/28/2004		NW Washington/Cedar VOID LOSS of POWER	Beryllium	0	µg/m3	1.0	
09/28/2004		NW Washington/Cedar VOID LOSS of POWER	Cadmium	0	µg/m3	2.5	
09/28/2004		NW Washington/Cedar VOID LOSS of POWER	Chromium	0	µg/m3	500	
09/28/2004		NW Washington/Cedar VOID LOSS of POWER	Copper	0	µg/m3	500	
09/28/2004		NW Washington/Cedar VOID LOSS of POWER	Lead	0	µg/m3	30	
09/28/2004		NW Washington/Cedar VOID LOSS of POWER	Manganese	0	µg/m3	1000	
09/28/2004		NW Washington/Cedar VOID LOSS of POWER	Nickel	0	µg/m3	500	
09/28/2004		NW Washington/Cedar VOID LOSS of POWER	Zinc	0	µg/m3	2500	
09/28/2004		Blank	Barium	<0.15	µg	500	
09/28/2004		Blank	Beryllium	<0.10	µg	1.0	
09/28/2004		Blank	Cadmium	<0.10	µg	2.5	
09/28/2004		Blank	Chromium	<0.60	µg	500	
09/28/2004		Blank	Copper	<1.0	µg	500	
09/28/2004		Blank	Lead	<0.55	µg	30	
09/28/2004		Blank	Manganese	<0.15	µg	1000	
09/28/2004		Blank	Nickel	<0.35	µg	500	
09/28/2004		Blank	Zinc	1.45	µg	2500	
09/29/2004		SW Washington/Alb.	Barium	<0.0260	µg/m3	500	
09/29/2004		SW Washington/Alb.	Beryllium	0.0260	µg/m3	1.0	
09/29/2004		SW Washington/Alb.	Cadmium	<0.0170	µg/m3	2.5	
09/29/2004		SW Washington/Alb.	Chromium	0.113	µg/m3	500	
09/29/2004		SW Washington/Alb.	Copper	<0.175	µg/m3	500	
09/29/2004		SW Washington/Alb.	Lead	<0.0960	µg/m3	30	
09/29/2004		SW Washington/Alb.	Manganese	<0.0260	µg/m3	1000	
09/29/2004		SW Washington/Alb.	Nickel	<0.0610	µg/m3	500	

CC = Comparison Criteria
>CC = Exceeds Comparison Criteria

LMDC Air Metals Profile

Client: Lower Manhattan Development Corp.
Address: One Liberty Plaza, 20th Floor
New York, NY 10006

Job Number: 2043

<u>Date</u>	<u>Collected</u>	<u>Location</u>	<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>CC</u>	<u>Flag</u>
09/29/2004		SW Washington/Alb.	Zinc	0.131	µg/m3	2500	
09/29/2004		SE Greenwich/Albany	Barium	<0.0260	µg/m3	500	
09/29/2004		SE Greenwich/Albany	Beryllium	0.0260	µg/m3	1.0	
09/29/2004		SE Greenwich/Albany	Cadmium	<0.0170	µg/m3	2.5	
09/29/2004		SE Greenwich/Albany	Chromium	0.122	µg/m3	500	
09/29/2004		SE Greenwich/Albany	Copper	0.218	µg/m3	500	
09/29/2004		SE Greenwich/Albany	Lead	0.0960	µg/m3	30	
09/29/2004		SE Greenwich/Albany	Manganese	<0.0260	µg/m3	1000	
09/29/2004		SE Greenwich/Albany	Nickel	<0.0610	µg/m3	500	
09/29/2004		SE Greenwich/Albany	Zinc	0.070	µg/m3	2500	
09/29/2004		East Greenwich	Barium	0.0260	µg/m3	500	
09/29/2004		East Greenwich	Beryllium	0.0180	µg/m3	1.0	
09/29/2004		East Greenwich	Cadmium	<0.0180	µg/m3	2.5	
09/29/2004		East Greenwich	Chromium	0.141	µg/m3	500	
09/29/2004		East Greenwich	Copper	0.511	µg/m3	500	
09/29/2004		East Greenwich	Lead	0.246	µg/m3	30	
09/29/2004		East Greenwich	Manganese	<0.0260	µg/m3	1000	
09/29/2004		East Greenwich	Nickel	<0.0620	µg/m3	500	
09/29/2004		East Greenwich	Zinc	0.202	µg/m3	2500	
09/29/2004		Greenwich/Liberty	Barium	0.0440	µg/m3	500	
09/29/2004		Greenwich/Liberty	Beryllium	0.0180	µg/m3	1.0	
09/29/2004		Greenwich/Liberty	Cadmium	<0.0180	µg/m3	2.5	
09/29/2004		Greenwich/Liberty	Chromium	<0.106	µg/m3	500	
09/29/2004		Greenwich/Liberty	Copper	0.766	µg/m3	500	
09/29/2004		Greenwich/Liberty	Lead	0.167	µg/m3	30	
09/29/2004		Greenwich/Liberty	Manganese	<0.0260	µg/m3	1000	
09/29/2004		Greenwich/Liberty	Nickel	<0.0620	µg/m3	500	
09/29/2004		Greenwich/Liberty	Zinc	0.264	µg/m3	2500	
09/29/2004		NW Washington/Cedar	Barium	0.0270	µg/m3	500	
09/29/2004		NW Washington/Cedar	Beryllium	0.0180	µg/m3	1.0	
09/29/2004		NW Washington/Cedar	Cadmium	<0.0180	µg/m3	2.5	
09/29/2004		NW Washington/Cedar	Chromium	<0.107	µg/m3	500	
09/29/2004		NW Washington/Cedar	Copper	0.506	µg/m3	500	
09/29/2004		NW Washington/Cedar	Lead	<0.0980	µg/m3	30	
09/29/2004		NW Washington/Cedar	Manganese	<0.0270	µg/m3	1000	
09/29/2004		NW Washington/Cedar	Nickel	<0.0620	µg/m3	500	

CC = Comparison Criteria
>CC = Exceeds Comparison Criteria

LMDC Air Metals Profile

Client: Lower Manhattan Development Corp.
Address: One Liberty Plaza, 20th Floor
New York, NY 10006

Job Number: 2043

<u>Date</u>	<u>Collected</u>	<u>Location</u>	<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>CC</u>	<u>Flag</u>
09/29/2004		NW Washington/Cedar	Zinc	0.0710	µg/m3	2500	
09/29/2004		Field Blank	Barium	<0.15	µg	500	
09/29/2004		Field Blank	Beryllium	0.20	µg	1.0	
09/29/2004		Field Blank	Cadmium	<0.10	µg	2.5	
09/29/2004		Field Blank	Chromium	0.60	µg	500	
09/29/2004		Field Blank	Copper	1.05	µg	500	
09/29/2004		Field Blank	Lead	<0.0110	µg	30	
09/29/2004		Field Blank	Manganese	<0.15	µg	1000	
09/29/2004		Field Blank	Nickel	<0.35	µg	500	
09/29/2004		Field Blank	Zinc	1.5	µg	2500	
09/30/2004		SW Washington/Alb.	Barium	1.08	µg/m3	500	
09/30/2004		SW Washington/Alb.	Beryllium	<0.0170	µg/m3	1.0	
09/30/2004		SW Washington/Alb.	Cadmium	<0.0170	µg/m3	2.5	
09/30/2004		SW Washington/Alb.	Chromium	<0.104	µg/m3	500	
09/30/2004		SW Washington/Alb.	Copper	<0.173	µg/m3	500	
09/30/2004		SW Washington/Alb.	Lead	<0.0950	µg/m3	30	
09/30/2004		SW Washington/Alb.	Manganese	<0.0260	µg/m3	1000	
09/30/2004		SW Washington/Alb.	Nickel	<0.0610	µg/m3	500	
09/30/2004		SW Washington/Alb.	Zinc	<0.0690	µg/m3	2500	
09/30/2004		SE Greenwich/Albany	Barium	<0.0260	µg/m3	500	
09/30/2004		SE Greenwich/Albany	Beryllium	<0.0170	µg/m3	1.0	
09/30/2004		SE Greenwich/Albany	Cadmium	<0.0170	µg/m3	2.5	
09/30/2004		SE Greenwich/Albany	Chromium	<0.104	µg/m3	500	
09/30/2004		SE Greenwich/Albany	Copper	<0.173	µg/m3	500	
09/30/2004		SE Greenwich/Albany	Lead	<0.0950	µg/m3	30	
09/30/2004		SE Greenwich/Albany	Manganese	<0.0260	µg/m3	1000	
09/30/2004		SE Greenwich/Albany	Nickel	<0.0610	µg/m3	500	
09/30/2004		SE Greenwich/Albany	Zinc	<0.0690	µg/m3	2500	
09/30/2004		East Greenwich	Barium	<0.0260	µg/m3	500	
09/30/2004		East Greenwich	Beryllium	<0.0170	µg/m3	1.0	
09/30/2004		East Greenwich	Cadmium	<0.0170	µg/m3	2.5	
09/30/2004		East Greenwich	Chromium	<0.104	µg/m3	500	
09/30/2004		East Greenwich	Copper	<0.173	µg/m3	500	
09/30/2004		East Greenwich	Lead	0.0950	µg/m3	30	
09/30/2004		East Greenwich	Manganese	<0.0260	µg/m3	1000	
09/30/2004		East Greenwich	Nickel	<0.0610	µg/m3	500	

CC = Comparison Criteria
>CC = Exceeds Comparison Criteria

LMDC Air Metals Profile

Client: Lower Manhattan Development Corp. Job Number: 2043
Address: One Liberty Plaza, 20th Floor
New York, NY 10006

<u>Date</u>	<u>Collected</u>	<u>Location</u>	<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>CC</u>	<u>Flag</u>
09/30/2004		East Greenwich	Zinc	<0.0690	µg/m3	2500	
09/30/2004		Greenwich/Liberty	Barium	<0.0260	µg/m3	500	
09/30/2004		Greenwich/Liberty	Beryllium	<0.0170	µg/m3	1.0	
09/30/2004		Greenwich/Liberty	Cadmium	<0.0170	µg/m3	2.5	
09/30/2004		Greenwich/Liberty	Chromium	<0.104	µg/m3	500	
09/30/2004		Greenwich/Liberty	Copper	<0.173	µg/m3	500	
09/30/2004		Greenwich/Liberty	Lead	<0.0950	µg/m3	30	
09/30/2004		Greenwich/Liberty	Manganese	<0.0260	µg/m3	1000	
09/30/2004		Greenwich/Liberty	Nickel	<0.0610	µg/m3	500	
09/30/2004		Greenwich/Liberty	Zinc	<0.0690	µg/m3	2500	
09/30/2004		NW Washington/Cedar	Barium	<0.0260	µg/m3	500	
09/30/2004		NW Washington/Cedar	Beryllium	<0.0170	µg/m3	1.0	
09/30/2004		NW Washington/Cedar	Cadmium	<0.0170	µg/m3	2.5	
09/30/2004		NW Washington/Cedar	Chromium	<0.104	µg/m3	500	
09/30/2004		NW Washington/Cedar	Copper	<0.173	µg/m3	500	
09/30/2004		NW Washington/Cedar	Lead	0.182	µg/m3	30	
09/30/2004		NW Washington/Cedar	Manganese	<0.0260	µg/m3	1000	
09/30/2004		NW Washington/Cedar	Nickel	<0.0610	µg/m3	500	
09/30/2004		NW Washington/Cedar	Zinc	0.243	µg/m3	2500	
09/30/2004		Field Blank	Barium	<0.15	µg	500	
09/30/2004		Field Blank	Beryllium	<0.10	µg	1.0	
09/30/2004		Field Blank	Cadmium	<0.10	µg	2.5	
09/30/2004		Field Blank	Chromium	<0.60	µg	500	
09/30/2004		Field Blank	Copper	<1.0	µg	500	
09/30/2004		Field Blank	Lead	<0.55	µg	30	
09/30/2004		Field Blank	Manganese	<0.15	µg	1000	
09/30/2004		Field Blank	Nickel	<0.35	µg	500	
09/30/2004		Field Blank	Zinc	<0.40	µg	2500	

SIGNED FOR AMBIENT GROUP, INC. BY: