

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m ³)	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Mercury (Total) Concentration (ng/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
Target Air Quality Levels									300			
EPA Site Specific Trigger Levels									3,000			
TotalHg-ST1-2/16/09	0908010-01	Southwest Area (sidewalk bridge level)	2/16/09	0.57	Mercury	EPA 324/1631	BRL	2/18/09	< 26.0	No	No	
TotalHg-ST2-2/16/09	0908010-02	Southeast Area (sidewalk bridge level)	2/16/09	0.59	Mercury	EPA 324/1631	BRL	2/18/09	< 25.0	No	No	
TotalHg-ST4-2/16/09	0908010-03	Northwest Area (street-level)	2/16/09	0.59	Mercury	EPA 324/1631	BRL	2/18/09	< 25.0	No	No	
TotalHg-ST5-2/16/09	0908010-04	Firehouse #10 (roof level)	2/16/09	0.56	Mercury	EPA 324/1631	BRL	2/18/09	< 27.0	No	No	
TotalHg-ST10-2/16/09	0908010-05	North Side Sidewalk Bridge	2/16/09	0.57	Mercury	EPA 324/1631	BRL	2/18/09	< 26.0	No	No	
TotalHg-ST11-2/16/09	0908010-06	90 Trinity Place (roof level)	2/16/09	0.56	Mercury	EPA 324/1631	BRL	2/18/09	< 27.0	No	No	
TotalHg-ST12-2/16/09	0908010-07	110 Greenwich Street (roof level)	2/16/09	0.55	Mercury	EPA 324/1631	BRL	2/18/09	< 27.0	No	No	
TotalHg-ST13-2/16/09	0908010-08	Marriott Hotel, 38th Floor (roof level)	2/16/09	0.55	Mercury	EPA 324/1631	BRL	2/18/09	< 27.0	No	No	
TotalHg-ST14-2/16/09	0908010-09	West Face - South end at corner (scaffolding level)	2/16/09	0.58	Mercury	EPA 324/1631	BRL	2/18/09	< 26.0	No	No	
TotalHg-ST15-2/16/09	0908010-10	South Face - East end at corner (scaffolding level)	2/16/09	0.56	Mercury	EPA 324/1631	BRL	2/18/09	< 27.0	No	No	
TotalHg-ST16-2/16/09	0908010-11	East Face - North end at corner (scaffolding level)	2/16/09	0.54	Mercury	EPA 324/1631	BRL	2/18/09	< 28.0	No	No	
TotalHg-ST17-2/16/09	0908010-12	North Face - West end at corner (scaffolding level)	2/16/09	0.60	Mercury	EPA 324/1631	BRL	2/18/09	< 25.0	No	No	