

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m ³)	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Mercury (Total) Concentration (ng/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
Target Air Quality Levels									300			
EPA Site Specific Trigger Levels									3,000			
TotalHg-ST1-4/7/09	0915017-01	Southwest Area (sidewalk bridge level)	4/7/09	0.57	Mercury	EPA 324/1631	BRL	4/9/09	< 26.0	No	No	
TotalHg-ST2-4/7/09	0915017-02	Southeast Area (sidewalk bridge level)	4/7/09	0.58	Mercury	EPA 324/1631	BRL	4/9/09	< 26.0	No	No	
TotalHg-ST4-4/7/09	0915017-03	Northwest Area (street-level)	4/7/09	0.55	Mercury	EPA 324/1631	BRL	4/9/09	< 27.0	No	No	
TotalHg-ST5-4/7/09	0915017-04	Firehouse #10 (roof level)	4/7/09	0.55	Mercury	EPA 324/1631	BRL	4/9/09	< 27.0	No	No	
TotalHg-ST10-4/7/09	0915017-05	North Side Sidewalk Bridge	4/7/09	0.54	Mercury	EPA 324/1631	BRL	4/9/09	< 28.0	No	No	
TotalHg-ST11-4/7/09	0915017-06	90 Trinity Place (roof level)	4/7/09	0.59	Mercury	EPA 324/1631	BRL	4/9/09	< 25.0	No	No	
TotalHg-ST12-4/7/09	0915017-07	110 Greenwich Street (roof level)	4/7/09	0.60	Mercury	EPA 324/1631	BRL	4/9/09	< 25.0	No	No	
TotalHg-ST13-4/7/09	0915017-08	Marriott Hotel, 38th Floor (roof level)	4/7/09	0.55	Mercury	EPA 324/1631	BRL	4/9/09	< 27.0	No	No	
TotalHg-ST14-4/7/09	0915017-09	West Face - South end at corner (scaffolding level)	4/7/09	0.52	Mercury	EPA 324/1631	BRL	4/9/09	< 29.0	No	No	
TotalHg-ST15-4/7/09	0915017-10	South Face - East end at corner (scaffolding level)	4/7/09	0.60	Mercury	EPA 324/1631	BRL	4/9/09	< 25.0	No	No	
TotalHg-ST16-4/7/09	0915017-11	East Face - North end at corner (scaffolding level)	4/7/09	0.55	Mercury	EPA 324/1631	BRL	4/9/09	< 27.0	No	No	
TotalHg-ST17-4/7/09	0915017-12	North Face - West end at corner (scaffolding level)	4/7/09	0.56	Mercury	EPA 324/1631	BRL	4/9/09	< 27.0	No	No	