

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m ³)	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Mercury (Total) Concentration (ng/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
									300			
									3,000			
TotalHg-ST1-5/21/08	0821047-01	Southwest Area (sidewalk bridge level)	5/21/08	0.57	Mercury	EPA 324/1631	BRL	5/23/08	< 26.0	No	No	
TotalHg-ST2-5/21/08	0821047-02	Southeast Area (sidewalk bridge level)	5/21/08	0.56	Mercury	EPA 324/1631	BRL	5/23/08	< 27.0	No	No	
TotalHg-ST4-5/21/08	0821047-03	Northwest Area (street-level)	5/21/08	0.55	Mercury	EPA 324/1631	BRL	5/23/08	< 27.0	No	No	
TotalHg-ST5-5/21/08	0821047-04	Firehouse #10 (roof level)	5/21/08	0.56	Mercury	EPA 324/1631	BRL	5/23/08	< 27.0	No	No	
TotalHg-ST10-5/21/08	0821047-05	North Side Sidewalk Bridge	5/21/08	0.52	Mercury	EPA 324/1631	BRL	5/23/08	< 29.0	No	No	
TotalHg-ST11-5/21/08	0821047-06	90 Trinity Place (roof level)	5/21/08	0.56	Mercury	EPA 324/1631	BRL	5/23/08	< 27.0	No	No	
TotalHg-ST12-5/21/08	0821047-07	110 Greenwich Street (roof level)	5/21/08	0.60	Mercury	EPA 324/1631	BRL	5/23/08	< 25.0	No	No	
TotalHg-ST13-5/21/08	0821047-08	Marriott Hotel, 38th Floor (roof level)	5/21/08	0.59	Mercury	EPA 324/1631	BRL	5/23/08	< 25.0	No	No	
TotalHg-ST14-5/21/08	0821047-09	West Face - South end at corner (scaffolding level)	5/21/08	0.54	Mercury	EPA 324/1631	BRL	5/23/08	< 28.0	No	No	
TotalHg-ST15-5/21/08	0821047-10	South Face - East end at corner (scaffolding level)	5/21/08	0.52	Mercury	EPA 324/1631	BRL	5/23/08	< 29.0	No	No	
TotalHg-ST16-5/21/08	0821047-11	East Face - North end at corner (scaffolding level)	5/21/08	0.55	Mercury	EPA 324/1631	BRL	5/23/08	< 27.0	No	No	
TotalHg-ST17-5/21/08	0821047-12	North Face - West end at corner (scaffolding level)	5/21/08	0.61	Mercury	EPA 324/1631	BRL	5/23/08	< 25.0	No	No	