

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m ³)	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Mercury (Total) Concentration (ng/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
									300			
									3,000			
TotalHg-ST1-6/28/07	07BR0922-01	Southwest Area (sidewalk bridge level)	6/28/07	0.56	Mercury	EPA 324/1631	BRL	6/30/07	< 27.0	No	No	
TotalHg-ST2-6/28/07	07BR0922-02	Southeast Area (sidewalk bridge level)	6/28/07	0.54	Mercury	EPA 324/1631	BRL	6/30/07	< 28.0	No	No	
TotalHg-ST4-6/28/07	07BR0922-03	Northwest Area (street-level)	6/28/07	0.56	Mercury	EPA 324/1631	BRL	6/30/07	< 27.0	No	No	
TotalHg-ST5-6/28/07	07BR0922-04	Firehouse #10 (roof level)	6/28/07	0.55	Mercury	EPA 324/1631	BRL	6/30/07	< 27.0	No	No	
TotalHg-ST10-6/28/07	07BR0922-05	North Side Sidewalk Bridge	6/28/07	0.56	Mercury	EPA 324/1631	BRL	6/30/07	< 27.0	No	No	
TotalHg-ST11-6/28/07	07BR0922-06	90 Trinity Place (roof level)	6/28/07	0.56	Mercury	EPA 324/1631	BRL	6/30/07	< 27.0	No	No	
TotalHg-ST12-6/28/07	07BR0922-07	110 Greenwich Street (roof level)	6/28/07	0.58	Mercury	EPA 324/1631	BRL	6/30/07	< 26.0	No	No	
TotalHg-ST13-6/28/07	07BR0922-08	Marriott Hotel, 38th Floor (roof level)	6/28/07	0.56	Mercury	EPA 324/1631	BRL	6/30/07	< 27.0	No	No	
TotalHg-ST14-6/28/07	07BR0922-09	West Face - South end at corner (scaffolding level)	6/28/07	0.55	Mercury	EPA 324/1631	BRL	6/30/07	< 27.0	No	No	
TotalHg-ST15-6/28/07	07BR0922-10	South Face - East end at corner (scaffolding level)	6/28/07	0.56	Mercury	EPA 324/1631	BRL	6/30/07	< 27.0	No	No	
TotalHg-ST16-6/28/07	07BR0922-11	East Face - North end at corner (scaffolding level)	6/28/07	0.57	Mercury	EPA 324/1631	BRL	6/30/07	< 26.0	No	No	
TotalHg-ST17-6/28/07	07BR0922-12	North Face - West end at corner (scaffolding level)	6/28/07	0.56	Mercury	EPA 324/1631	BRL	6/30/07	< 27.0	No	No	