

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m <sup>3</sup> )	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Mercury (Total) Concentration (ng/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
<b>Target Air Quality Levels</b>									<b>300</b>			
<b>EPA Site Specific Trigger Levels</b>									<b>3,000</b>			
TotalHg-ST1-7/06/09	0928014-01	Southwest Area (sidewalk bridge level)	7/6/09	0.56	Mercury	EPA 324/1631	BRL	7/8/09	< 26.8	No	No	
TotalHg-ST2-7/06/09	0928014-02	Southeast Area (sidewalk bridge level)	7/6/09	0.58	Mercury	EPA 324/1631	BRL	7/8/09	< 25.9	No	No	
TotalHg-ST4-7/06/09	0928014-03	Northwest Area (street-level)	7/6/09	0.59	Mercury	EPA 324/1631	BRL	7/8/09	< 25.4	No	No	
TotalHg-ST5-7/06/09	0928014-04	Firehouse #10 (roof level)	7/6/09	0.56	Mercury	EPA 324/1631	BRL	7/8/09	< 26.8	No	No	
TotalHg-ST10-7/06/09	0928014-05	North Side Sidewalk Bridge	7/6/09	0.60	Mercury	EPA 324/1631	BRL	7/8/09	< 25.0	No	No	
TotalHg-ST11-7/06/09	0928014-06	90 Trinity Place (roof level)	7/6/09	0.55	Mercury	EPA 324/1631	BRL	7/8/09	< 27.3	No	No	
TotalHg-ST12-7/06/09	0928014-07	110 Greenwich Street (roof level)	7/6/09	0.57	Mercury	EPA 324/1631	BRL	7/8/09	< 26.3	No	No	
TotalHg-ST13-7/06/09	0928014-08	Marriott Hotel, 38th Floor (roof level)	7/6/09	0.57	Mercury	EPA 324/1631	BRL	7/8/09	< 26.3	No	No	
TotalHg-ST1-7/07/09	0928026-01	Southwest Area (sidewalk bridge level)	7/7/09	0.60	Mercury	EPA 324/1631	BRL	7/9/09	< 25.0	No	No	
TotalHg-ST2-7/07/09	0928026-02	Southeast Area (sidewalk bridge level)	7/7/09	0.55	Mercury	EPA 324/1631	BRL	7/9/09	< 27.3	No	No	
TotalHg-ST4-7/07/09	0928026-03	Northwest Area (street-level)	7/7/09	0.57	Mercury	EPA 324/1631	BRL	7/9/09	< 26.3	No	No	
TotalHg-ST5-7/07/09	0928026-04	Firehouse #10 (roof level)	7/7/09	0.58	Mercury	EPA 324/1631	BRL	7/9/09	< 25.9	No	No	
TotalHg-ST10-7/07/09	0928026-05	North Side Sidewalk Bridge	7/7/09	0.54	Mercury	EPA 324/1631	BRL	7/9/09	< 27.8	No	No	
TotalHg-ST11-7/07/09	0928026-06	90 Trinity Place (roof level)	7/7/09	0.53	Mercury	EPA 324/1631	BRL	7/9/09	< 28.3	No	No	
TotalHg-ST12-7/07/09	0928026-07	110 Greenwich Street (roof level)	7/7/09	0.55	Mercury	EPA 324/1631	BRL	7/9/09	< 27.3	No	No	
TotalHg-ST13-7/07/09	0928026-08	Marriott Hotel, 38th Floor (roof level)	7/7/09	0.55	Mercury	EPA 324/1631	BRL	7/9/09	< 27.3	No	No	