

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m <sup>3</sup> )	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Mercury (Total) Concentration (ng/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
									300			
									3,000			
<b>Target Air Quality Levels</b>												
<b>EPA Site Specific Trigger Levels</b>												
TotalHg-ST1-8/16/07	0734002-01	Southwest Area (sidewalk bridge level)	8/16/07	0.59	Mercury	EPA 324/1631	BRL	8/18/07	< 25.0	No	No	
TotalHg-ST2-8/16/07	0734002-02	Southeast Area (sidewalk bridge level)	8/16/07	0.55	Mercury	EPA 324/1631	BRL	8/18/07	< 27.0	No	No	
TotalHg-ST5-8/16/07	0734002-03	Firehouse #10 (roof level)	8/16/07	0.57	Mercury	EPA 324/1631	BRL	8/18/07	< 26.0	No	No	
TotalHg-ST10-8/16/07	0734002-04	North Side Sidewalk Bridge	8/16/07	0.57	Mercury	EPA 324/1631	BRL	8/18/07	< 26.0	No	No	
TotalHg-ST11-8/16/07	0734002-05	90 Trinity Place (roof level)	8/16/07	0.58	Mercury	EPA 324/1631	BRL	8/18/07	< 26.0	No	No	
TotalHg-ST12-8/16/07	0734002-06	110 Greenwich Street (roof level)	8/16/07	0.54	Mercury	EPA 324/1631	BRL	8/18/07	< 28.0	No	No	
TotalHg-ST13-8/16/07	0734002-07	Marriott Hotel, 38th Floor (roof level)	8/16/07	0.56	Mercury	EPA 324/1631	BRL	8/18/07	< 27.0	No	No	
TotalHg-ST14-8/16/07	0734002-08	West Face - South end at corner (scaffolding level)	8/16/07	0.56	Mercury	EPA 324/1631	BRL	8/18/07	< 27.0	No	No	
TotalHg-ST15-8/16/07	0734002-09	West Face - South end at corner (scaffolding level)	8/16/07	0.57	Mercury	EPA 324/1631	BRL	8/18/07	< 26.0	No	No	
TotalHg-ST16-8/16/07	0734002-10	East Face - North end at corner (scaffolding level)	8/16/07	0.57	Mercury	EPA 324/1631	BRL	8/18/07	< 26.0	No	No	
TotalHg-ST17-8/16/07	0734002-11	North Face - West end at corner (scaffolding level)	8/16/07	0.56	Mercury	EPA 324/1631	BRL	8/18/07	< 27.0	No	No	
TotalHg-ST1-8/17/07	0734003-01	Southwest Area (sidewalk bridge level)	8/17/07	0.58	Mercury	EPA 324/1631	BRL	8/20/07	< 26.0	No	No	
TotalHg-ST2-8/17/07	0734003-02	Southeast Area (sidewalk bridge level)	8/17/07	0.57	Mercury	EPA 324/1631	BRL	8/20/07	< 26.0	No	No	
TotalHg-ST4-8/17/07	0734003-03	Northwest Area (street-level)	8/17/07	0.58	Mercury	EPA 324/1631	BRL	8/20/07	< 26.0	No	No	
TotalHg-ST5-8/17/07	0734003-04	Firehouse #10 (roof level)	8/17/07	0.55	Mercury	EPA 324/1631	BRL	8/20/07	< 27.0	No	No	
TotalHg-ST10-8/17/07	0734003-05	North Side Sidewalk Bridge	8/17/07	0.57	Mercury	EPA 324/1631	BRL	8/20/07	< 26.0	No	No	
TotalHg-ST11-8/17/07	0734003-06	90 Trinity Place (roof level)	8/17/07	0.54	Mercury	EPA 324/1631	BRL	8/20/07	< 28.0	No	No	
TotalHg-ST12-8/17/07	0734003-07	110 Greenwich Street (roof level)	8/17/07	0.55	Mercury	EPA 324/1631	BRL	8/20/07	< 27.0	No	No	
TotalHg-ST13-8/17/07	0734003-08	Marriott Hotel, 38th Floor (roof level)	8/17/07	0.55	Mercury	EPA 324/1631	BRL	8/20/07	< 27.0	No	No	
TotalHg-ST14-8/17/07	0734003-09	West Face - South end at corner (scaffolding level)	8/17/07	0.55	Mercury	EPA 324/1631	BRL	8/20/07	< 27.0	No	No	
TotalHg-ST15-8/17/07	0734003-10	South Face - East end at corner (scaffolding level)	8/17/07	0.54	Mercury	EPA 324/1631	BRL	8/20/07	< 28.0	No	No	
TotalHg-ST16-8/17/07	0734003-11	East Face - North end at corner (scaffolding level)	8/17/07	0.55	Mercury	EPA 324/1631	BRL	8/20/07	< 27.0	No	No	
TotalHg-ST17-8/17/07	0734003-12	North Face - West end at corner (scaffolding level)	8/17/07	0.52	Mercury	EPA 324/1631	BRL	8/20/07	< 29.0	No	No	

Note:

1. Mercury sample at Station 4 (Northwest Area [street-level]) on August 16, 2007 was not available for analysis on account of power failure.