

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m <sup>3</sup> )	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Mercury (Total) Concentration (ng/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
<b>Target Air Quality Levels</b>									<b>300</b>			
<b>EPA Site Specific Trigger Levels</b>									<b>3,000</b>			
TotalHg-ST1-8/22/09	0935003-01	Southwest Area (sidewalk bridge level)	8/22/09	0.57	Mercury	EPA 324/1631 Auto	BRL	8/25/09	< 26.3	No	No	
TotalHg-ST2-8/22/09	0935003-02	Southeast Area (sidewalk bridge level)	8/22/09	0.57	Mercury	EPA 324/1631 Auto	BRL	8/25/09	< 26.3	No	No	
TotalHg-ST4-8/22/09	0935003-03	Northwest Area (street-level)	8/22/09	0.56	Mercury	EPA 324/1631 Auto	BRL	8/25/09	< 26.8	No	No	
TotalHg-ST5-8/22/09	0935003-04	Firehouse #10 (roof level)	8/22/09	0.57	Mercury	EPA 324/1631 Auto	BRL	8/25/09	< 26.3	No	No	
TotalHg-ST10-8/22/09	0935003-05	North Side Sidewalk Bridge	8/22/09	0.59	Mercury	EPA 324/1631 Auto	BRL	8/25/09	< 25.4	No	No	
TotalHg-ST11-8/22/09	0935003-06	90 Trinity Place (roof level)	8/22/09	0.58	Mercury	EPA 324/1631 Auto	BRL	8/25/09	< 25.9	No	No	
TotalHg-ST12-8/22/09	0935003-07	110 Greenwich Street (roof level)	8/22/09	0.57	Mercury	EPA 324/1631 Auto	BRL	8/25/09	< 26.3	No	No	
TotalHg-ST13-8/22/09	0935003-08	Marriott Hotel, 38th Floor (roof level)	8/22/09	0.56	Mercury	EPA 324/1631 Auto	BRL	8/25/09	< 26.8	No	No	
TotalHg-ST1-8/23/09	0935004-01	Southwest Area (sidewalk bridge level)	8/23/09	0.55	Mercury	EPA 324/1631 Auto	BRL	8/25/09	< 27.3	No	No	
TotalHg-ST2-8/23/09	0935004-02	Southeast Area (sidewalk bridge level)	8/23/09	0.54	Mercury	EPA 324/1631 Auto	BRL	8/25/09	< 27.8	No	No	
TotalHg-ST4-8/23/09	0935004-03	Northwest Area (street-level)	8/23/09	0.53	Mercury	EPA 324/1631 Auto	BRL	8/25/09	< 28.3	No	No	
TotalHg-ST5-8/23/09	0935004-04	Firehouse #10 (roof level)	8/23/09	0.57	Mercury	EPA 324/1631 Auto	BRL	8/25/09	< 26.3	No	No	
TotalHg-ST10-8/23/09	0935004-05	North Side Sidewalk Bridge	8/23/09	0.55	Mercury	EPA 324/1631 Auto	BRL	8/25/09	< 27.3	No	No	
TotalHg-ST11-8/23/09	0935004-06	90 Trinity Place (roof level)	8/23/09	0.55	Mercury	EPA 324/1631 Auto	BRL	8/25/09	< 27.3	No	No	
TotalHg-ST12-8/23/09	0935004-07	110 Greenwich Street (roof level)	8/23/09	0.53	Mercury	EPA 324/1631 Auto	BRL	8/25/09	< 28.3	No	No	
TotalHg-ST13-8/23/09	0935004-08	Marriott Hotel, 38th Floor (roof level)	8/23/09	0.55	Mercury	EPA 324/1631 Auto	BRL	8/25/09	< 27.3	No	No	