

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m <sup>3</sup> )	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Mercury (Total) Concentration (ng/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
<b>Target Air Quality Levels</b>									<b>300</b>			
<b>EPA Site Specific Trigger Levels</b>									<b>3,000</b>			
TotalHg-ST1-8/26/08	0835032-01	Southwest Area (sidewalk bridge level)	8/26/08	0.58	Mercury	EPA 324/1631	BRL	8/28/08	< 26.0	No	No	
TotalHg-ST2-8/26/08	0835032-02	Southeast Area (sidewalk bridge level)	8/26/08	0.54	Mercury	EPA 324/1631	BRL	8/28/08	< 28.0	No	No	
TotalHg-ST4-8/26/08	0835032-03	Northwest Area (street-level)	8/26/08	0.59	Mercury	EPA 324/1631	BRL	8/28/08	< 25.0	No	No	
TotalHg-ST5-8/26/08	0835032-04	Firehouse #10 (roof level)	8/26/08	0.58	Mercury	EPA 324/1631	BRL	8/28/08	< 26.0	No	No	
TotalHg-ST10-8/26/08	0835032-05	North Side Sidewalk Bridge	8/26/08	0.57	Mercury	EPA 324/1631	BRL	8/28/08	< 26.0	No	No	
TotalHg-ST11-8/26/08	0835032-06	90 Trinity Place (roof level)	8/26/08	0.57	Mercury	EPA 324/1631	BRL	8/28/08	< 26.0	No	No	
TotalHg-ST12-8/26/08	0835032-07	110 Greenwich Street (roof level)	8/26/08	0.56	Mercury	EPA 324/1631	BRL	8/28/08	< 27.0	No	No	
TotalHg-ST13-8/26/08	0835032-08	Marriott Hotel, 38th Floor (roof level)	8/26/08	0.57	Mercury	EPA 324/1631	BRL	8/28/08	< 26.0	No	No	
TotalHg-ST14-8/26/08	0835032-09	West Face - South end at corner (scaffolding level)	8/26/08	0.57	Mercury	EPA 324/1631	BRL	8/28/08	< 26.0	No	No	
TotalHg-ST15-8/26/08	0835032-10	South Face - East end at corner (scaffolding level)	8/26/08	0.55	Mercury	EPA 324/1631	BRL	8/28/08	< 27.0	No	No	
TotalHg-ST16-8/26/08	0835032-11	East Face - North end at corner (scaffolding level)	8/26/08	0.60	Mercury	EPA 324/1631	BRL	8/28/08	< 25.0	No	No	
TotalHg-ST17-8/26/08	0835032-12	North Face - West end at corner (scaffolding level)	8/26/08	0.58	Mercury	EPA 324/1631	BRL	8/28/08	< 26.0	No	No	