

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m ³)	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Mercury (Total) Concentration (ng/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
Target Air Quality Levels									300			
EPA Site Specific Trigger Levels									3,000			
TotalHg-ST1-9/21/09	0939008-01	Southwest Area (sidewalk bridge level)	9/21/09	0.59	Mercury	EPA 324/1631 Auto	BRL	9/23/09	< 25.4	No	No	
TotalHg-ST2-9/21/09	0939008-02	Southeast Area (sidewalk bridge level)	9/21/09	0.57	Mercury	EPA 324/1631 Auto	BRL	9/23/09	< 26.3	No	No	
TotalHg-ST4-9/21/09	0939008-03	Northwest Area (street-level)	9/21/09	0.61	Mercury	EPA 324/1631 Auto	BRL	9/23/09	< 24.6	No	No	
TotalHg-ST5-9/21/09	0939008-04	Firehouse #10 (roof level)	9/21/09	0.55	Mercury	EPA 324/1631 Auto	BRL	9/23/09	< 27.3	No	No	
TotalHg-ST10-9/21/09	0939008-05	North Side Sidewalk Bridge	9/21/09	0.57	Mercury	EPA 324/1631 Auto	BRL	9/23/09	< 26.3	No	No	
TotalHg-ST11-9/21/09	0939008-06	90 Trinity Place (roof level)	9/21/09	0.58	Mercury	EPA 324/1631 Auto	BRL	9/23/09	< 25.9	No	No	
TotalHg-ST12-9/21/09	0939008-07	110 Greenwich Street (roof level)	9/21/09	0.55	Mercury	EPA 324/1631 Auto	BRL	9/23/09	< 27.3	No	No	
TotalHg-ST13-9/21/09	0939008-08	Marriott Hotel, 38th Floor (roof level)	9/21/09	0.56	Mercury	EPA 324/1631 Auto	BRL	9/23/09	< 26.8	No	No	
TotalHg-ST1-9/22/09	0939017-01	Southwest Area (sidewalk bridge level)	9/22/09	0.55	Mercury	EPA 324/1631 Auto	BRL	9/24/09	< 27.3	No	No	
TotalHg-ST2-9/22/09	0939017-02	Southeast Area (sidewalk bridge level)	9/22/09	0.55	Mercury	EPA 324/1631 Auto	BRL	9/24/09	< 27.3	No	No	
TotalHg-ST4-9/22/09	0939017-03	Northwest Area (street-level)	9/22/09	0.55	Mercury	EPA 324/1631 Auto	BRL	9/24/09	< 27.3	No	No	
TotalHg-ST5-9/22/09	0939017-04	Firehouse #10 (roof level)	9/22/09	0.54	Mercury	EPA 324/1631 Auto	BRL	9/24/09	< 27.8	No	No	
TotalHg-ST10-9/22/09	0939017-05	North Side Sidewalk Bridge	9/22/09	0.54	Mercury	EPA 324/1631 Auto	BRL	9/24/09	< 27.8	No	No	
TotalHg-ST11-9/22/09	0939017-06	90 Trinity Place (roof level)	9/22/09	0.56	Mercury	EPA 324/1631 Auto	BRL	9/24/09	< 26.8	No	No	
TotalHg-ST12-9/22/09	0939017-07	110 Greenwich Street (roof level)	9/22/09	0.58	Mercury	EPA 324/1631 Auto	BRL	9/24/09	< 25.9	No	No	
TotalHg-ST13-9/22/09	0939017-08	Marriott Hotel, 38th Floor (roof level)	9/22/09	0.55	Mercury	EPA 324/1631 Auto	BRL	9/24/09	< 27.3	No	No	