

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m ³)	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Mercury (Total) Concentration (ng/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
Target Air Quality Levels									300			
EPA Site Specific Trigger Levels									3,000			
TotalHg-ST1-10/5/09	0941012-01	Southwest Area (sidewalk bridge level)	10/5/09	0.56	Mercury	EPA 324/1631 Auto	BRL	10/7/09	< 26.8	No	No	
TotalHg-ST2-10/5/09	0941012-02	Southeast Area (sidewalk bridge level)	10/5/09	0.54	Mercury	EPA 324/1631 Auto	BRL	10/7/09	< 27.8	No	No	
TotalHg-ST4-10/5/09	0941012-03	Northwest Area (street-level)	10/5/09	0.57	Mercury	EPA 324/1631 Auto	BRL	10/7/09	< 26.3	No	No	
TotalHg-ST5-10/5/09	0941012-04	Firehouse #10 (roof level)	10/5/09	0.58	Mercury	EPA 324/1631 Auto	BRL	10/7/09	< 25.9	No	No	
TotalHg-ST10-10/5/09	0941012-05	North Side Sidewalk Bridge	10/5/09	0.53	Mercury	EPA 324/1631 Auto	BRL	10/7/09	< 28.3	No	No	
TotalHg-ST11-10/5/09	0941012-06	90 Trinity Place (roof level)	10/5/09	0.58	Mercury	EPA 324/1631 Auto	BRL	10/7/09	< 25.9	No	No	
TotalHg-ST12-10/5/09	0941012-07	110 Greenwich Street (roof level)	10/5/09	0.58	Mercury	EPA 324/1631 Auto	BRL	10/7/09	< 25.9	No	No	
TotalHg-ST13-10/5/09	0941012-08	Marriott Hotel, 38th Floor (roof level)	10/5/09	0.57	Mercury	EPA 324/1631 Auto	BRL	10/7/09	< 26.3	No	No	
TotalHg-ST1-10/6/09	0941021-01	Southwest Area (sidewalk bridge level)	10/6/09	0.56	Mercury	EPA 324/1631 Auto	BRL	10/8/09	< 26.8	No	No	
TotalHg-ST2-10/6/09	0941021-02	Southeast Area (sidewalk bridge level)	10/6/09	0.59	Mercury	EPA 324/1631 Auto	BRL	10/8/09	< 25.4	No	No	
TotalHg-ST4-10/6/09	0941021-03	Northwest Area (street-level)	10/6/09	0.57	Mercury	EPA 324/1631 Auto	BRL	10/8/09	< 26.3	No	No	
TotalHg-ST5-10/6/09	0941021-04	Firehouse #10 (roof level)	10/6/09	0.58	Mercury	EPA 324/1631 Auto	BRL	10/8/09	< 25.9	No	No	
TotalHg-ST10-10/6/09	0941021-05	North Side Sidewalk Bridge	10/6/09	0.54	Mercury	EPA 324/1631 Auto	BRL	10/8/09	< 27.8	No	No	
TotalHg-ST11-10/6/09	0941021-06	90 Trinity Place (roof level)	10/6/09	0.56	Mercury	EPA 324/1631 Auto	BRL	10/8/09	< 26.8	No	No	
TotalHg-ST12-10/6/09	0941021-07	110 Greenwich Street (roof level)	10/6/09	0.57	Mercury	EPA 324/1631 Auto	BRL	10/8/09	< 26.3	No	No	
TotalHg-ST13-10/6/09	0941021-08	Marriott Hotel, 38th Floor (roof level)	10/6/09	0.55	Mercury	EPA 324/1631 Auto	BRL	10/8/09	< 27.3	No	No	