

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m ³)	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Mercury (Total) Concentration (ng/m ³)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
Target Air Quality Levels									300			
EPA Site Specific Trigger Levels									3,000			
TotalHg-ST1-10/6/08	0841014-01	Southwest Area (sidewalk bridge level)	10/6/08	0.58	Mercury	EPA 324/1631	BRL	10/8/08	< 26.0	No	No	
TotalHg-ST2-10/6/08	0841014-02	Southeast Area (sidewalk bridge level)	10/6/08	0.57	Mercury	EPA 324/1631	BRL	10/8/08	< 26.0	No	No	
TotalHg-ST4-10/6/08	0841014-03	Northwest Area (street-level)	10/6/08	0.62	Mercury	EPA 324/1631	BRL	10/8/08	< 24.0	No	No	
TotalHg-ST5-10/6/08	0841014-04	Firehouse #10 (roof level)	10/6/08	0.59	Mercury	EPA 324/1631	BRL	10/8/08	< 25.0	No	No	
TotalHg-ST10-10/6/08	0841014-05	North Side Sidewalk Bridge	10/6/08	0.56	Mercury	EPA 324/1631	BRL	10/8/08	< 27.0	No	No	
TotalHg-ST11-10/6/08	0841014-06	90 Trinity Place (roof level)	10/6/08	0.54	Mercury	EPA 324/1631	BRL	10/8/08	< 28.0	No	No	
TotalHg-ST12-10/6/08	0841014-07	110 Greenwich Street (roof level)	10/6/08	0.58	Mercury	EPA 324/1631	BRL	10/8/08	< 26.0	No	No	
TotalHg-ST13-10/6/08	0841014-08	Marriott Hotel, 38th Floor (roof level)	10/6/08	0.55	Mercury	EPA 324/1631	BRL	10/8/08	< 27.0	No	No	
TotalHg-ST14-10/6/08	0841014-09	West Face - South end at corner (scaffolding level)	10/6/08	0.58	Mercury	EPA 324/1631	BRL	10/8/08	< 26.0	No	No	
TotalHg-ST15-10/6/08	0841014-10	South Face - East end at corner (scaffolding level)	10/6/08	0.54	Mercury	EPA 324/1631	BRL	10/8/08	< 28.0	No	No	
TotalHg-ST16-10/6/08	0841014-11	East Face - North end at corner (scaffolding level)	10/6/08	0.58	Mercury	EPA 324/1631	BRL	10/8/08	< 26.0	No	No	
TotalHg-ST17-10/6/08	0841014-12	North Face - West end at corner (scaffolding level)	10/6/08	0.56	Mercury	EPA 324/1631	BRL	10/8/08	< 27.0	No	No	