

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m ³)	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Mercury (Total) Concentration (ng/m ³)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
Target Air Quality Levels									300			
EPA Site Specific Trigger Levels									3,000			
TotalHg-ST1-11/19/08	0847043-01	Southwest Area (sidewalk bridge level)	11/19/08	0.58	Mercury	EPA 324/1631	BRL	11/21/08	< 26.0	No	No	
TotalHg-ST2-11/19/08	0847043-02	Southeast Area (sidewalk bridge level)	11/19/08	0.57	Mercury	EPA 324/1631	BRL	11/21/08	< 26.0	No	No	
TotalHg-ST4-11/19/08	0847043-03	Northwest Area (street-level)	11/19/08	0.60	Mercury	EPA 324/1631	BRL	11/21/08	< 25.0	No	No	
TotalHg-ST5-11/19/08	0847043-04	Firehouse #10 (roof level)	11/19/08	0.54	Mercury	EPA 324/1631	BRL	11/21/08	< 28.0	No	No	
TotalHg-ST10-11/19/08	0847043-05	North Side Sidewalk Bridge	11/19/08	0.57	Mercury	EPA 324/1631	BRL	11/21/08	< 26.0	No	No	
TotalHg-ST11-11/19/08	0847043-06	90 Trinity Place (roof level)	11/19/08	0.59	Mercury	EPA 324/1631	BRL	11/21/08	< 25.0	No	No	
TotalHg-ST12-11/19/08	0847043-07	110 Greenwich Street (roof level)	11/19/08	0.55	Mercury	EPA 324/1631	BRL	11/21/08	< 27.0	No	No	
TotalHg-ST13-11/19/08	0847043-08	Marriott Hotel, 38th Floor (roof level)	11/19/08	0.55	Mercury	EPA 324/1631	BRL	11/21/08	< 27.0	No	No	
TotalHg-ST14-11/19/08	0847043-09	West Face - South end at corner (scaffolding level)	11/19/08	0.57	Mercury	EPA 324/1631	BRL	11/21/08	< 26.0	No	No	
TotalHg-ST15-11/19/08	0847043-10	South Face - East end at corner (scaffolding level)	11/19/08	0.56	Mercury	EPA 324/1631	BRL	11/21/08	< 27.0	No	No	
TotalHg-ST16-11/19/08	0847043-11	East Face - North end at corner (scaffolding level)	11/19/08	0.55	Mercury	EPA 324/1631	BRL	11/21/08	< 27.0	No	No	
TotalHg-ST17-11/19/08	0847043-12	North Face - West end at corner (scaffolding level)	11/19/08	0.59	Mercury	EPA 324/1631	BRL	11/21/08	< 25.0	No	No	