

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m ³)	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Mercury (Total) Concentration (ng/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
									300			
									3,000			
TotalHg-ST1-11/29/06	06BR1900-01	Southwest Area (sidewalk bridge level)	11/29/06	0.53	Mercury	EPA 324/1631	BRL	12/1/06	< 28.0	No	No	
TotalHg-ST2-11/29/06	06BR1900-02	Southeast Area (sidewalk bridge level)	11/29/06	0.56	Mercury	EPA 324/1631	BRL	12/1/06	< 27.0	No	No	
TotalHg-ST4-11/29/06	06BR1900-03	Northwest Area (street-level)	11/29/06	0.54	Mercury	EPA 324/1631	BRL	12/1/06	< 28.0	No	No	
TotalHg-ST5-11/29/06	06BR1900-04	Firehouse #10 (roof level)	11/29/06	0.58	Mercury	EPA 324/1631	BRL	12/1/06	< 26.0	No	No	
TotalHg-ST10-11/29/06	06BR1900-05	North Side Sidewalk Bridge	11/29/06	0.61	Mercury	EPA 324/1631	BRL	12/1/06	< 25.0	No	No	
TotalHg-ST11-11/29/06	06BR1900-06	90 Trinity Place (roof level)	11/29/06	0.57	Mercury	EPA 324/1631	BRL	12/1/06	< 26.0	No	No	
TotalHg-ST12-11/29/06	06BR1900-07	110 Greenwich Street (roof level)	11/29/06	0.58	Mercury	EPA 324/1631	BRL	12/1/06	< 26.0	No	No	
TotalHg-ST13-11/29/06	06BR1900-08	Marriott Hotel, 38th Floor (roof level)	11/29/06	0.59	Mercury	EPA 324/1631	BRL	12/1/06	< 25.0	No	No	
TotalHg-ST14-11/29/06	06BR1900-09	West Face - South end at corner (scaffolding level)	11/29/06	0.59	Mercury	EPA 324/1631	BRL	12/1/06	< 25.0	No	No	
TotalHg-ST15-11/29/06	06BR1900-10	South Face - East end at corner (scaffolding level)	11/29/06	0.60	Mercury	EPA 324/1631	BRL	12/1/06	< 25.0	No	No	
TotalHg-ST16-11/29/06	06BR1900-11	East Face - North end at corner (scaffolding level)	11/29/06	0.61	Mercury	EPA 324/1631	BRL	12/1/06	< 25.0	No	No	
TotalHg-ST17-11/29/06	06BR1900-12	North Face - West end at corner (scaffolding level)	11/29/06	0.60	Mercury	EPA 324/1631	BRL	12/1/06	< 25.0	No	No	