

| TRC Field Sample No. | Sample No.   | Sampling Location                                   | Collection Start Date | Sample Volume (m <sup>3</sup> ) | Analyte | Analytical Method | Lab     | Lab Sample Receipt Date | Antimony Concentration (ng/m <sup>3</sup> ) | Barium Concentration (ng/m <sup>3</sup> ) | Beryllium Concentration (ng/m <sup>3</sup> ) | Cadmium Concentration (ng/m <sup>3</sup> ) | Chromium (Total) Concentration (ng/m <sup>3</sup> ) | Copper Concentration (ng/m <sup>3</sup> ) | Lead Concentration (ng/m <sup>3</sup> ) | Manganese Concentration (ng/m <sup>3</sup> ) | Nickel Concentration (ng/m <sup>3</sup> ) | Zinc Concentration (ng/m <sup>3</sup> ) | Exceeds Target | Exceeds EPA    | Comments |
|----------------------|--------------|---|-----------------------|---------------------------------|---------|-------------------|---------|-------------------------|---|---|--|--|---|---|---|--|---|---|----------------|----------------|----------|
|                      |              |   |                       |                                 |         |                   |         |                         | 5,000                                       | 5,000                                     | 20   | 40   | 600   | 10,000                                    | 1,500                                   | 500  | 200                                       | 16,000                                  |                |                |          |
|                      |              |   |                       |                                 |         |                   |         |                         | 14,000                                      | 5,000                                     | 200  | 400  | 600   | 100,000                                   | 5,000                                   | 500  | 28,000                                    | 160,000                                 | Exceeds Target | Exceeds EPA    | Comments |
|                      |              |   |                       |                                 |         |                   |         |                         |   |   |  |  |   |   |   |  |   |   | Air Quality    | Site Specific  |          |
|                      |              |   |                       |                                 |         |                   |         |                         |   |   |  |  |   |   |   |  |   |   | Levels         | Trigger Levels |          |
| METALS-ST1-3/2/07    | G7C060156001 | Southwest Area (sidewalk bridge level)              | 3/2/07                | 1762.6                          | Metals  | 6020              | STL-SAC | 3/6/07                  | 3.5   | < 68.1                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 112                                       | 13.2                                    | 14.0   | 16.2                                      | 75.6                                    | No             | No             |          |
| METALS-ST2-3/2/07    | G7C060156002 | Southeast Area (sidewalk bridge level)              | 3/2/07                | 1757.1                          | Metals  | 6020              | STL-SAC | 3/6/07                  | 3.4   | < 68.3                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 226                                       | 10.1                                    | 12.2   | 14.1                                      | 60.5                                    | No             | No             |          |
| METALS-ST4-3/2/07    | G7C060156003 | Northwest Area (street-level)                       | 3/2/07                | 1788.5                          | Metals  | 6020              | STL-SAC | 3/6/07                  | 2.7   | < 67.1                                    | < 0.67                                       | < 0.67                                     | < 6.7   | 137                                       | 23.9                                    | 13.7   | 13.5                                      | 92.3                                    | No             | No             |          |
| METALS-ST5-3/2/07    | G7C060156004 | Firehouse #10 (roof level)                          | 3/2/07                | 1734.6                          | Metals  | 6020              | STL-SAC | 3/6/07                  | 3.7   | < 69.2                                    | < 0.69                                       | < 0.69                                     | < 6.9   | 160                                       | 10.1                                    | 35.4   | 14.5                                      | 59.5                                    | No             | No             |          |
| METALS-ST10-3/2/07   | G7C060156005 | North Side Sidewalk Bridge                          | 3/2/07                | 1736.1                          | Metals  | 6020              | STL-SAC | 3/6/07                  | 3.8   | < 69.1                                    | < 0.68                                       | < 0.68                                     | < 6.9   | 94.3                                      | 10.7                                    | 15.2   | 27.4                                      | 69.2                                    | No             | No             |          |
| METALS-ST11-3/2/07   | G7C060156006 | 90 Trinity Place (roof level)                       | 3/2/07                | 1777.1                          | Metals  | 6020              | STL-SAC | 3/6/07                  | 2.6   | < 67.5                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 124                                       | 6.7                                     | 11.0   | 13.6                                      | 43.1                                    | No             | No             |          |
| METALS-ST12-3/2/07   | G7C060156007 | 110 Greenwich Street (roof level)                   | 3/2/07                | 1751.7                          | Metals  | 6020              | STL-SAC | 3/6/07                  | 2.8   | < 68.5                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 92.9                                      | 7.1                                     | 11.8   | 14.9                                      | 44.0                                    | No             | No             |          |
| METALS-ST13-3/2/07   | G7C060156008 | Mariotti Hotel, 38th Floor (roof level)             | 3/2/07                | 1716                            | Metals  | 6020              | STL-SAC | 3/6/07                  | 2.0   | < 69.9                                    | < 0.70                                       | < 0.70                                     | < 7.0   | 229                                       | 5.0                                     | 8.0  | 12.4                                      | 51.5                                    | No             | No             |          |
| METALS-ST14-3/2/07   | G7C060156009 | West Face - South end at corner (scaffolding level) | 3/2/07                | 1652.1                          | Metals  | 6020              | STL-SAC | 3/6/07                  | 1.5   | < 72.6                                    | < 0.73                                       | < 0.73                                     | < 7.3   | 61.8                                      | 4.2                                     | 7.0  | 8.5                                       | 38.0                                    | No             | No             |          |
| METALS-ST15-3/2/07   | G7C060156010 | South Face - East end at corner (scaffolding level) | 3/2/07                | 1661.2                          | Metals  | 6020              | STL-SAC | 3/6/07                  | 1.6   | < 72.2                                    | < 0.72                                       | < 0.72                                     | < 7.2   | 68.7                                      | 5.5                                     | 7.2  | 8.9                                       | 34.4                                    | No             | No             |          |
| METALS-ST16-3/2/07   | G7C060156011 | East Face - North end at corner (scaffolding level) | 3/2/07                | 1651.9                          | Metals  | 6020              | STL-SAC | 3/6/07                  | 2.3   | < 72.6                                    | < 0.73                                       | < 0.73                                     | < 7.3   | 83.5                                      | 6.8                                     | 13.2   | 11.5                                      | 46.8                                    | No             | No             |          |
| METALS-ST17-3/2/07   | G7C060156012 | North Face - West end at corner (scaffolding level) | 3/2/07                | 1654.2                          | Metals  | 6020              | STL-SAC | 3/6/07                  | 1.9   | < 72.5                                    | < 0.72                                       | < 0.72                                     | < 7.2   | 96.8                                      | 6.4                                     | 12.8   | 10.2                                      | 63.7                                    | No             | No             |          |
| METALS-ST1-3/3/07    | G7C060159001 | Southwest Area (sidewalk bridge level)              | 3/3/07                | 1758.1                          | Metals  | 6020              | STL-SAC | 3/6/07                  | 2.8   | < 68.2                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 191                                       | 9.8                                     | 34.8   | 17.8                                      | 61.6                                    | No             | No             |          |
| METALS-ST2-3/3/07    | G7C060159002 | Southeast Area (sidewalk bridge level)              | 3/3/07                | 1691.8                          | Metals  | 6020              | STL-SAC | 3/6/07                  | 3.0   | < 70.9                                    | < 0.71                                       | < 0.71                                     | < 7.1   | 128                                       | 13.9                                    | 14.8   | 8.9                                       | 64.2                                    | No             | No             |          |
| METALS-ST4-3/3/07    | G7C060159003 | Northwest Area (street-level)                       | 3/3/07                | 1629.3                          | Metals  | 6020              | STL-SAC | 3/6/07                  | 1.9   | < 73.6                                    | < 0.74                                       | < 0.74                                     | < 7.4   | 107                                       | 56.5                                    | 17.6   | 8.3                                       | 85.2                                    | No             | No             |          |
| METALS-ST5-3/3/07    | G7C060159004 | Firehouse #10 (roof level)                          | 3/3/07                | 1749.6                          | Metals  | 6020              | STL-SAC | 3/6/07                  | 3.6   | < 68.6                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 95.3                                      | 15.4                                    | 38.0   | 10.9                                      | 76.4                                    | No             | No             |          |
| METALS-ST10-3/3/07   | G7C060159005 | North Side Sidewalk Bridge                          | 3/3/07                | 1673.1                          | Metals  | 6020              | STL-SAC | 3/6/07                  | 2.5   | < 71.7                                    | < 0.72                                       | < 0.72                                     | < 7.2   | 129                                       | 14.8                                    | 9.3  | 70.2                                      | No                                      | No             |                |          |
| METALS-ST11-3/3/07   | G7C060159006 | 90 Trinity Place (roof level)                       | 3/3/07                | 1753.2                          | Metals  | 6020              | STL-SAC | 3/6/07                  | 2.0   | < 68.4                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 75.8                                      | 9.0                                     | 12.5   | 8.0                                       | 45.8                                    | No             | No             |          |
| METALS-ST12-3/3/07   | G7C060159007 | 110 Greenwich Street (roof level)                   | 3/3/07                | 1739.4                          | Metals  | 6020              | STL-SAC | 3/6/07                  | 2.1   | < 69.0                                    | < 0.69                                       | < 0.69                                     | < 6.9   | 87.2                                      | 10.4                                    | 12.5   | 9.6                                       | 51.3                                    | No             | No             |          |
| METALS-ST13-3/3/07   | G7C060159008 | Mariotti Hotel, 38th Floor (roof level)             | 3/3/07                | 1763.1                          | Metals  | 6020              | STL-SAC | 3/6/07                  | < 1.4                                       | < 68.1                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 158                                       | 7.4                                     | 8.8  | 8.0                                       | 36.5                                    | No             | No             |          |
| METALS-ST14-3/3/07   | G7C060159009 | West Face - South end at corner (scaffolding level) | 3/3/07                | 1774.9                          | Metals  | 6020              | STL-SAC | 3/6/07                  | < 1.4                                       | < 67.6                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 53.7                                      | 6.6                                     | 4.8  | 6.9                                       | 31.9                                    | No             | No             |          |
| METALS-ST15-3/3/07   | G7C060159010 | South Face - East end at corner (scaffolding level) | 3/3/07                | 1788.3                          | Metals  | 6020              | STL-SAC | 3/6/07                  | < 1.3                                       | < 67.1                                    | < 0.67                                       | < 0.67                                     | < 6.7   | 82.6                                      | 7.6                                     | 5.9  | 8.2                                       | 37.2                                    | No             | No             |          |
| METALS-ST16-3/3/07   | G7C060159011 | East Face - North end at corner (scaffolding level) | 3/3/07                | 1763.9                          | Metals  | 6020              | STL-SAC | 3/6/07                  | 1.8   | < 68.0                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 72.3                                      | 9.3                                     | 7.9  | 7.9                                       | 52.2                                    | No             | No             |          |
| METALS-ST17-3/3/07   | G7C060159012 | North Face - West end at corner (scaffolding level) | 3/3/07                | 1774                            | Metals  | 6020              | STL-SAC | 3/6/07                  | < 1.4                                       | < 67.6                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 78.4                                      | 7.5                                     | 9.3  | 5.2                                       | 44.5                                    | No             | No             |          |
| METALS-ST1-3/4/07    | G7C060154001 | Southwest Area (sidewalk bridge level)              | 3/4/07                | 1779.2                          | Metals  | 6020              | STL-SAC | 3/6/07                  | 1.9   | < 67.4                                    | < 0.67                                       | < 0.67                                     | < 6.7   | 145                                       | 14.6                                    | 10.8   | 6.7                                       | 52.5                                    | No             | No             |          |
| METALS-ST2-3/4/07    | G7C060154002 | Southeast Area (sidewalk bridge level)              | 3/4/07                | 1824.3                          | Metals  | 6020              | STL-SAC | 3/6/07                  | 2.0   | < 65.8                                    | < 0.66                                       | < 0.66                                     | < 6.6   | 118                                       | 8.0                                     | 10.2   | 7.1                                       | 46.3                                    | No             | No             |          |
| METALS-ST4-3/4/07    | G7C060154003 | Northwest Area (street-level)                       | 3/4/07                | 1703.8                          | Metals  | 6020              | STL-SAC | 3/6/07                  | 1.4   | < 70.4                                    | < 0.70                                       | < 0.70                                     | < 7.0   | 143                                       | 47.6                                    | 25.1   | 6.0                                       | 55.2                                    | No             | No             |          |
| METALS-ST5-3/4/07    | G7C060154004 | Firehouse #10 (roof level)                          | 3/4/07                | 1763.8                          | Metals  | 6020              | STL-SAC | 3/6/07                  | 2.4   | < 68.0                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 227                                       | 10.1                                    | 26.0   | 7.5                                       | 53.9                                    | No             | No             |          |
| METALS-ST10-3/4/07   | G7C060154005 | North Side Sidewalk Bridge                          | 3/4/07                | 1688.4                          | Metals  | 6020              | STL-SAC | 3/6/07                  | 1.4   | < 71.1                                    | < 0.71                                       | < 0.71                                     | < 7.1   | 332                                       | 11.2                                    | 22.2   | 6.9                                       | 48.6                                    | No             | No             |          |
| METALS-ST11-3/4/07   | G7C060154006 | 90 Trinity Place (roof level)                       | 3/4/07                | 1694.4                          | Metals  | 6020              | STL-SAC | 3/6/07                  | 1.6   | < 70.8                                    | < 0.71                                       | < 0.71                                     | < 7.1   | 76.3                                      | 5.5                                     | 7.4  | 7.4                                       | 31.8                                    | No             | No             |          |
| METALS-ST12-3/4/07   | G7C060154007 | 110 Greenwich Street (roof level)                   | 3/4/07                | 1755.1                          | Metals  | 6020              | STL-SAC | 3/6/07                  | 1.7   | < 68.4                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 59.9                                      | 5.7                                     | 8.6  | 8.7                                       | 34.1                                    | No             | No             |          |
| METALS-ST13-3/4/07   | G7C060154008 | Mariotti Hotel, 38th Floor (roof level)             | 3/4/07                | 1775.9                          | Metals  | 6020              | STL-SAC | 3/6/07                  | < 1.4                                       | < 67.6                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 156                                       | 3.4                                     | 5.2  | 5.8                                       | 20.5                                    | No             | No             |          |
| METALS-ST14-3/4/07   | G7C060154009 | West Face - South end at corner (scaffolding level) | 3/4/07                | 1834.5                          | Metals  | 6020              | STL-SAC | 3/6/07                  | < 1.2                                       | < 62.0                                    | < 0.62                                       | < 0.62                                     | < 6.2   | 32.9                                      | 4.3                                     | 5.4  | 3.7                                       | 21.3                                    | No             | No             |          |
| METALS-ST15-3/4/07   | G7C060154010 | South Face - East end at corner (scaffolding level) | 3/4/07                | 1927.8                          | Metals  | 6020              | STL-SAC | 3/6/07                  | < 1.2                                       | < 62.2                                    | < 0.62                                       | < 0.62                                     | < 6.2   | 103                                       | 5.2                                     | 6.3  | 4.9                                       | 29.1                                    | No             | No             |          |
| METALS-ST16-3/4/07   | G7C060154011 | East Face - North end at corner (scaffolding level) | 3/4/07                | 1940.2                          | Metals  | 6020              | STL-SAC | 3/6/07                  | < 1.2                                       | < 61.8                                    | < 0.62                                       | < 0.62                                     | < 6.2   | 80.5                                      | 7.8                                     | 13.5   | 8.2                                       | 45.4                                    | No             | No             |          |
| METALS-ST17-3/4/07   | G7C060154012 | North Face - West end at corner (scaffolding level) | 3/4/07                | 1937.9                          | Metals  | 6020              | STL-SAC | 3/6/07                  | < 1.2                                       | < 61.9                                    | < 0.62                                       | < 0.62                                     | < 6.2   | 46.7                                      | 7.9                                     | 11.4   | 4.8                                       | 50.6                                    | No             | No             |          |