

## LMDC Summary of Metals in Air

Client: **Lower Manhattan Development Corp.**  
 Address: One Liberty Plaza, 20th Floor  
 New York, NY 10006

| <u>Date Collected</u> | <u>Sample Location</u>          | <u>Parameter</u> | <u>Results</u> | <u>Units</u>      | <u>CC</u> | <u>Flag</u> |
|-----------------------|---------------------------------|------------------|----------------|-------------------|-----------|-------------|
| 5/13/05               | Washington Street/Albany Street | Barium, Total    | <0.87          | µg/m <sup>3</sup> | 500       |             |
| 5/13/05               | Washington Street/Albany Street | Beryllium, Total | <0.035         | µg/m <sup>3</sup> | 1         |             |
| 5/13/05               | Washington Street/Albany Street | Cadmium, Total   | <0.035         | µg/m <sup>3</sup> | 2.5       |             |
| 5/13/05               | Washington Street/Albany Street | Chromium, Total  | <0.087         | µg/m <sup>3</sup> | 500       |             |
| 5/13/05               | Washington Street/Albany Street | Copper, Total    | <0.17          | µg/m <sup>3</sup> | 500       |             |
| 5/13/05               | Washington Street/Albany Street | Lead, Total      | <0.087         | µg/m <sup>3</sup> | 30        |             |
| 5/13/05               | Washington Street/Albany Street | Manganese, Total | <0.13          | µg/m <sup>3</sup> | 1000      |             |
| 5/13/05               | Washington Street/Albany Street | Nickel, Total    | <0.17          | µg/m <sup>3</sup> | 500       |             |
| 5/13/05               | Washington Street/Albany Street | Zinc, Total      | <0.17          | µg/m <sup>3</sup> | 2500      |             |
| 5/13/05               | Albany Street/Greenwich Street  | Barium, Total    | <0.87          | µg/m <sup>3</sup> | 500       |             |
| 5/13/05               | Albany Street/Greenwich Street  | Beryllium, Total | <0.035         | µg/m <sup>3</sup> | 1         |             |
| 5/13/05               | Albany Street/Greenwich Street  | Cadmium, Total   | <0.035         | µg/m <sup>3</sup> | 2.5       |             |
| 5/13/05               | Albany Street/Greenwich Street  | Chromium, Total  | <0.087         | µg/m <sup>3</sup> | 500       |             |
| 5/13/05               | Albany Street/Greenwich Street  | Copper, Total    | <0.17          | µg/m <sup>3</sup> | 500       |             |
| 5/13/05               | Albany Street/Greenwich Street  | Lead, Total      | <0.087         | µg/m <sup>3</sup> | 30        |             |
| 5/13/05               | Albany Street/Greenwich Street  | Manganese, Total | <0.13          | µg/m <sup>3</sup> | 1000      |             |
| 5/13/05               | Albany Street/Greenwich Street  | Nickel, Total    | <0.17          | µg/m <sup>3</sup> | 500       |             |
| 5/13/05               | Albany Street/Greenwich Street  | Zinc, Total      | <0.17          | µg/m <sup>3</sup> | 2500      |             |
| 5/13/05               | Greenwich Street                | Barium, Total    | <0.87          | µg/m <sup>3</sup> | 500       |             |
| 5/13/05               | Greenwich Street                | Beryllium, Total | <0.035         | µg/m <sup>3</sup> | 1         |             |
| 5/13/05               | Greenwich Street                | Cadmium, Total   | <0.035         | µg/m <sup>3</sup> | 2.5       |             |
| 5/13/05               | Greenwich Street                | Chromium, Total  | <0.087         | µg/m <sup>3</sup> | 500       |             |
| 5/13/05               | Greenwich Street                | Copper, Total    | <0.17          | µg/m <sup>3</sup> | 500       |             |
| 5/13/05               | Greenwich Street                | Lead, Total      | <0.087         | µg/m <sup>3</sup> | 30        |             |
| 5/13/05               | Greenwich Street                | Manganese, Total | <0.13          | µg/m <sup>3</sup> | 1000      |             |
| 5/13/05               | Greenwich Street                | Nickel, Total    | <0.17          | µg/m <sup>3</sup> | 500       |             |
| 5/13/05               | Greenwich Street                | Zinc, Total      | <0.17          | µg/m <sup>3</sup> | 2500      |             |
| 5/13/05               | Greenwich Street/Liberty Street | Barium, Total    | <0.87          | µg/m <sup>3</sup> | 500       |             |
| 5/13/05               | Greenwich Street/Liberty Street | Beryllium, Total | <0.035         | µg/m <sup>3</sup> | 1         |             |
| 5/13/05               | Greenwich Street/Liberty Street | Cadmium, Total   | <0.035         | µg/m <sup>3</sup> | 2.5       |             |
| 5/13/05               | Greenwich Street/Liberty Street | Chromium, Total  | <0.087         | µg/m <sup>3</sup> | 500       |             |
| 5/13/05               | Greenwich Street/Liberty Street | Copper, Total    | <0.17          | µg/m <sup>3</sup> | 500       |             |
| 5/13/05               | Greenwich Street/Liberty Street | Lead, Total      | <0.087         | µg/m <sup>3</sup> | 30        |             |
| 5/13/05               | Greenwich Street/Liberty Street | Manganese, Total | <0.13          | µg/m <sup>3</sup> | 1000      |             |
| 5/13/05               | Greenwich Street/Liberty Street | Nickel, Total    | <0.17          | µg/m <sup>3</sup> | 500       |             |
| 5/13/05               | Greenwich Street/Liberty Street | Zinc, Total      | <0.17          | µg/m <sup>3</sup> | 2500      |             |
| 5/13/05               | Washington Street/Cedar Street  | Barium, Total    | <0.89          | µg/m <sup>3</sup> | 500       |             |
| 5/13/05               | Washington Street/Cedar Street  | Beryllium, Total | <0.036         | µg/m <sup>3</sup> | 1         |             |
| 5/13/05               | Washington Street/Cedar Street  | Cadmium, Total   | <0.036         | µg/m <sup>3</sup> | 2.5       |             |
| 5/13/05               | Washington Street/Cedar Street  | Chromium, Total  | <0.089         | µg/m <sup>3</sup> | 500       |             |
| 5/13/05               | Washington Street/Cedar Street  | Copper, Total    | <0.18          | µg/m <sup>3</sup> | 500       |             |
| 5/13/05               | Washington Street/Cedar Street  | Lead, Total      | <0.089         | µg/m <sup>3</sup> | 30        |             |
| 5/13/05               | Washington Street/Cedar Street  | Manganese, Total | <0.13          | µg/m <sup>3</sup> | 1000      |             |
| 5/13/05               | Washington Street/Cedar Street  | Nickel, Total    | <0.18          | µg/m <sup>3</sup> | 500       |             |
| 5/13/05               | Washington Street/Cedar Street  | Zinc, Total      | <0.18          | µg/m <sup>3</sup> | 2500      |             |
| 5/14/05               | Washington Street/Albany Street | Barium, Total    | <0.87          | µg/m <sup>3</sup> | 500       |             |
| 5/14/05               | Washington Street/Albany Street | Beryllium, Total | <0.035         | µg/m <sup>3</sup> | 1         |             |

CC = Comparison Criteria  
 >CC = Exceeds Comparison Criteria

## LMDC Summary of Metals in Air

Client: **Lower Manhattan Development Corp.**  
 Address: One Liberty Plaza, 20th Floor  
 New York, NY 10006

| <u>Date Collected</u> | <u>Sample Location</u>          | <u>Parameter</u> | <u>Results</u> | <u>Units</u>      | <u>CC</u> | <u>Flag</u> |
|-----------------------|---------------------------------|------------------|----------------|-------------------|-----------|-------------|
| 5/14/05               | Washington Street/Albany Street | Cadmium, Total   | <0.035         | µg/m <sup>3</sup> | 2.5       |             |
| 5/14/05               | Washington Street/Albany Street | Chromium, Total  | <0.087         | µg/m <sup>3</sup> | 500       |             |
| 5/14/05               | Washington Street/Albany Street | Copper, Total    | <0.17          | µg/m <sup>3</sup> | 500       |             |
| 5/14/05               | Washington Street/Albany Street | Lead, Total      | <0.087         | µg/m <sup>3</sup> | 30        |             |
| 5/14/05               | Washington Street/Albany Street | Manganese, Total | <0.13          | µg/m <sup>3</sup> | 1000      |             |
| 5/14/05               | Washington Street/Albany Street | Nickel, Total    | <0.17          | µg/m <sup>3</sup> | 500       |             |
| 5/14/05               | Washington Street/Albany Street | Zinc, Total      | <0.17          | µg/m <sup>3</sup> | 2500      |             |
| 5/14/05               | Albany Street/Greenwich Street  | Barium, Total    | <0.89          | µg/m <sup>3</sup> | 500       |             |
| 5/14/05               | Albany Street/Greenwich Street  | Beryllium, Total | <0.036         | µg/m <sup>3</sup> | 1         |             |
| 5/14/05               | Albany Street/Greenwich Street  | Cadmium, Total   | <0.036         | µg/m <sup>3</sup> | 2.5       |             |
| 5/14/05               | Albany Street/Greenwich Street  | Chromium, Total  | <0.089         | µg/m <sup>3</sup> | 500       |             |
| 5/14/05               | Albany Street/Greenwich Street  | Copper, Total    | <0.18          | µg/m <sup>3</sup> | 500       |             |
| 5/14/05               | Albany Street/Greenwich Street  | Lead, Total      | <0.089         | µg/m <sup>3</sup> | 30        |             |
| 5/14/05               | Albany Street/Greenwich Street  | Manganese, Total | <0.13          | µg/m <sup>3</sup> | 1000      |             |
| 5/14/05               | Albany Street/Greenwich Street  | Nickel, Total    | <0.18          | µg/m <sup>3</sup> | 500       |             |
| 5/14/05               | Albany Street/Greenwich Street  | Zinc, Total      | <0.18          | µg/m <sup>3</sup> | 2500      |             |
| 5/14/05               | Greenwich Street                | Barium, Total    | <0.87          | µg/m <sup>3</sup> | 500       |             |
| 5/14/05               | Greenwich Street                | Beryllium, Total | <0.035         | µg/m <sup>3</sup> | 1         |             |
| 5/14/05               | Greenwich Street                | Cadmium, Total   | <0.035         | µg/m <sup>3</sup> | 2.5       |             |
| 5/14/05               | Greenwich Street                | Chromium, Total  | <0.087         | µg/m <sup>3</sup> | 500       |             |
| 5/14/05               | Greenwich Street                | Copper, Total    | <0.17          | µg/m <sup>3</sup> | 500       |             |
| 5/14/05               | Greenwich Street                | Lead, Total      | <0.087         | µg/m <sup>3</sup> | 30        |             |
| 5/14/05               | Greenwich Street                | Manganese, Total | <0.13          | µg/m <sup>3</sup> | 1000      |             |
| 5/14/05               | Greenwich Street                | Nickel, Total    | <0.17          | µg/m <sup>3</sup> | 500       |             |
| 5/14/05               | Greenwich Street                | Zinc, Total      | <0.17          | µg/m <sup>3</sup> | 2500      |             |
| 5/14/05               | Greenwich Street/Liberty Street | Barium, Total    | <0.87          | µg/m <sup>3</sup> | 500       |             |
| 5/14/05               | Greenwich Street/Liberty Street | Beryllium, Total | <0.035         | µg/m <sup>3</sup> | 1         |             |
| 5/14/05               | Greenwich Street/Liberty Street | Cadmium, Total   | <0.035         | µg/m <sup>3</sup> | 2.5       |             |
| 5/14/05               | Greenwich Street/Liberty Street | Chromium, Total  | <0.087         | µg/m <sup>3</sup> | 500       |             |
| 5/14/05               | Greenwich Street/Liberty Street | Copper, Total    | <0.17          | µg/m <sup>3</sup> | 500       |             |
| 5/14/05               | Greenwich Street/Liberty Street | Lead, Total      | <0.087         | µg/m <sup>3</sup> | 30        |             |
| 5/14/05               | Greenwich Street/Liberty Street | Manganese, Total | <0.13          | µg/m <sup>3</sup> | 1000      |             |
| 5/14/05               | Greenwich Street/Liberty Street | Nickel, Total    | <0.17          | µg/m <sup>3</sup> | 500       |             |
| 5/14/05               | Greenwich Street/Liberty Street | Zinc, Total      | <0.17          | µg/m <sup>3</sup> | 2500      |             |
| 5/14/05               | Washington Street/Cedar Street  | Barium, Total    | <0.88          | µg/m <sup>3</sup> | 500       |             |
| 5/14/05               | Washington Street/Cedar Street  | Beryllium, Total | <0.035         | µg/m <sup>3</sup> | 1         |             |
| 5/14/05               | Washington Street/Cedar Street  | Cadmium, Total   | <0.035         | µg/m <sup>3</sup> | 2.5       |             |
| 5/14/05               | Washington Street/Cedar Street  | Chromium, Total  | <0.088         | µg/m <sup>3</sup> | 500       |             |
| 5/14/05               | Washington Street/Cedar Street  | Copper, Total    | <0.18          | µg/m <sup>3</sup> | 500       |             |
| 5/14/05               | Washington Street/Cedar Street  | Lead, Total      | <0.088         | µg/m <sup>3</sup> | 30        |             |
| 5/14/05               | Washington Street/Cedar Street  | Manganese, Total | <0.13          | µg/m <sup>3</sup> | 1000      |             |
| 5/14/05               | Washington Street/Cedar Street  | Nickel, Total    | <0.18          | µg/m <sup>3</sup> | 500       |             |
| 5/14/05               | Washington Street/Cedar Street  | Zinc, Total      | <0.18          | µg/m <sup>3</sup> | 2500      |             |
| 5/15/05               | Washington Street/Albany Street | Barium, Total    | <0.87          | µg/m <sup>3</sup> | 500       |             |
| 5/15/05               | Washington Street/Albany Street | Beryllium, Total | <0.035         | µg/m <sup>3</sup> | 1         |             |
| 5/15/05               | Washington Street/Albany Street | Cadmium, Total   | <0.035         | µg/m <sup>3</sup> | 2.5       |             |
| 5/15/05               | Washington Street/Albany Street | Chromium, Total  | <0.087         | µg/m <sup>3</sup> | 500       |             |
| 5/15/05               | Washington Street/Albany Street | Copper, Total    | 0.2300         | µg/m <sup>3</sup> | 500       |             |

CC = Comparison Criteria  
 >CC = Exceeds Comparison Criteria

## LMDC Summary of Metals in Air

Client: **Lower Manhattan Development Corp.**  
 Address: One Liberty Plaza, 20th Floor  
 New York, NY 10006

| <u>Date Collected</u> | <u>Sample Location</u>          | <u>Parameter</u> | <u>Results</u> | <u>Units</u>      | <u>CC</u> | <u>Flag</u> |
|-----------------------|---------------------------------|------------------|----------------|-------------------|-----------|-------------|
| 5/15/05               | Washington Street/Albany Street | Lead, Total      | 0.2400         | µg/m <sup>3</sup> | 30        |             |
| 5/15/05               | Washington Street/Albany Street | Manganese, Total | <0.13          | µg/m <sup>3</sup> | 1000      |             |
| 5/15/05               | Washington Street/Albany Street | Nickel, Total    | <0.17          | µg/m <sup>3</sup> | 500       |             |
| 5/15/05               | Washington Street/Albany Street | Zinc, Total      | <0.17          | µg/m <sup>3</sup> | 2500      |             |
| 5/15/05               | Albany Street/Greenwich Street  | Barium, Total    | <0.87          | µg/m <sup>3</sup> | 500       |             |
| 5/15/05               | Albany Street/Greenwich Street  | Beryllium, Total | <0.035         | µg/m <sup>3</sup> | 1         |             |
| 5/15/05               | Albany Street/Greenwich Street  | Cadmium, Total   | <0.035         | µg/m <sup>3</sup> | 2.5       |             |
| 5/15/05               | Albany Street/Greenwich Street  | Chromium, Total  | <0.087         | µg/m <sup>3</sup> | 500       |             |
| 5/15/05               | Albany Street/Greenwich Street  | Copper, Total    | 0.3400         | µg/m <sup>3</sup> | 500       |             |
| 5/15/05               | Albany Street/Greenwich Street  | Lead, Total      | 1.1000         | µg/m <sup>3</sup> | 30        |             |
| 5/15/05               | Albany Street/Greenwich Street  | Manganese, Total | <0.13          | µg/m <sup>3</sup> | 1000      |             |
| 5/15/05               | Albany Street/Greenwich Street  | Nickel, Total    | <0.17          | µg/m <sup>3</sup> | 500       |             |
| 5/15/05               | Albany Street/Greenwich Street  | Zinc, Total      | <0.17          | µg/m <sup>3</sup> | 2500      |             |
| 5/15/05               | Greenwich Street                | Barium, Total    | <0.87          | µg/m <sup>3</sup> | 500       |             |
| 5/15/05               | Greenwich Street                | Beryllium, Total | <0.035         | µg/m <sup>3</sup> | 1         |             |
| 5/15/05               | Greenwich Street                | Cadmium, Total   | <0.035         | µg/m <sup>3</sup> | 2.5       |             |
| 5/15/05               | Greenwich Street                | Chromium, Total  | <0.087         | µg/m <sup>3</sup> | 500       |             |
| 5/15/05               | Greenwich Street                | Copper, Total    | <0.17          | µg/m <sup>3</sup> | 500       |             |
| 5/15/05               | Greenwich Street                | Lead, Total      | 0.1600         | µg/m <sup>3</sup> | 30        |             |
| 5/15/05               | Greenwich Street                | Manganese, Total | <0.13          | µg/m <sup>3</sup> | 1000      |             |
| 5/15/05               | Greenwich Street                | Nickel, Total    | <0.17          | µg/m <sup>3</sup> | 500       |             |
| 5/15/05               | Greenwich Street                | Zinc, Total      | 0.4100         | µg/m <sup>3</sup> | 2500      |             |
| 5/15/05               | Greenwich Street/Liberty Street | Barium, Total    | <0.87          | µg/m <sup>3</sup> | 500       |             |
| 5/15/05               | Greenwich Street/Liberty Street | Beryllium, Total | <0.035         | µg/m <sup>3</sup> | 1         |             |
| 5/15/05               | Greenwich Street/Liberty Street | Cadmium, Total   | <0.035         | µg/m <sup>3</sup> | 2.5       |             |
| 5/15/05               | Greenwich Street/Liberty Street | Chromium, Total  | <0.087         | µg/m <sup>3</sup> | 500       |             |
| 5/15/05               | Greenwich Street/Liberty Street | Copper, Total    | <0.17          | µg/m <sup>3</sup> | 500       |             |
| 5/15/05               | Greenwich Street/Liberty Street | Lead, Total      | <0.087         | µg/m <sup>3</sup> | 30        |             |
| 5/15/05               | Greenwich Street/Liberty Street | Manganese, Total | <0.13          | µg/m <sup>3</sup> | 1000      |             |
| 5/15/05               | Greenwich Street/Liberty Street | Nickel, Total    | <0.17          | µg/m <sup>3</sup> | 500       |             |
| 5/15/05               | Greenwich Street/Liberty Street | Zinc, Total      | 0.2700         | µg/m <sup>3</sup> | 2500      |             |
| 5/15/05               | Washington Street/Cedar Street  | Barium, Total    | <0.87          | µg/m <sup>3</sup> | 500       |             |
| 5/15/05               | Washington Street/Cedar Street  | Beryllium, Total | <0.035         | µg/m <sup>3</sup> | 1         |             |
| 5/15/05               | Washington Street/Cedar Street  | Cadmium, Total   | <0.035         | µg/m <sup>3</sup> | 2.5       |             |
| 5/15/05               | Washington Street/Cedar Street  | Chromium, Total  | <0.087         | µg/m <sup>3</sup> | 500       |             |
| 5/15/05               | Washington Street/Cedar Street  | Copper, Total    | <0.17          | µg/m <sup>3</sup> | 500       |             |
| 5/15/05               | Washington Street/Cedar Street  | Lead, Total      | <0.087         | µg/m <sup>3</sup> | 30        |             |
| 5/15/05               | Washington Street/Cedar Street  | Manganese, Total | <0.13          | µg/m <sup>3</sup> | 1000      |             |
| 5/15/05               | Washington Street/Cedar Street  | Nickel, Total    | <0.17          | µg/m <sup>3</sup> | 500       |             |
| 5/15/05               | Washington Street/Cedar Street  | Zinc, Total      | <0.17          | µg/m <sup>3</sup> | 2500      |             |
| 5/16/05               | Washington Street/Albany Street | Barium, Total    | <0.87          | µg/m <sup>3</sup> | 500       |             |
| 5/16/05               | Washington Street/Albany Street | Beryllium, Total | <0.035         | µg/m <sup>3</sup> | 1         |             |
| 5/16/05               | Washington Street/Albany Street | Cadmium, Total   | <0.035         | µg/m <sup>3</sup> | 2.5       |             |
| 5/16/05               | Washington Street/Albany Street | Chromium, Total  | <0.087         | µg/m <sup>3</sup> | 500       |             |
| 5/16/05               | Washington Street/Albany Street | Copper, Total    | <0.17          | µg/m <sup>3</sup> | 500       |             |
| 5/16/05               | Washington Street/Albany Street | Lead, Total      | <0.087         | µg/m <sup>3</sup> | 30        |             |
| 5/16/05               | Washington Street/Albany Street | Manganese, Total | <0.13          | µg/m <sup>3</sup> | 1000      |             |
| 5/16/05               | Washington Street/Albany Street | Nickel, Total    | <0.17          | µg/m <sup>3</sup> | 500       |             |

CC = Comparison Criteria  
 >CC = Exceeds Comparison Criteria

## LMDC Summary of Metals in Air

Client: **Lower Manhattan Development Corp.**  
 Address: One Liberty Plaza, 20th Floor  
 New York, NY 10006

| <u>Date Collected</u> | <u>Sample Location</u>          | <u>Parameter</u> | <u>Results</u> | <u>Units</u>      | <u>CC</u> | <u>Flag</u> |
|-----------------------|---------------------------------|------------------|----------------|-------------------|-----------|-------------|
| 5/16/05               | Washington Street/Albany Street | Zinc, Total      | <0.17          | µg/m <sup>3</sup> | 2500      |             |
| 5/16/05               | Albany Street/Greenwich Street  | Barium, Total    | <0.87          | µg/m <sup>3</sup> | 500       |             |
| 5/16/05               | Albany Street/Greenwich Street  | Beryllium, Total | <0.035         | µg/m <sup>3</sup> | 1         |             |
| 5/16/05               | Albany Street/Greenwich Street  | Cadmium, Total   | <0.035         | µg/m <sup>3</sup> | 2.5       |             |
| 5/16/05               | Albany Street/Greenwich Street  | Chromium, Total  | <0.087         | µg/m <sup>3</sup> | 500       |             |
| 5/16/05               | Albany Street/Greenwich Street  | Copper, Total    | <0.17          | µg/m <sup>3</sup> | 500       |             |
| 5/16/05               | Albany Street/Greenwich Street  | Lead, Total      | <0.087         | µg/m <sup>3</sup> | 30        |             |
| 5/16/05               | Albany Street/Greenwich Street  | Manganese, Total | <0.13          | µg/m <sup>3</sup> | 1000      |             |
| 5/16/05               | Albany Street/Greenwich Street  | Nickel, Total    | <0.17          | µg/m <sup>3</sup> | 500       |             |
| 5/16/05               | Albany Street/Greenwich Street  | Zinc, Total      | <0.17          | µg/m <sup>3</sup> | 2500      |             |
| 5/16/05               | Greenwich Street                | Barium, Total    | <0.89          | µg/m <sup>3</sup> | 500       |             |
| 5/16/05               | Greenwich Street                | Beryllium, Total | <0.036         | µg/m <sup>3</sup> | 1         |             |
| 5/16/05               | Greenwich Street                | Cadmium, Total   | <0.036         | µg/m <sup>3</sup> | 2.5       |             |
| 5/16/05               | Greenwich Street                | Chromium, Total  | <0.089         | µg/m <sup>3</sup> | 500       |             |
| 5/16/05               | Greenwich Street                | Copper, Total    | <0.18          | µg/m <sup>3</sup> | 500       |             |
| 5/16/05               | Greenwich Street                | Lead, Total      | <0.089         | µg/m <sup>3</sup> | 30        |             |
| 5/16/05               | Greenwich Street                | Manganese, Total | <0.13          | µg/m <sup>3</sup> | 1000      |             |
| 5/16/05               | Greenwich Street                | Nickel, Total    | <0.18          | µg/m <sup>3</sup> | 500       |             |
| 5/16/05               | Greenwich Street                | Zinc, Total      | <0.18          | µg/m <sup>3</sup> | 2500      |             |
| 5/16/05               | Greenwich Street/Liberty Street | Barium, Total    | <0.87          | µg/m <sup>3</sup> | 500       |             |
| 5/16/05               | Greenwich Street/Liberty Street | Beryllium, Total | <0.035         | µg/m <sup>3</sup> | 1         |             |
| 5/16/05               | Greenwich Street/Liberty Street | Cadmium, Total   | <0.035         | µg/m <sup>3</sup> | 2.5       |             |
| 5/16/05               | Greenwich Street/Liberty Street | Chromium, Total  | <0.087         | µg/m <sup>3</sup> | 500       |             |
| 5/16/05               | Greenwich Street/Liberty Street | Copper, Total    | <0.17          | µg/m <sup>3</sup> | 500       |             |
| 5/16/05               | Greenwich Street/Liberty Street | Lead, Total      | <0.087         | µg/m <sup>3</sup> | 30        |             |
| 5/16/05               | Greenwich Street/Liberty Street | Manganese, Total | <0.13          | µg/m <sup>3</sup> | 1000      |             |
| 5/16/05               | Greenwich Street/Liberty Street | Nickel, Total    | <0.17          | µg/m <sup>3</sup> | 500       |             |
| 5/16/05               | Greenwich Street/Liberty Street | Zinc, Total      | <0.17          | µg/m <sup>3</sup> | 2500      |             |
| 5/16/05               | Washington Street/Cedar Street  | Barium, Total    | <0.87          | µg/m <sup>3</sup> | 500       |             |
| 5/16/05               | Washington Street/Cedar Street  | Beryllium, Total | <0.035         | µg/m <sup>3</sup> | 1         |             |
| 5/16/05               | Washington Street/Cedar Street  | Cadmium, Total   | <0.035         | µg/m <sup>3</sup> | 2.5       |             |
| 5/16/05               | Washington Street/Cedar Street  | Chromium, Total  | <0.087         | µg/m <sup>3</sup> | 500       |             |
| 5/16/05               | Washington Street/Cedar Street  | Copper, Total    | <0.17          | µg/m <sup>3</sup> | 500       |             |
| 5/16/05               | Washington Street/Cedar Street  | Lead, Total      | <0.087         | µg/m <sup>3</sup> | 30        |             |
| 5/16/05               | Washington Street/Cedar Street  | Manganese, Total | <0.13          | µg/m <sup>3</sup> | 1000      |             |
| 5/16/05               | Washington Street/Cedar Street  | Nickel, Total    | <0.17          | µg/m <sup>3</sup> | 500       |             |
| 5/16/05               | Washington Street/Cedar Street  | Zinc, Total      | <0.17          | µg/m <sup>3</sup> | 2500      |             |

CC = Comparison Criteria  
 >CC = Exceeds Comparison Criteria