

LMDC Summary of Metals in Air

Client: **Lower Manhattan Development Corp.**
 Address: One Liberty Plaza, 20th Floor
 New York, NY 10006

<u>Date Collected</u>	<u>Sample Location</u>	<u>Parameter</u>	<u>Results</u>	<u>Units</u>	<u>CC</u>	<u>Flag</u>
6/3/05	Washington Street/Albany Street	Barium, Total	<0.82	µg/m ³	500	
6/3/05	Washington Street/Albany Street	Beryllium, Total	<0.033	µg/m ³	1	
6/3/05	Washington Street/Albany Street	Cadmium, Total	<0.033	µg/m ³	2.5	
6/3/05	Washington Street/Albany Street	Chromium, Total	<0.082	µg/m ³	500	
6/3/05	Washington Street/Albany Street	Copper, Total	<0.16	µg/m ³	500	
6/3/05	Washington Street/Albany Street	Lead, Total	<0.082	µg/m ³	30	
6/3/05	Washington Street/Albany Street	Manganese, Total	<0.12	µg/m ³	1000	
6/3/05	Washington Street/Albany Street	Nickel, Total	<0.16	µg/m ³	500	
6/3/05	Washington Street/Albany Street	Zinc, Total	<0.16	µg/m ³	2500	
6/3/05	Albany Street/Greenwich Street	Barium, Total	<0.82	µg/m ³	500	
6/3/05	Albany Street/Greenwich Street	Beryllium, Total	<0.033	µg/m ³	1	
6/3/05	Albany Street/Greenwich Street	Cadmium, Total	<0.033	µg/m ³	2.5	
6/3/05	Albany Street/Greenwich Street	Chromium, Total	<0.082	µg/m ³	500	
6/3/05	Albany Street/Greenwich Street	Copper, Total	<0.16	µg/m ³	500	
6/3/05	Albany Street/Greenwich Street	Lead, Total	<0.082	µg/m ³	30	
6/3/05	Albany Street/Greenwich Street	Manganese, Total	<0.12	µg/m ³	1000	
6/3/05	Albany Street/Greenwich Street	Nickel, Total	<0.16	µg/m ³	500	
6/3/05	Albany Street/Greenwich Street	Zinc, Total	<0.16	µg/m ³	2500	
6/3/05	Greenwich Street	Barium, Total	<0.82	µg/m ³	500	
6/3/05	Greenwich Street	Beryllium, Total	<0.033	µg/m ³	1	
6/3/05	Greenwich Street	Cadmium, Total	<0.033	µg/m ³	2.5	
6/3/05	Greenwich Street	Chromium, Total	<0.082	µg/m ³	500	
6/3/05	Greenwich Street	Copper, Total	<0.16	µg/m ³	500	
6/3/05	Greenwich Street	Lead, Total	<0.082	µg/m ³	30	
6/3/05	Greenwich Street	Manganese, Total	<0.12	µg/m ³	1000	
6/3/05	Greenwich Street	Nickel, Total	<0.16	µg/m ³	500	
6/3/05	Greenwich Street	Zinc, Total	<0.16	µg/m ³	2500	
6/3/05	Greenwich Street/Liberty Street	Barium, Total	<0.80	µg/m ³	500	
6/3/05	Greenwich Street/Liberty Street	Beryllium, Total	<0.032	µg/m ³	1	
6/3/05	Greenwich Street/Liberty Street	Cadmium, Total	<0.032	µg/m ³	2.5	
6/3/05	Greenwich Street/Liberty Street	Chromium, Total	<0.080	µg/m ³	500	
6/3/05	Greenwich Street/Liberty Street	Copper, Total	<0.16	µg/m ³	500	
6/3/05	Greenwich Street/Liberty Street	Lead, Total	<0.080	µg/m ³	30	
6/3/05	Greenwich Street/Liberty Street	Manganese, Total	<0.12	µg/m ³	1000	
6/3/05	Greenwich Street/Liberty Street	Nickel, Total	<0.16	µg/m ³	500	
6/3/05	Greenwich Street/Liberty Street	Zinc, Total	<0.16	µg/m ³	2500	
6/3/05	Washington Street/Cedar Street	Barium, Total	<0.81	µg/m ³	500	
6/3/05	Washington Street/Cedar Street	Beryllium, Total	<0.033	µg/m ³	1	
6/3/05	Washington Street/Cedar Street	Cadmium, Total	<0.033	µg/m ³	2.5	
6/3/05	Washington Street/Cedar Street	Chromium, Total	<0.081	µg/m ³	500	
6/3/05	Washington Street/Cedar Street	Copper, Total	<0.16	µg/m ³	500	
6/3/05	Washington Street/Cedar Street	Lead, Total	<0.081	µg/m ³	30	
6/3/05	Washington Street/Cedar Street	Manganese, Total	<0.12	µg/m ³	1000	
6/3/05	Washington Street/Cedar Street	Nickel, Total	<0.16	µg/m ³	500	
6/3/05	Washington Street/Cedar Street	Zinc, Total	<0.16	µg/m ³	2500	
6/4/05	Washington Street/Albany Street	Barium, Total	<0.95	µg/m ³	500	
6/4/05	Washington Street/Albany Street	Beryllium, Total	<0.038	µg/m ³	1	

CC = Comparison Criteria
 >CC = Exceeds Comparison Criteria

LMDC Summary of Metals in Air

Client: **Lower Manhattan Development Corp.**
 Address: One Liberty Plaza, 20th Floor
 New York, NY 10006

<u>Date Collected</u>	<u>Sample Location</u>	<u>Parameter</u>	<u>Results</u>	<u>Units</u>	<u>CC</u>	<u>Flag</u>
6/4/05	Washington Street/Albany Street	Cadmium, Total	<0.038	µg/m ³	2.5	
6/4/05	Washington Street/Albany Street	Chromium, Total	<0.095	µg/m ³	500	
6/4/05	Washington Street/Albany Street	Copper, Total	<0.19	µg/m ³	500	
6/4/05	Washington Street/Albany Street	Lead, Total	<0.095	µg/m ³	30	
6/4/05	Washington Street/Albany Street	Manganese, Total	<0.14	µg/m ³	1000	
6/4/05	Washington Street/Albany Street	Nickel, Total	<0.19	µg/m ³	500	
6/4/05	Washington Street/Albany Street	Zinc, Total	<0.19	µg/m ³	2500	
6/4/05	Albany Street/Greenwich Street	Barium, Total	<0.95	µg/m ³	500	
6/4/05	Albany Street/Greenwich Street	Beryllium, Total	<0.038	µg/m ³	1	
6/4/05	Albany Street/Greenwich Street	Cadmium, Total	<0.038	µg/m ³	2.5	
6/4/05	Albany Street/Greenwich Street	Chromium, Total	<0.095	µg/m ³	500	
6/4/05	Albany Street/Greenwich Street	Copper, Total	<0.19	µg/m ³	500	
6/4/05	Albany Street/Greenwich Street	Lead, Total	<0.095	µg/m ³	30	
6/4/05	Albany Street/Greenwich Street	Manganese, Total	<0.14	µg/m ³	1000	
6/4/05	Albany Street/Greenwich Street	Nickel, Total	<0.19	µg/m ³	500	
6/4/05	Albany Street/Greenwich Street	Zinc, Total	<0.19	µg/m ³	2500	
6/4/05	Greenwich Street	Barium, Total	<0.94	µg/m ³	500	
6/4/05	Greenwich Street	Beryllium, Total	<0.038	µg/m ³	1	
6/4/05	Greenwich Street	Cadmium, Total	<0.038	µg/m ³	2.5	
6/4/05	Greenwich Street	Chromium, Total	<0.094	µg/m ³	500	
6/4/05	Greenwich Street	Copper, Total	<0.19	µg/m ³	500	
6/4/05	Greenwich Street	Lead, Total	<0.094	µg/m ³	30	
6/4/05	Greenwich Street	Manganese, Total	<0.14	µg/m ³	1000	
6/4/05	Greenwich Street	Nickel, Total	<0.19	µg/m ³	500	
6/4/05	Greenwich Street	Zinc, Total	<0.19	µg/m ³	2500	
6/4/05	Greenwich Street/Liberty Street	Barium, Total	<0.97	µg/m ³	500	
6/4/05	Greenwich Street/Liberty Street	Beryllium, Total	<0.039	µg/m ³	1	
6/4/05	Greenwich Street/Liberty Street	Cadmium, Total	<0.039	µg/m ³	2.5	
6/4/05	Greenwich Street/Liberty Street	Chromium, Total	<0.097	µg/m ³	500	
6/4/05	Greenwich Street/Liberty Street	Copper, Total	<0.19	µg/m ³	500	
6/4/05	Greenwich Street/Liberty Street	Lead, Total	<0.097	µg/m ³	30	
6/4/05	Greenwich Street/Liberty Street	Manganese, Total	<0.15	µg/m ³	1000	
6/4/05	Greenwich Street/Liberty Street	Nickel, Total	<0.19	µg/m ³	500	
6/4/05	Greenwich Street/Liberty Street	Zinc, Total	<0.19	µg/m ³	2500	
6/4/05	Washington Street/Cedar Street	Barium, Total	<0.94	µg/m ³	500	
6/4/05	Washington Street/Cedar Street	Beryllium, Total	<0.038	µg/m ³	1	
6/4/05	Washington Street/Cedar Street	Cadmium, Total	<0.038	µg/m ³	2.5	
6/4/05	Washington Street/Cedar Street	Chromium, Total	<0.094	µg/m ³	500	
6/4/05	Washington Street/Cedar Street	Copper, Total	<0.19	µg/m ³	500	
6/4/05	Washington Street/Cedar Street	Lead, Total	<0.094	µg/m ³	30	
6/4/05	Washington Street/Cedar Street	Manganese, Total	<0.14	µg/m ³	1000	
6/4/05	Washington Street/Cedar Street	Nickel, Total	<0.19	µg/m ³	500	
6/4/05	Washington Street/Cedar Street	Zinc, Total	<0.19	µg/m ³	2500	
6/5/05	Washington Street/Albany Street	Barium, Total	<0.87	µg/m ³	500	
6/5/05	Washington Street/Albany Street	Beryllium, Total	<0.035	µg/m ³	1	
6/5/05	Washington Street/Albany Street	Cadmium, Total	<0.035	µg/m ³	2.5	
6/5/05	Washington Street/Albany Street	Chromium, Total	<0.087	µg/m ³	500	
6/5/05	Washington Street/Albany Street	Copper, Total	<0.17	µg/m ³	500	

CC = Comparison Criteria
 >CC = Exceeds Comparison Criteria

LMDC Summary of Metals in Air

Client: **Lower Manhattan Development Corp.**
 Address: One Liberty Plaza, 20th Floor
 New York, NY 10006

Date Collected	Sample Location	Parameter	Results	Units	CC	Flag
6/5/05	Washington Street/Albany Street	Lead, Total	<0.087	µg/m ³	30	
6/5/05	Washington Street/Albany Street	Manganese, Total	<0.13	µg/m ³	1000	
6/5/05	Washington Street/Albany Street	Nickel, Total	<0.17	µg/m ³	500	
6/5/05	Washington Street/Albany Street	Zinc, Total	<0.17	µg/m ³	2500	
6/5/05	Albany Street/Greenwich Street	Barium, Total	<0.89	µg/m ³	500	
6/5/05	Albany Street/Greenwich Street	Beryllium, Total	<0.036	µg/m ³	1	
6/5/05	Albany Street/Greenwich Street	Cadmium, Total	<0.036	µg/m ³	2.5	
6/5/05	Albany Street/Greenwich Street	Chromium, Total	<0.089	µg/m ³	500	
6/5/05	Albany Street/Greenwich Street	Copper, Total	<0.18	µg/m ³	500	
6/5/05	Albany Street/Greenwich Street	Lead, Total	<0.089	µg/m ³	30	
6/5/05	Albany Street/Greenwich Street	Manganese, Total	<0.13	µg/m ³	1000	
6/5/05	Albany Street/Greenwich Street	Nickel, Total	<0.18	µg/m ³	500	
6/5/05	Albany Street/Greenwich Street	Zinc, Total	<0.18	µg/m ³	2500	
6/5/05	Greenwich Street	Barium, Total	<0.88	µg/m ³	500	
6/5/05	Greenwich Street	Beryllium, Total	<0.035	µg/m ³	1	
6/5/05	Greenwich Street	Cadmium, Total	<0.035	µg/m ³	2.5	
6/5/05	Greenwich Street	Chromium, Total	<0.088	µg/m ³	500	
6/5/05	Greenwich Street	Copper, Total	<0.18	µg/m ³	500	
6/5/05	Greenwich Street	Lead, Total	<0.088	µg/m ³	30	
6/5/05	Greenwich Street	Manganese, Total	<0.13	µg/m ³	1000	
6/5/05	Greenwich Street	Nickel, Total	<0.18	µg/m ³	500	
6/5/05	Greenwich Street	Zinc, Total	<0.18	µg/m ³	2500	
6/5/05	Greenwich Street/Liberty Street	Barium, Total	<0.88	µg/m ³	500	
6/5/05	Greenwich Street/Liberty Street	Beryllium, Total	<0.035	µg/m ³	1	
6/5/05	Greenwich Street/Liberty Street	Cadmium, Total	<0.035	µg/m ³	2.5	
6/5/05	Greenwich Street/Liberty Street	Chromium, Total	<0.088	µg/m ³	500	
6/5/05	Greenwich Street/Liberty Street	Copper, Total	<0.18	µg/m ³	500	
6/5/05	Greenwich Street/Liberty Street	Lead, Total	<0.088	µg/m ³	30	
6/5/05	Greenwich Street/Liberty Street	Manganese, Total	<0.13	µg/m ³	1000	
6/5/05	Greenwich Street/Liberty Street	Nickel, Total	<0.18	µg/m ³	500	
6/5/05	Greenwich Street/Liberty Street	Zinc, Total	<0.18	µg/m ³	2500	
6/5/05	Washington Street/Cedar Street	Barium, Total	<0.87	µg/m ³	500	
6/5/05	Washington Street/Cedar Street	Beryllium, Total	<0.035	µg/m ³	1	
6/5/05	Washington Street/Cedar Street	Cadmium, Total	<0.035	µg/m ³	2.5	
6/5/05	Washington Street/Cedar Street	Chromium, Total	<0.087	µg/m ³	500	
6/5/05	Washington Street/Cedar Street	Copper, Total	<0.17	µg/m ³	500	
6/5/05	Washington Street/Cedar Street	Lead, Total	<0.087	µg/m ³	30	
6/5/05	Washington Street/Cedar Street	Manganese, Total	<0.13	µg/m ³	1000	
6/5/05	Washington Street/Cedar Street	Nickel, Total	<0.17	µg/m ³	500	
6/5/05	Washington Street/Cedar Street	Zinc, Total	<0.17	µg/m ³	2500	
6/6/05	Washington Street/Albany Street	Barium, Total	<0.89	µg/m ³	500	
6/6/05	Washington Street/Albany Street	Beryllium, Total	<0.036	µg/m ³	1	
6/6/05	Washington Street/Albany Street	Cadmium, Total	<0.036	µg/m ³	2.5	
6/6/05	Washington Street/Albany Street	Chromium, Total	<0.089	µg/m ³	500	
6/6/05	Washington Street/Albany Street	Copper, Total	<0.18	µg/m ³	500	
6/6/05	Washington Street/Albany Street	Lead, Total	<0.089	µg/m ³	30	
6/6/05	Washington Street/Albany Street	Manganese, Total	<0.13	µg/m ³	1000	
6/6/05	Washington Street/Albany Street	Nickel, Total	<0.18	µg/m ³	500	

CC = Comparison Criteria
 >CC = Exceeds Comparison Criteria

LMDC Summary of Metals in Air

Client: **Lower Manhattan Development Corp.**
 Address: One Liberty Plaza, 20th Floor
 New York, NY 10006

<u>Date Collected</u>	<u>Sample Location</u>	<u>Parameter</u>	<u>Results</u>	<u>Units</u>	<u>CC</u>	<u>Flag</u>
6/6/05	Washington Street/Albany Street	Zinc, Total	<0.18	µg/m ³	2500	
6/6/05	Albany Street/Greenwich Street	Barium, Total	<0.92	µg/m ³	500	
6/6/05	Albany Street/Greenwich Street	Beryllium, Total	<0.037	µg/m ³	1	
6/6/05	Albany Street/Greenwich Street	Cadmium, Total	<0.037	µg/m ³	2.5	
6/6/05	Albany Street/Greenwich Street	Chromium, Total	<0.092	µg/m ³	500	
6/6/05	Albany Street/Greenwich Street	Copper, Total	<0.18	µg/m ³	500	
6/6/05	Albany Street/Greenwich Street	Lead, Total	<0.092	µg/m ³	30	
6/6/05	Albany Street/Greenwich Street	Manganese, Total	<0.14	µg/m ³	1000	
6/6/05	Albany Street/Greenwich Street	Nickel, Total	<0.18	µg/m ³	500	
6/6/05	Albany Street/Greenwich Street	Zinc, Total	<0.18	µg/m ³	2500	
6/6/05	Greenwich Street	Barium, Total	<0.87	µg/m ³	500	
6/6/05	Greenwich Street	Beryllium, Total	<0.035	µg/m ³	1	
6/6/05	Greenwich Street	Cadmium, Total	<0.035	µg/m ³	2.5	
6/6/05	Greenwich Street	Chromium, Total	<0.087	µg/m ³	500	
6/6/05	Greenwich Street	Copper, Total	<0.17	µg/m ³	500	
6/6/05	Greenwich Street	Lead, Total	<0.087	µg/m ³	30	
6/6/05	Greenwich Street	Manganese, Total	<0.13	µg/m ³	1000	
6/6/05	Greenwich Street	Nickel, Total	<0.17	µg/m ³	500	
6/6/05	Greenwich Street	Zinc, Total	<0.17	µg/m ³	2500	
6/6/05	Greenwich Street/Liberty Street	Barium, Total	<0.87	µg/m ³	500	
6/6/05	Greenwich Street/Liberty Street	Beryllium, Total	<0.035	µg/m ³	1	
6/6/05	Greenwich Street/Liberty Street	Cadmium, Total	<0.035	µg/m ³	2.5	
6/6/05	Greenwich Street/Liberty Street	Chromium, Total	<0.087	µg/m ³	500	
6/6/05	Greenwich Street/Liberty Street	Copper, Total	<0.17	µg/m ³	500	
6/6/05	Greenwich Street/Liberty Street	Lead, Total	<0.087	µg/m ³	30	
6/6/05	Greenwich Street/Liberty Street	Manganese, Total	<0.13	µg/m ³	1000	
6/6/05	Greenwich Street/Liberty Street	Nickel, Total	<0.17	µg/m ³	500	
6/6/05	Greenwich Street/Liberty Street	Zinc, Total	<0.17	µg/m ³	2500	
6/6/05	Washington Street/Cedar Street	Barium, Total	<0.87	µg/m ³	500	
6/6/05	Washington Street/Cedar Street	Beryllium, Total	<0.035	µg/m ³	1	
6/6/05	Washington Street/Cedar Street	Cadmium, Total	<0.035	µg/m ³	2.5	
6/6/05	Washington Street/Cedar Street	Chromium, Total	<0.087	µg/m ³	500	
6/6/05	Washington Street/Cedar Street	Copper, Total	<0.17	µg/m ³	500	
6/6/05	Washington Street/Cedar Street	Lead, Total	<0.087	µg/m ³	30	
6/6/05	Washington Street/Cedar Street	Manganese, Total	<0.13	µg/m ³	1000	
6/6/05	Washington Street/Cedar Street	Nickel, Total	<0.17	µg/m ³	500	
6/6/05	Washington Street/Cedar Street	Zinc, Total	<0.17	µg/m ³	2500	

CC = Comparison Criteria
 >CC = Exceeds Comparison Criteria