

| TRC Field Sample No.             | Sample No.   | Sampling Location                                   | Collection Start Date | Sample Volume (m <sup>3</sup> ) | Analyte | Analytical Method | Lab     | Lab Sample Receipt Date | Antimony Concentration (ng/m <sup>3</sup> ) | Barium Concentration (ng/m <sup>3</sup> ) | Beryllium Concentration (ng/m <sup>3</sup> ) | Cadmium Concentration (ng/m <sup>3</sup> ) | Chromium (Total) Concentration (ng/m <sup>3</sup> ) | Copper Concentration (ng/m <sup>3</sup> ) | Lead Concentration (ng/m <sup>3</sup> ) | Manganese Concentration (ng/m <sup>3</sup> ) | Nickel Concentration (ng/m <sup>3</sup> ) | Zinc Concentration (ng/m <sup>3</sup> ) | Exceeds Target     | Exceeds EPA                  | Comments |
|----------------------------------|--------------|---|-----------------------|---------------------------------|---------|-------------------|---------|-------------------------|---|---|--|--|---|---|---|--|---|---|--------------------|------------------------------|----------|
| Target Air Quality Levels        |              |   |                       |                                 |         |                   |         |                         | 5,000                                       | 5,000                                     | 20   | 40   | 600   | 10,000                                    | 1,500                                   | 500  | 200                                       | 16,000                                  |                    |                              |          |
| EPA Site Specific Trigger Levels |              |   |                       |                                 |         |                   |         |                         | 14,000                                      | 5,000                                     | 200  | 2,000                                      | 600   | 100,000                                   | 5,000                                   | 500  | 28,000                                    | 160,000                                 | Air Quality Levels | Site Specific Trigger Levels | Comments |
| METALS-ST11-12/3/07              | G7L060153001 | Southwest Area (sidewalk bridge level)              | 12/3/07               | 1653.4                          | Metals  | 6020              | STL-SAC | 12/5/07                 | 1.5   | < 72.6                                    | < 0.72                                       | < 0.72                                     | < 7.2   | 40.9                                      | 6.6                                     | 9.2  | 5.3                                       | 51.8                                    | No                 | No                           |          |
| METALS-ST12-12/3/07              | G7L060153002 | Southeast Area (sidewalk bridge level)              | 12/3/07               | 1744.1                          | Metals  | 6020              | STL-SAC | 12/5/07                 | 2.0   | < 68.8                                    | < 0.69                                       | < 0.69                                     | < 6.9   | 34.5                                      | 13.5                                    | 16.4   | 6.3                                       | 76.5                                    | No                 | No                           |          |
| METALS-ST14-12/3/07              | G7L060153003 | Northwest Area (street-level)                       | 12/3/07               | 1718                            | Metals  | 6020              | STL-SAC | 12/5/07                 | 1.6   | < 69.8                                    | < 0.70                                       | < 0.70                                     | < 7.0   | 72.6                                      | 18.0                                    | 16.6   | 5.3                                       | 72.0                                    | No                 | No                           |          |
| METALS-ST15-12/3/07              | G7L060153004 | Firehouse #10 (roof level)                          | 12/3/07               | 1750.8                          | Metals  | 6020              | STL-SAC | 12/5/07                 | 2.2   | < 68.5                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 67.9                                      | 15.4                                    | 26.9   | 8.8                                       | 69.1                                    | No                 | No                           |          |
| METALS-ST10-12/3/07              | G7L060153005 | North Side Sidewalk Bridge                          | 12/3/07               | 1675.1                          | Metals  | 6020              | STL-SAC | 12/5/07                 | 1.5   | < 71.6                                    | < 0.72                                       | < 0.72                                     | < 7.2   | 35.8                                      | 13.7                                    | 28.1   | 6.5                                       | 77.1                                    | No                 | No                           |          |
| METALS-ST11-12/3/07              | G7L060153006 | 90 Trinity Place (roof level)                       | 12/3/07               | 1666.9                          | Metals  | 6020              | STL-SAC | 12/5/07                 | < 1.4                                       | < 72.0                                    | < 0.72                                       | < 0.72                                     | < 7.2   | 25.6                                      | 6.0                                     | 5.3  | 4.6                                       | 26.9                                    | No                 | No                           |          |
| METALS-ST12-12/3/07              | G7L060153007 | 110 Greenwich Street (roof level)                   | 12/3/07               | 1767.9                          | Metals  | 6020              | STL-SAC | 12/5/07                 | 1.8   | < 67.9                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 88.3                                      | 11.6                                    | 11.8   | 6.9                                       | 54.8                                    | No                 | No                           |          |
| METALS-ST13-12/3/07              | G7L060153008 | Marrion Hotel, 38th Floor (roof level)              | 12/3/07               | 1772.3                          | Metals  | 6020              | STL-SAC | 12/5/07                 | < 1.4                                       | < 67.7                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 56.6                                      | 6.0                                     | 5.7  | 4.3                                       | 27.0                                    | No                 | No                           |          |
| METALS-ST14-12/3/07              | G7L060153009 | West Face - South end at corner (scaffolding level) | 12/3/07               | 1774.1                          | Metals  | 6020              | STL-SAC | 12/5/07                 | 1.8   | < 67.6                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 65.7                                      | 23.9                                    | 11.6   | 5.9                                       | 48.1                                    | No                 | No                           |          |
| METALS-ST15-12/3/07              | G7L060153010 | South Face - East end at corner (scaffolding level) | 12/3/07               | 1803.9                          | Metals  | 6020              | STL-SAC | 12/5/07                 | 1.9   | < 66.5                                    | < 0.66                                       | < 0.66                                     | < 6.6   | 121                                       | 12.9                                    | 10.3   | 6.2                                       | 45.9                                    | No                 | No                           |          |
| METALS-ST16-12/3/07              | G7L060153011 | East Face - North end at corner (scaffolding level) | 12/3/07               | 1781.7                          | Metals  | 6020              | STL-SAC | 12/5/07                 | 1.8   | < 67.4                                    | < 0.67                                       | < 0.67                                     | < 6.7   | 103                                       | 14.6                                    | 16.9   | 7.0                                       | 62.7                                    | No                 | No                           |          |
| METALS-ST17-12/3/07              | G7L060153012 | North Face - West end at corner (scaffolding level) | 12/3/07               | 1781                            | Metals  | 6020              | STL-SAC | 12/5/07                 | < 1.3                                       | < 67.4                                    | < 0.67                                       | < 0.67                                     | < 6.7   | 56.3                                      | 9.3                                     | 15.8   | 4.0                                       | 43.6                                    | No                 | No                           |          |
| METALS-ST11-12/4/07              | G7L060148001 | Southwest Area (sidewalk bridge level)              | 12/4/07               | 1778.1                          | Metals  | 6020              | STL-SAC | 12/6/07                 | 2.4   | < 67.5                                    | < 0.67                                       | < 0.67                                     | < 6.7   | 68.3                                      | 16.2                                    | 15.0   | 9.7                                       | 79.4                                    | No                 | No                           |          |
| METALS-ST12-12/4/07              | G7L060148002 | Southeast Area (sidewalk bridge level)              | 12/4/07               | 1770.4                          | Metals  | 6020              | STL-SAC | 12/6/07                 | 2.6   | < 67.8                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 58.5                                      | 17.9                                    | 22.1   | 9.0                                       | 56.9                                    | No                 | No                           |          |
| METALS-ST14-12/4/07              | G7L060148003 | Northwest Area (street-level)                       | 12/4/07               | 1796.4                          | Metals  | 6020              | STL-SAC | 12/6/07                 | 2.1   | < 66.8                                    | < 0.67                                       | < 0.67                                     | < 6.7   | 104                                       | 40.2                                    | 28.6   | 8.3                                       | 98.2                                    | No                 | No                           |          |
| METALS-ST15-12/4/07              | G7L060148004 | Firehouse #10 (roof level)                          | 12/4/07               | 1812.1                          | Metals  | 6020              | STL-SAC | 12/6/07                 | 2.4   | < 66.2                                    | < 0.66                                       | < 0.66                                     | < 6.6   | 97.0                                      | 23.4                                    | 47.7   | 9.8                                       | 107                                     | No                 | No                           |          |
| METALS-ST10-12/4/07              | G7L060148005 | North Side Sidewalk Bridge                          | 12/4/07               | 1811.2                          | Metals  | 6020              | STL-SAC | 12/6/07                 | 1.8   | < 66.2                                    | < 0.66                                       | < 0.66                                     | < 6.6   | 45.0                                      | 18.4                                    | 40.4   | 7.7                                       | 63.1                                    | No                 | No                           |          |
| METALS-ST11-12/4/07              | G7L060148006 | 90 Trinity Place (roof level)                       | 12/4/07               | 1743.7                          | Metals  | 6020              | STL-SAC | 12/6/07                 | 2.1   | < 65.8                                    | < 0.69                                       | < 0.69                                     | < 6.9   | 55.9                                      | 13.2                                    | 13.2   | 8.6                                       | 62.6                                    | No                 | No                           |          |
| METALS-ST12-12/4/07              | G7L060148007 | 110 Greenwich Street (roof level)                   | 12/4/07               | 1768.4                          | Metals  | 6020              | STL-SAC | 12/6/07                 | 2.3   | < 67.8                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 124                                       | 16.5                                    | 14.6   | 9.9                                       | 73.4                                    | No                 | No                           |          |
| METALS-ST13-12/4/07              | G7L060148008 | Marrion Hotel, 38th Floor (roof level)              | 12/4/07               | 1809.6                          | Metals  | 6020              | STL-SAC | 12/6/07                 | 1.8   | < 66.3                                    | < 0.66                                       | < 0.66                                     | < 6.6   | 148                                       | 9.6                                     | 7.8  | 8.9                                       | 35.2                                    | No                 | No                           |          |
| METALS-ST14-12/4/07              | G7L060148009 | West Face - South end at corner (scaffolding level) | 12/4/07               | 1755.5                          | Metals  | 6020              | STL-SAC | 12/6/07                 | 2.7   | < 66.4                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 74.7                                      | 25.9                                    | 12.7   | 9.8                                       | 51.7                                    | No                 | No                           |          |
| METALS-ST15-12/4/07              | G7L060148010 | South Face - East end at corner (scaffolding level) | 12/4/07               | 1797.2                          | Metals  | 6020              | STL-SAC | 12/6/07                 | 2.1   | < 66.8                                    | < 0.67                                       | < 0.67                                     | < 6.7   | 298                                       | 11.0                                    | 9.4  | 8.7                                       | 41.1                                    | No                 | No                           |          |
| METALS-ST16-12/4/07              | G7L060148011 | East Face - North end at corner (scaffolding level) | 12/4/07               | 1771.9                          | Metals  | 6020              | STL-SAC | 12/6/07                 | 2.4   | < 67.7                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 116                                       | 17.9                                    | 23.0   | 10.2                                      | 75.2                                    | No                 | No                           |          |
| METALS-ST17-12/4/07              | G7L060148012 | North Face - West end at corner (scaffolding level) | 12/4/07               | 1762.3                          | Metals  | 6020              | STL-SAC | 12/6/07                 | 2.0   | < 68.1                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 72.8                                      | 16.4                                    | 19.0   | 9.4                                       | 63.2                                    | No                 | No                           |          |
| METALS-ST11-12/5/07              | G7L070176001 | Southwest Area (sidewalk bridge level)              | 12/5/07               | 1784.2                          | Metals  | 6020              | STL-SAC | 12/7/07                 | 2.7   | < 67.2                                    | < 0.67                                       | < 0.67                                     | < 6.7   | 43.3                                      | 11.4                                    | 12.0   | 6.3                                       | 63.7                                    | No                 | No                           |          |
| METALS-ST12-12/5/07              | G7L070176002 | Southeast Area (sidewalk bridge level)              | 12/5/07               | 1782.3                          | Metals  | 6020              | STL-SAC | 12/7/07                 | 3.2   | < 67.3                                    | < 0.67                                       | < 0.67                                     | < 6.7   | 54.4                                      | 14.0                                    | 25.4   | 8.5                                       | 88.6                                    | No                 | No                           |          |
| METALS-ST14-12/5/07              | G7L070176003 | Northwest Area (street-level)                       | 12/5/07               | 1855.1                          | Metals  | 6020              | STL-SAC | 12/7/07                 | 2.3   | < 64.7                                    | < 0.65                                       | < 0.65                                     | < 6.5   | 110                                       | 17.9                                    | 14.6   | 7.0                                       | 66.8                                    | No                 | No                           |          |
| METALS-ST15-12/5/07              | G7L070176004 | Firehouse #10 (roof level)                          | 12/5/07               | 1790.1                          | Metals  | 6020              | STL-SAC | 12/7/07                 | 2.2   | < 67.0                                    | < 0.67                                       | < 0.67                                     | < 6.7   | 79.6                                      | 24.3                                    | 39.3   | 8.6                                       | 93.8                                    | No                 | No                           |          |
| METALS-ST10-12/5/07              | G7L070176005 | North Side Sidewalk Bridge                          | 12/5/07               | 1802.8                          | Metals  | 6020              | STL-SAC | 12/7/07                 | 2.2   | < 66.6                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 48.1                                      | 21.5                                    | 22.5   | 14.1                                      | 69.5                                    | No                 | No                           |          |
| METALS-ST11-12/5/07              | G7L070176006 | 90 Trinity Place (roof level)                       | 12/5/07               | 1752.4                          | Metals  | 6020              | STL-SAC | 12/7/07                 | 3.3   | < 68.5                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 58.7                                      | 12.1                                    | 14.2   | 10.4                                      | 66.0                                    | No                 | No                           |          |
| METALS-ST12-12/5/07              | G7L070176007 | 110 Greenwich Street (roof level)                   | 12/5/07               | 1807.5                          | Metals  | 6020              | STL-SAC | 12/7/07                 | 2.6   | < 66.4                                    | < 0.66                                       | < 0.66                                     | < 6.6   | 101                                       | 77.8                                    | 12.9   | 7.4                                       | 44.7                                    | No                 | No                           |          |
| METALS-ST13-12/5/07              | G7L070176008 | Marrion Hotel, 38th Floor (roof level)              | 12/5/07               | 1786.9                          | Metals  | 6020              | STL-SAC | 12/7/07                 | 2.2   | < 67.2                                    | < 0.67                                       | < 0.67                                     | < 6.7   | 277                                       | 6.2                                     | 7.9  | 8.3                                       | 44.7                                    | No                 | No                           |          |
| METALS-ST14-12/5/07              | G7L070176009 | West Face - South end at corner (scaffolding level) | 12/5/07               | 1766.6                          | Metals  | 6020              | STL-SAC | 12/7/07                 | 1.8   | < 67.9                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 57.3                                      | 7.7                                     | 8.5  | 5.5                                       | 45.1                                    | No                 | No                           |          |
| METALS-ST15-12/5/07              | G7L070176010 | South Face - East end at corner (scaffolding level) | 12/5/07               | 1799.5                          | Metals  | 6020              | STL-SAC | 12/7/07                 | 2.2   | < 66.7                                    | < 0.67                                       | < 0.67                                     | < 6.7   | 290                                       | 9.3                                     | 15.2   | 6.9                                       | 65.1                                    | No                 | No                           |          |
| METALS-ST16-12/5/07              | G7L070176011 | East Face - North end at corner (scaffolding level) | 12/5/07               | 1775.5                          | Metals  | 6020              | STL-SAC | 12/7/07                 | 1.8   | < 67.6                                    | < 0.68                                       | < 0.68                                     | < 6.8   | 112                                       | 11.4                                    | 19.4   | 5.7                                       | 70.8                                    | No                 | No                           |          |
| METALS-ST17-12/5/07              | G7L070176012 | North Face - West end at corner (scaffolding level) | 12/5/07               | 1708.4                          | Metals  | 6020              | STL-SAC | 12/7/07                 | 1.9   | < 70.2                                    | < 0.70                                       | < 0.70                                     | < 7.0   | 66.4                                      | 9.5                                     | 14.4   | 5.7                                       | 55.1                                    | No                 | No                           |          |