

| TRC Field Sample No.             | Station Location                                    | Collection Start Date | Collection Time (minutes) | Analyte     | Analytical Method | Instrument    | Particulate PM10 (ug/m3) | Exceeds Target Air Quality Levels | Exceeds EPA Site Specific Trigger Levels | Comments |
|----------------------------------|---|-----------------------|---------------------------|-------------|-------------------|---------------|--------------------------|-----------------------------------|--|----------|
|                                  |   |                       |                           |             |                   |               | 150                      |                                   |  |          |
|                                  |   |                       |                           |             |                   |               | 150                      |                                   |  |          |
| Target Air Quality Levels        |   |                       |                           |             |                   |               |                          |                                   |  |          |
| EPA Site Specific Trigger Levels |   |                       |                           |             |                   |               |                          |                                   |  |          |
| PM10-ST1-1/19/2009               | Southwest Area (sidewalk bridge level)              | 1/19/09               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 49                       | No                                | No                                       |          |
| PM10-ST2-1/19/2009               | Southeast Area (sidewalk bridge level)              | 1/19/09               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 45                       | No                                | No                                       |          |
| PM10-ST4-1/19/2009               | Northwest Area (street-level)                       | 1/19/09               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 51                       | No                                | No                                       |          |
| PM10-ST5-1/19/2009               | Firehouse #10 (roof level)                          | 1/19/09               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 46                       | No                                | No                                       |          |
| PM10-ST10-1/19/2009              | North Side Sidewalk Bridge                          | 1/19/09               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 43                       | No                                | No                                       |          |
| PM10-ST100-1/19/2009             | Station 10 Field Duplicate                          | 1/19/09               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 36                       | No                                | No                                       |          |
| PM10-ST11-1/19/2009              | 90 Trinity Place (roof level)                       | 1/19/09               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 47                       | No                                | No                                       |          |
| PM10-ST12-1/19/2009              | 110 Greenwich Street (roof level)                   | 1/19/09               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 57                       | No                                | No                                       |          |
| PM10-ST13-1/19/2009              | Marriott Hotel, 38th Floor (roof level)             | 1/19/09               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 55                       | No                                | No                                       |          |
| PM10-ST14-1/19/2009              | West Face - South end at corner (scaffolding level) | 1/19/09               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 54                       | No                                | No                                       |          |
| PM10-ST15-1/19/2009              | South Face - East end at corner (scaffolding level) | 1/19/09               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 39                       | No                                | No                                       |          |
| PM10-ST16-1/19/2009              | East Face - North end at corner (scaffolding level) | 1/19/09               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 51                       | No                                | No                                       |          |
| PM10-ST17-1/19/2009              | North Face - West end at corner (scaffolding level) | 1/19/09               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 37                       | No                                | No                                       |          |
| PM10-ST1-1/20/2009               | Southwest Area (sidewalk bridge level)              | 1/20/09               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 47                       | No                                | No                                       |          |
| PM10-ST2-1/20/2009               | Southeast Area (sidewalk bridge level)              | 1/20/09               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 27                       | No                                | No                                       |          |
| PM10-ST4-1/20/2009               | Northwest Area (street-level)                       | 1/20/09               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 56                       | No                                | No                                       |          |
| PM10-ST5-1/20/2009               | Firehouse #10 (roof level)                          | 1/20/09               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 28                       | No                                | No                                       |          |
| PM10-ST10-1/20/2009              | North Side Sidewalk Bridge                          | 1/20/09               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 24                       | No                                | No                                       |          |
| PM10-ST100-1/20/2009             | Station 10 Field Duplicate                          | 1/20/09               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 21                       | No                                | No                                       |          |
| PM10-ST11-1/20/2009              | 90 Trinity Place (roof level)                       | 1/20/09               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 26                       | No                                | No                                       |          |
| PM10-ST12-1/20/2009              | 110 Greenwich Street (roof level)                   | 1/20/09               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 21                       | No                                | No                                       |          |
| PM10-ST13-1/20/2009              | Marriott Hotel, 38th Floor (roof level)             | 1/20/09               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 23                       | No                                | No                                       |          |
| PM10-ST14-1/20/2009              | West Face - South end at corner (scaffolding level) | 1/20/09               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 23                       | No                                | No                                       |          |
| PM10-ST15-1/20/2009              | South Face - East end at corner (scaffolding level) | 1/20/09               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 26                       | No                                | No                                       |          |
| PM10-ST16-1/20/2009              | East Face - North end at corner (scaffolding level) | 1/20/09               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 22                       | No                                | No                                       |          |
| PM10-ST17-1/20/2009              | North Face - West end at corner (scaffolding level) | 1/20/09               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 23                       | No                                | No                                       |          |