

TRC Field Sample No.	Station Location	Collection Start Date	Collection Time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM10 (ug/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
Target Air Quality Levels							150			
EPA Site Specific Trigger Levels							150			
PM10-ST1-4/2/2010	Southwest Area (sidewalk bridge level)	4/2/10	1440	Particulate	Direct Read	Met One E-BAM	17	No	No	
PM10-ST2-4/2/2010	Southeast Area (sidewalk bridge level)	4/2/10	1440	Particulate	Direct Read	Met One E-BAM	18	No	No	
PM10-ST4-4/2/2010	Northwest Area (street-level)	4/2/10	1440	Particulate	Direct Read	Met One E-BAM	21	No	No	
PM10-ST5-4/2/2010	Firehouse #10 (roof level)	4/2/10	1440	Particulate	Direct Read	Met One E-BAM	17	No	No	
PM10-ST11-4/2/2010	90 Trinity Place (roof level)	4/2/10	1440	Particulate	Direct Read	Met One E-BAM	12	No	No	
PM10-ST12-4/2/2010	110 Greenwich Street (roof level)	4/2/10	1440	Particulate	Direct Read	Met One E-BAM	11	No	No	
PM10-ST13-4/2/2010	Marriott Hotel, 38th Floor (roof level)	4/2/10	1440	Particulate	Direct Read	Met One E-BAM	14	No	No	
PM10-ST20-4/2/2010	Northeast Area, Sidewalk Bridge	4/2/10	1440	Particulate	Direct Read	Met One E-BAM	25	No	No	
PM10-ST200-4/2/2010	Station 20 Field Duplicate	4/2/10	1440	Particulate	Direct Read	Met One E-BAM	30	No	No	

Note:

1. The PM10 readings are not available for April 3 and 4, 2010 since no sampling was conducted on these days due to the lack of work activities. This is in accordance with Amendment #9 to the September 2005 Ambient Air Monitoring Program Plan.