

TRC Field Sample No.	Station Location	Collection Start Date	Collection Time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM10 (ug/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
<b>Target Air Quality Levels</b>							<b>150</b>			
<b>EPA Site Specific Trigger Levels</b>							<b>150</b>			
PM10-ST1-5/12/2010	Southwest Area (sidewalk bridge level)	5/12/10	1440	Particulate	Direct Read	Met One E-BAM	31	No	No	
PM10-ST2-5/12/2010	Southeast Area (sidewalk bridge level)	5/12/10	1440	Particulate	Direct Read	Met One E-BAM	25	No	No	
PM10-ST4-5/12/2010	Northwest Area (street-level)	5/12/10	1440	Particulate	Direct Read	Met One E-BAM	69	No	No	
PM10-ST5-5/12/2010	Firehouse #10 (roof level)	5/12/10	1440	Particulate	Direct Read	Met One E-BAM	33	No	No	
PM10-ST11-5/12/2010	90 Trinity Place (roof level)	5/12/10	1440	Particulate	Direct Read	Met One E-BAM	22	No	No	
PM10-ST12-5/12/2010	110 Greenwich Street (roof level)	5/12/10	1440	Particulate	Direct Read	Met One E-BAM	16	No	No	
PM10-ST20-5/12/2010	Northeast Area, Sidewalk Bridge	5/12/10	1440	Particulate	Direct Read	Met One E-BAM	35	No	No	
PM10-ST200-5/12/2010	Station 20 Field Duplicate	5/12/10	1440	Particulate	Direct Read	Met One E-BAM	29	No	No	
PM10-ST21-5/12/2010	Marriott Hotel, 4th Floor	5/12/10	1440	Particulate	Direct Read	Met One E-BAM	26	No	No	
PM10-ST1-5/13/2010	Southwest Area (sidewalk bridge level)	5/13/10	1440	Particulate	Direct Read	Met One E-BAM	39	No	No	
PM10-ST2-5/13/2010	Southeast Area (sidewalk bridge level)	5/13/10	1440	Particulate	Direct Read	Met One E-BAM	21	No	No	
PM10-ST4-5/13/2010	Northwest Area (street-level)	5/13/10	1440	Particulate	Direct Read	Met One E-BAM	28	No	No	
PM10-ST5-5/13/2010	Firehouse #10 (roof level)	5/13/10	1440	Particulate	Direct Read	Met One E-BAM	19	No	No	
PM10-ST11-5/13/2010	90 Trinity Place (roof level)	5/13/10	1440	Particulate	Direct Read	Met One E-BAM	12	No	No	
PM10-ST12-5/13/2010	110 Greenwich Street (roof level)	5/13/10	1440	Particulate	Direct Read	Met One E-BAM	11	No	No	
PM10-ST20-5/13/2010	Northeast Area, Sidewalk Bridge	5/13/10	1440	Particulate	Direct Read	Met One E-BAM	28	No	No	
PM10-ST200-5/13/2010	Station 20 Field Duplicate	5/13/10	1440	Particulate	Direct Read	Met One E-BAM	30	No	No	
PM10-ST21-5/13/2010	Marriott Hotel, 4th Floor	5/13/10	1440	Particulate	Direct Read	Met One E-BAM	20	No	No	