

TRC Field Sample No.	Station Location	Collection Start Date	Collection Time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM10 (ug/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
Target Air Quality Levels							150			
EPA Site Specific Trigger Levels							150			
PM10-ST1-6/16/2010	Southwest Area (sidewalk bridge level)	6/16/10	1440	Particulate	Direct Read	Met One E-BAM	30	No	No	
PM10-ST2-6/16/2010	Southeast Area (sidewalk bridge level)	6/16/10	1440	Particulate	Direct Read	Met One E-BAM	23	No	No	
PM10-ST4-6/16/2010	Northwest Area (street-level)	6/16/10	1440	Particulate	Direct Read	Met One E-BAM	25	No	No	
PM10-ST5-6/16/2010	Firehouse #10 (roof level)	6/16/10	1440	Particulate	Direct Read	Met One E-BAM	29	No	No	
PM10-ST11-6/16/2010	90 Trinity Place (roof level)	6/16/10	1440	Particulate	Direct Read	Met One E-BAM	15	No	No	
PM10-ST12-6/16/2010	110 Greenwich Street (roof level)	6/16/10	1440	Particulate	Direct Read	Met One E-BAM	19	No	No	
PM10-ST20-6/16/2010	Northeast Area, Sidewalk Bridge	6/16/10	1440	Particulate	Direct Read	Met One E-BAM	20	No	No	
PM10-ST200-6/16/2010	Station 20 Field Duplicate	6/16/10	1440	Particulate	Direct Read	Met One E-BAM	34	No	No	
PM10-ST21-6/16/2010	Marriott Hotel, 4th Floor	6/16/10	1440	Particulate	Direct Read	Met One E-BAM	22	No	No	
PM10-ST1-6/17/2010	Southwest Area (sidewalk bridge level)	6/17/10	1440	Particulate	Direct Read	Met One E-BAM	25	No	No	
PM10-ST2-6/17/2010	Southeast Area (sidewalk bridge level)	6/17/10	1440	Particulate	Direct Read	Met One E-BAM	20	No	No	
PM10-ST4-6/17/2010	Northwest Area (street-level)	6/17/10	1440	Particulate	Direct Read	Met One E-BAM	49	No	No	
PM10-ST5-6/17/2010	Firehouse #10 (roof level)	6/17/10	1440	Particulate	Direct Read	Met One E-BAM	24	No	No	
PM10-ST11-6/17/2010	90 Trinity Place (roof level)	6/17/10	1440	Particulate	Direct Read	Met One E-BAM	14	No	No	
PM10-ST12-6/17/2010	110 Greenwich Street (roof level)	6/17/10	1440	Particulate	Direct Read	Met One E-BAM	13	No	No	
PM10-ST20-6/17/2010	Northeast Area, Sidewalk Bridge	6/17/10	1440	Particulate	Direct Read	Met One E-BAM	19	No	No	
PM10-ST200-6/17/2010	Station 20 Field Duplicate	6/17/10	1440	Particulate	Direct Read	Met One E-BAM	27	No	No	
PM10-ST21-6/17/2010	Marriott Hotel, 4th Floor	6/17/10	1440	Particulate	Direct Read	Met One E-BAM	20	No	No	