

| TRC Field Sample No.                    | Station Location                                    | Collection Start Date | Collection Time (minutes) | Analyte     | Analytical Method | Instrument    | Particulate PM10 (ug/m3) | Exceeds Target Air Quality Levels | Exceeds EPA Site Specific Trigger Levels | Comments |
|---|---|-----------------------|---------------------------|-------------|-------------------|---------------|--------------------------|-----------------------------------|--|----------|
|   |   |                       |                           |             |                   |               | 150                      |                                   |  |          |
|   |   |                       |                           |             |                   |               | 150                      |                                   |  |          |
| <b>Target Air Quality Levels</b>        |   |                       |                           |             |                   |               |                          |                                   |  |          |
| <b>EPA Site Specific Trigger Levels</b> |   |                       |                           |             |                   |               |                          |                                   |  |          |
| PM10-ST1-6/18/2007                      | Southwest Area (sidewalk bridge level)              | 6/18/07               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 32                       | No                                | No                                       |          |
| PM10-ST2-6/18/2007                      | Southeast Area (sidewalk bridge level)              | 6/18/07               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 35                       | No                                | No                                       |          |
| PM10-ST4-6/18/2007                      | Northwest Area (street-level)                       | 6/18/07               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 39                       | No                                | No                                       |          |
| PM10-ST5-6/18/2007                      | Firehouse #10 (roof level)                          | 6/18/07               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 38                       | No                                | No                                       |          |
| PM10-ST10-6/18/2007                     | North Side Sidewalk Bridge                          | 6/18/07               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 38                       | No                                | No                                       |          |
| PM10-ST100-6/18/2007                    | Station 10 Field Duplicate                          | 6/18/07               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 42                       | No                                | No                                       |          |
| PM10-ST11-6/18/2007                     | 90 Trinity Place (roof level)                       | 6/18/07               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 31                       | No                                | No                                       |          |
| PM10-ST12-6/18/2007                     | 110 Greenwich Street (roof level)                   | 6/18/07               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 34                       | No                                | No                                       |          |
| PM10-ST13-6/18/2007                     | Marriott Hotel, 38th Floor (roof level)             | 6/18/07               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 24                       | No                                | No                                       |          |
| PM10-ST14-6/18/2007                     | West Face - South end at corner (scaffolding level) | 6/18/07               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 36                       | No                                | No                                       |          |
| PM10-ST15-6/18/2007                     | South Face - East end at corner (scaffolding level) | 6/18/07               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 31                       | No                                | No                                       |          |
| PM10-ST16-6/18/2007                     | East Face - North end at corner (scaffolding level) | 6/18/07               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 26                       | No                                | No                                       |          |
| PM10-ST17-6/18/2007                     | North Face - West end at corner (scaffolding level) | 6/18/07               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 27                       | No                                | No                                       |          |
| PM10-ST1-6/19/2007                      | Southwest Area (sidewalk bridge level)              | 6/19/07               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 46                       | No                                | No                                       |          |
| PM10-ST2-6/19/2007                      | Southeast Area (sidewalk bridge level)              | 6/19/07               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 32                       | No                                | No                                       |          |
| PM10-ST4-6/19/2007                      | Northwest Area (street-level)                       | 6/19/07               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 37                       | No                                | No                                       |          |
| PM10-ST5-6/19/2007                      | Firehouse #10 (roof level)                          | 6/19/07               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 42                       | No                                | No                                       |          |
| PM10-ST10-6/19/2007                     | North Side Sidewalk Bridge                          | 6/19/07               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 59                       | No                                | No                                       |          |
| PM10-ST100-6/19/2007                    | Station 10 Field Duplicate                          | 6/19/07               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 39                       | No                                | No                                       |          |
| PM10-ST11-6/19/2007                     | 90 Trinity Place (roof level)                       | 6/19/07               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 30                       | No                                | No                                       |          |
| PM10-ST12-6/19/2007                     | 110 Greenwich Street (roof level)                   | 6/19/07               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 37                       | No                                | No                                       |          |
| PM10-ST13-6/19/2007                     | Marriott Hotel, 38th Floor (roof level)             | 6/19/07               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 22                       | No                                | No                                       |          |
| PM10-ST14-6/19/2007                     | West Face - South end at corner (scaffolding level) | 6/19/07               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 31                       | No                                | No                                       |          |
| PM10-ST15-6/19/2007                     | South Face - East end at corner (scaffolding level) | 6/19/07               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 38                       | No                                | No                                       |          |
| PM10-ST16-6/19/2007                     | East Face - North end at corner (scaffolding level) | 6/19/07               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 25                       | No                                | No                                       |          |
| PM10-ST17-6/19/2007                     | North Face - West end at corner (scaffolding level) | 6/19/07               | 1440                      | Particulate | Direct Read       | Met One E-BAM | 30                       | No                                | No                                       |          |