

TRC Field Sample No.	Station Location	Collection Start Date	Collection Time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM10 (ug/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
Target Air Quality Levels							150			
EPA Site Specific Trigger Levels							150			
PM10-ST1-8/21/2007	Southwest Area (sidewalk bridge level)	8/21/07	1440	Particulate	Direct Read	Met One E-BAM	18	No	No	
PM10-ST2-8/21/2007	Southeast Area (sidewalk bridge level)	8/21/07	1440	Particulate	Direct Read	Met One E-BAM	34	No	No	
PM10-ST4-8/21/2007	Northwest Area (street-level)	8/21/07	1440	Particulate	Direct Read	Met One E-BAM	30	No	No	
PM10-ST5-8/21/2007	Firehouse #10 (roof level)	8/21/07	1440	Particulate	Direct Read	Met One E-BAM	36	No	No	
PM10-ST10-8/21/2007	North Side Sidewalk Bridge	8/21/07	1440	Particulate	Direct Read	Met One E-BAM	17	No	No	
PM10-ST100-8/21/2007	Station 10 Field Duplicate	8/21/07	1440	Particulate	Direct Read	Met One E-BAM	42	No	No	
PM10-ST11-8/21/2007	90 Trinity Place (roof level)	8/21/07	1440	Particulate	Direct Read	Met One E-BAM	24	No	No	
PM10-ST12-8/21/2007	110 Greenwich Street (roof level)	8/21/07	1440	Particulate	Direct Read	Met One E-BAM	8	No	No	
PM10-ST13-8/21/2007	Marriott Hotel, 38th Floor (roof level)	8/21/07	1440	Particulate	Direct Read	Met One E-BAM	6	No	No	
PM10-ST14-8/21/2007	West Face - South end at corner (scaffolding level)	8/21/07	1440	Particulate	Direct Read	Met One E-BAM	17	No	No	
PM10-ST15-8/21/2007	South Face - East end at corner (scaffolding level)	8/21/07	1440	Particulate	Direct Read	Met One E-BAM	14	No	No	
PM10-ST16-8/21/2007	East Face - North end at corner (scaffolding level)	8/21/07	1440	Particulate	Direct Read	Met One E-BAM	9	No	No	
PM10-ST17-8/21/2007	North Face - West end at corner (scaffolding level)	8/21/07	1440	Particulate	Direct Read	Met One E-BAM	19	No	No	