

TRC Field Sample No.	Station Location	Collection Start Date	Collection Time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM10 (ug/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
Target Air Quality Levels							150			
EPA Site Specific Trigger Levels							150			
PM10-ST1-10/18/2010	Southwest Area (sidewalk bridge level)	10/18/10	1440	Particulate	Direct Read	Met One E-BAM	12	No	No	
PM10-ST2-10/18/2010	Southeast Area (sidewalk bridge level)	10/18/10	1440	Particulate	Direct Read	Met One E-BAM	26	No	No	
PM10-ST4-10/18/2010	Northwest Area (street-level)	10/18/10	1440	Particulate	Direct Read	Met One E-BAM	24	No	No	
PM10-ST5-10/18/2010	Firehouse #10 (roof level)	10/18/10	1440	Particulate	Direct Read	Met One E-BAM	14	No	No	
PM10-ST20-10/18/2010	Northeast Area, Sidewalk Bridge	10/18/10	1440	Particulate	Direct Read	Met One E-BAM	18	No	No	
PM10-ST200-10/18/2010	Station 20 Field Duplicate	10/18/10	1440	Particulate	Direct Read	Met One E-BAM	19	No	No	
PM10-ST21-10/18/2010	Marriott Hotel, 4th Floor	10/18/10	1440	Particulate	Direct Read	Met One E-BAM	10	No	No	
PM10-ST22-10/18/2010	Roof of 120 Cedar Street	10/18/10	1440	Particulate	Direct Read	Met One E-BAM	8	No	No	
PM10-ST1-10/19/2010	Southwest Area (sidewalk bridge level)	10/19/10	1440	Particulate	Direct Read	Met One E-BAM	19	No	No	
PM10-ST2-10/19/2010	Southeast Area (sidewalk bridge level)	10/19/10	1440	Particulate	Direct Read	Met One E-BAM	23	No	No	
PM10-ST4-10/19/2010	Northwest Area (street-level)	10/19/10	1440	Particulate	Direct Read	Met One E-BAM	34	No	No	
PM10-ST5-10/19/2010	Firehouse #10 (roof level)	10/19/10	1440	Particulate	Direct Read	Met One E-BAM	20	No	No	
PM10-ST20-10/19/2010	Northeast Area, Sidewalk Bridge	10/19/10	1440	Particulate	Direct Read	Met One E-BAM	28	No	No	
PM10-ST200-10/19/2010	Station 20 Field Duplicate	10/19/10	1440	Particulate	Direct Read	Met One E-BAM	25	No	No	
PM10-ST21-10/19/2010	Marriott Hotel, 4th Floor	10/19/10	1440	Particulate	Direct Read	Met One E-BAM	17	No	No	
PM10-ST22-10/19/2010	Roof of 120 Cedar Street	10/19/10	1440	Particulate	Direct Read	Met One E-BAM	15	No	No	