

| TRC Field Sample No.                    | Station Location                                    | Collection Start Date | Collection Time (minutes) | Analyte     | Analytical Method | Instrument    | Particulate PM10 (ug/m3) | Exceeds Target Air Quality Levels | Exceeds EPA Site Specific Trigger Levels | Comments |
|---|---|-----------------------|---------------------------|-------------|-------------------|---------------|--------------------------|-----------------------------------|--|----------|
| <b>Target Air Quality Levels</b>        |   |                       |                           |             |                   |               | <b>150</b>               |                                   |  |          |
| <b>EPA Site Specific Trigger Levels</b> |   |                       |                           |             |                   |               | <b>150</b>               |                                   |  |          |
| PM10-ST1-10/30/2006                     | Southwest Area (sidewalk bridge level)              | 10/30/06              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 11                       | No                                | No                                       |          |
| PM10-ST2-10/30/2006                     | Southeast Area (sidewalk bridge level)              | 10/30/06              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 10                       | No                                | No                                       |          |
| PM10-ST4-10/30/2006                     | Northwest Area (street-level)                       | 10/30/06              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 13                       | No                                | No                                       |          |
| PM10-ST5-10/30/2006                     | Firehouse #10 (roof level)                          | 10/30/06              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 13                       | No                                | No                                       |          |
| PM10-ST10-10/30/2006                    | North Side Sidewalk Bridge                          | 10/30/06              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 11                       | No                                | No                                       |          |
| PM10-ST100-10/30/2006                   | Station 10 Field Duplicate                          | 10/30/06              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 14                       | No                                | No                                       |          |
| PM10-ST11-10/30/2006                    | 90 Trinity Place (roof level)                       | 10/30/06              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 11                       | No                                | No                                       |          |
| PM10-ST12-10/30/2006                    | 110 Greenwich Street (roof level)                   | 10/30/06              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 11                       | No                                | No                                       |          |
| PM10-ST13-10/30/2006                    | Marriott Hotel, 38th Floor (roof level)             | 10/30/06              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 28                       | No                                | No                                       |          |
| PM10-ST14-10/30/2006                    | West Face - South end at corner (scaffolding level) | 10/30/06              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 10                       | No                                | No                                       |          |
| PM10-ST15-10/30/2006                    | South Face - East end at corner (scaffolding level) | 10/30/06              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 13                       | No                                | No                                       |          |
| PM10-ST16-10/30/2006                    | East Face - North end at corner (scaffolding level) | 10/30/06              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 11                       | No                                | No                                       |          |
| PM10-ST17-10/30/2006                    | North Face - West end at corner (scaffolding level) | 10/30/06              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 11                       | No                                | No                                       |          |
| PM10-ST1-10/31/2006                     | Southwest Area (sidewalk bridge level)              | 10/31/06              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 23                       | No                                | No                                       |          |
| PM10-ST2-10/31/2006                     | Southeast Area (sidewalk bridge level)              | 10/31/06              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 22                       | No                                | No                                       |          |
| PM10-ST4-10/31/2006                     | Northwest Area (street-level)                       | 10/31/06              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 25                       | No                                | No                                       |          |
| PM10-ST5-10/31/2006                     | Firehouse #10 (roof level)                          | 10/31/06              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 25                       | No                                | No                                       |          |
| PM10-ST10-10/31/2006                    | North Side Sidewalk Bridge                          | 10/31/06              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 30                       | No                                | No                                       |          |
| PM10-ST100-10/31/2006                   | Station 10 Field Duplicate                          | 10/31/06              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 32                       | No                                | No                                       |          |
| PM10-ST11-10/31/2006                    | 90 Trinity Place (roof level)                       | 10/31/06              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 23                       | No                                | No                                       |          |
| PM10-ST12-10/31/2006                    | 110 Greenwich Street (roof level)                   | 10/31/06              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 23                       | No                                | No                                       |          |
| PM10-ST13-10/31/2006                    | Marriott Hotel, 38th Floor (roof level)             | 10/31/06              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 29                       | No                                | No                                       |          |
| PM10-ST14-10/31/2006                    | West Face - South end at corner (scaffolding level) | 10/31/06              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 22                       | No                                | No                                       |          |
| PM10-ST15-10/31/2006                    | South Face - East end at corner (scaffolding level) | 10/31/06              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 22                       | No                                | No                                       |          |
| PM10-ST16-10/31/2006                    | East Face - North end at corner (scaffolding level) | 10/31/06              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 22                       | No                                | No                                       |          |
| PM10-ST17-10/31/2006                    | North Face - West end at corner (scaffolding level) | 10/31/06              | 1440                      | Particulate | Direct Read       | Met One E-BAM | 22                       | No                                | No                                       |          |