

TRC Field Sample No.	Station Location	Collection Start Date	Collection Time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM10 (ug/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
							150			
							150			
PM10-ST1-12/4/2009	Southwest Area (sidewalk bridge level)	12/4/09	1440	Particulate	Direct Read	Met One E-BAM	13	No	No	
PM10-ST2-12/4/2009	Southeast Area (sidewalk bridge level)	12/4/09	1440	Particulate	Direct Read	Met One E-BAM	12	No	No	
PM10-ST4-12/4/2009	Northwest Area (street-level)	12/4/09	1440	Particulate	Direct Read	Met One E-BAM	20	No	No	
PM10-ST5-12/4/2009	Firehouse #10 (roof level)	12/4/09	1440	Particulate	Direct Read	Met One E-BAM	12	No	No	
PM10-ST10-12/4/2009	North Side Sidewalk Bridge	12/4/09	1440	Particulate	Direct Read	Met One E-BAM	19	No	No	
PM10-ST100-12/4/2009	Station 10 Field Duplicate	12/4/09	1440	Particulate	Direct Read	Met One E-BAM	19	No	No	
PM10-ST11-12/4/2009	90 Trinity Place (roof level)	12/4/09	1440	Particulate	Direct Read	Met One E-BAM	10	No	No	
PM10-ST12-12/4/2009	110 Greenwich Street (roof level)	12/4/09	1440	Particulate	Direct Read	Met One E-BAM	9	No	No	
PM10-ST13-12/4/2009	Marriott Hotel, 38th Floor (roof level)	12/4/09	1440	Particulate	Direct Read	Met One E-BAM	13	No	No	
PM10-ST1-12/5/2009	Southwest Area (sidewalk bridge level)	12/5/09	1440	Particulate	Direct Read	Met One E-BAM	17	No	No	
PM10-ST2-12/5/2009	Southeast Area (sidewalk bridge level)	12/5/09	1440	Particulate	Direct Read	Met One E-BAM	15	No	No	
PM10-ST4-12/5/2009	Northwest Area (street-level)	12/5/09	1440	Particulate	Direct Read	Met One E-BAM	49	No	No	
PM10-ST5-12/5/2009	Firehouse #10 (roof level)	12/5/09	1440	Particulate	Direct Read	Met One E-BAM	17	No	No	
PM10-ST10-12/5/2009	North Side Sidewalk Bridge	12/5/09	1440	Particulate	Direct Read	Met One E-BAM	26	No	No	
PM10-ST100-12/5/2009	Station 10 Field Duplicate	12/5/09	1440	Particulate	Direct Read	Met One E-BAM	15	No	No	
PM10-ST11-12/5/2009	90 Trinity Place (roof level)	12/5/09	1440	Particulate	Direct Read	Met One E-BAM	26	No	No	
PM10-ST12-12/5/2009	110 Greenwich Street (roof level)	12/5/09	1440	Particulate	Direct Read	Met One E-BAM	17	No	No	
PM10-ST13-12/5/2009	Marriott Hotel, 38th Floor (roof level)	12/5/09	1440	Particulate	Direct Read	Met One E-BAM	12	No	No	

Note:

1. The PM10 readings are not available for December 6, 2009 since no sampling was conducted on this day due to lack of work activities. This is in accordance with Amendment #9 to the September 2005 Ambient Air Monitoring Program Plan.