

TRC Field Sample No.	Station Location	Collection Start Date	Collection Time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM10 (ug/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
Target Air Quality Levels							150			
EPA Site Specific Trigger Levels							150			
PM10-ST1-12/14/2009	Southwest Area (sidewalk bridge level)	12/14/09	1440	Particulate	Direct Read	Met One E-BAM	15	No	No	
PM10-ST2-12/14/2009	Southeast Area (sidewalk bridge level)	12/14/09	750	Particulate	Direct Read	Met One E-BAM	20	No	No	
PM10-ST4-12/14/2009	Northwest Area (street-level)	12/14/09	1440	Particulate	Direct Read	Met One E-BAM	19	No	No	
PM10-ST5-12/14/2009	Firehouse #10 (roof level)	12/14/09	750	Particulate	Direct Read	Met One E-BAM	35	No	No	
PM10-ST10-12/14/2009	North Side Sidewalk Bridge	12/14/09	1440	Particulate	Direct Read	Met One E-BAM	21	No	No	
PM10-ST100-12/14/2009	Station 10 Field Duplicate	12/14/09	1440	Particulate	Direct Read	Met One E-BAM	20	No	No	
PM10-ST11-12/14/2009	90 Trinity Place (roof level)	12/14/09	1440	Particulate	Direct Read	Met One E-BAM	13	No	No	
PM10-ST12-12/14/2009	110 Greenwich Street (roof level)	12/14/09	1440	Particulate	Direct Read	Met One E-BAM	12	No	No	
PM10-ST13-12/14/2009	Marriott Hotel, 38th Floor (roof level)	12/14/09	1440	Particulate	Direct Read	Met One E-BAM	15	No	No	
PM10-ST1-12/15/2009	Southwest Area (sidewalk bridge level)	12/15/09	1440	Particulate	Direct Read	Met One E-BAM	19	No	No	
PM10-ST2-12/15/2009	Southeast Area (sidewalk bridge level)	12/15/09	1440	Particulate	Direct Read	Met One E-BAM	20	No	No	
PM10-ST4-12/15/2009	Northwest Area (street-level)	12/15/09	1440	Particulate	Direct Read	Met One E-BAM	19	No	No	
PM10-ST5-12/15/2009	Firehouse #10 (roof level)	12/15/09	1440	Particulate	Direct Read	Met One E-BAM	26	No	No	
PM10-ST10-12/15/2009	North Side Sidewalk Bridge	12/15/09	1440	Particulate	Direct Read	Met One E-BAM	24	No	No	
PM10-ST100-12/15/2009	Station 10 Field Duplicate	12/15/09	1440	Particulate	Direct Read	Met One E-BAM	24	No	No	
PM10-ST11-12/15/2009	90 Trinity Place (roof level)	12/15/09	1440	Particulate	Direct Read	Met One E-BAM	32	No	No	
PM10-ST12-12/15/2009	110 Greenwich Street (roof level)	12/15/09	1440	Particulate	Direct Read	Met One E-BAM	15	No	No	
PM10-ST13-12/15/2009	Marriott Hotel, 38th Floor (roof level)	12/15/09	1440	Particulate	Direct Read	Met One E-BAM	20	No	No	

Note:

1. The PM10 readings from Station 2 (Southeast Area [sidewalk bridge level]) and Station 5 (Firehouse #10 [roof level]) on December 14, 2009 are based on a 750 minute averaging time on account of a power outage.