

TRC Field Sample No.	Station Location	Collection Start Date	Collection Time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM2.5 (ug/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
Target Air Quality Levels							40			
EPA Site Specific Trigger Levels							65			
PM2.5-ST1-9/27/2006	Southwest Area (sidewalk bridge level)	9/27/06	1440	Particulate	Direct Read	Met One E-BAM	17	No	No	
PM2.5-ST2-9/27/2006	Southeast Area (sidewalk bridge level)	9/27/06	1440	Particulate	Direct Read	Met One E-BAM	21	No	No	
PM2.5-ST4-9/27/2006	Northwest Area (street-level)	9/27/06	1440	Particulate	Direct Read	Met One E-BAM	16	No	No	
PM2.5-ST5-9/27/2006	Firehouse #10 (roof level)	9/27/06	1440	Particulate	Direct Read	Met One E-BAM	19	No	No	
PM2.5-ST10-9/27/2006	North Side Sidewalk Bridge	9/27/06	1440	Particulate	Direct Read	Met One E-BAM	14	No	No	
PM2.5-ST100-9/27/2006	Station 10 Field Duplicate	9/27/06	1440	Particulate	Direct Read	Met One E-BAM	15	No	No	
PM2.5-ST11-9/27/2006	90 Trinity Place (roof level)	9/27/06	1440	Particulate	Direct Read	Met One E-BAM	16	No	No	
PM2.5-ST12-9/27/2006	110 Greenwich Street (roof level)	9/27/06	1440	Particulate	Direct Read	Met One E-BAM	15	No	No	
PM2.5-ST14-9/27/2006	West Face - South end at corner (scaffolding level)	9/27/06	1440	Particulate	Direct Read	Met One E-BAM	14	No	No	
PM2.5-ST15-9/27/2006	South Face - East end at corner (scaffolding level)	9/27/06	1440	Particulate	Direct Read	Met One E-BAM	15	No	No	
PM2.5-ST17-9/27/2006	North Face - West end at corner (scaffolding level)	9/27/06	1440	Particulate	Direct Read	Met One E-BAM	14	No	No	
PM2.5-ST1-9/28/2006	Southwest Area (sidewalk bridge level)	9/28/06	1440	Particulate	Direct Read	Met One E-BAM	17	No	No	
PM2.5-ST2-9/28/2006	Southeast Area (sidewalk bridge level)	9/28/06	1440	Particulate	Direct Read	Met One E-BAM	21	No	No	
PM2.5-ST4-9/28/2006	Northwest Area (street-level)	9/28/06	1440	Particulate	Direct Read	Met One E-BAM	14	No	No	
PM2.5-ST5-9/28/2006	Firehouse #10 (roof level)	9/28/06	1440	Particulate	Direct Read	Met One E-BAM	15	No	No	
PM2.5-ST10-9/28/2006	North Side Sidewalk Bridge	9/28/06	1440	Particulate	Direct Read	Met One E-BAM	15	No	No	
PM2.5-ST100-9/28/2006	Station 10 Field Duplicate	9/28/06	1440	Particulate	Direct Read	Met One E-BAM	15	No	No	
PM2.5-ST11-9/28/2006	90 Trinity Place (roof level)	9/28/06	1440	Particulate	Direct Read	Met One E-BAM	18	No	No	
PM2.5-ST12-9/28/2006	110 Greenwich Street (roof level)	9/28/06	1440	Particulate	Direct Read	Met One E-BAM	12	No	No	
PM2.5-ST14-9/28/2006	West Face - South end at corner (scaffolding level)	9/28/06	1440	Particulate	Direct Read	Met One E-BAM	14	No	No	
PM2.5-ST15-9/28/2006	South Face - East end at corner (scaffolding level)	9/28/06	1440	Particulate	Direct Read	Met One E-BAM	12	No	No	
PM2.5-ST17-9/28/2006	North Face - West end at corner (scaffolding level)	9/28/06	1440	Particulate	Direct Read	Met One E-BAM	13	No	No	

Notes:

1. PM 2.5 readings at Station 13 (Marriott Hotel, 38th Floor [roof level]) on September 27 and 28, 2006 were not available on account of instrument malfunction.
2. PM 2.5 readings at Station 16 (East Face - North end at corner [scaffolding level]) on September 27 and 28, 2006 were not available on account of instrument malfunction.