

| TRC Field Sample No. | Station Location | Collection Start Date | Collection Time (minutes) | Analyte | Analytical Method | Instrument | Particulate PM2.5 (ug/m3) | Exceeds Target Air Quality Levels | Exceeds EPA Site Specific Trigger Levels | Comments |
|---|---|-----------------------|---------------------------|-------------|-------------------|---------------|---------------------------|-----------------------------------|--|----------|
| Target Air Quality Levels | | | | | | | 40 | | | |
| EPA Site Specific Trigger Levels | | | | | | | 65 | | | |
| PM2.5-ST1-11/19/2007 | Southwest Area (sidewalk bridge level) | 11/19/07 | 1440 | Particulate | Direct Read | Met One E-BAM | 9 | No | No | |
| PM2.5-ST2-11/19/2007 | Southeast Area (sidewalk bridge level) | 11/19/07 | 1440 | Particulate | Direct Read | Met One E-BAM | 14 | No | No | |
| PM2.5-ST4-11/19/2007 | Northwest Area (street-level) | 11/19/07 | 1440 | Particulate | Direct Read | Met One E-BAM | 14 | No | No | |
| PM2.5-ST5-11/19/2007 | Firehouse #10 (roof level) | 11/19/07 | 1440 | Particulate | Direct Read | Met One E-BAM | 13 | No | No | |
| PM2.5-ST10-11/19/2007 | North Side Sidewalk Bridge | 11/19/07 | 1440 | Particulate | Direct Read | Met One E-BAM | 11 | No | No | |
| PM2.5-ST100-11/19/2007 | Station 10 Field Duplicate | 11/19/07 | 1440 | Particulate | Direct Read | Met One E-BAM | 12 | No | No | |
| PM2.5-ST11-11/19/2007 | 90 Trinity Place (roof level) | 11/19/07 | 1440 | Particulate | Direct Read | Met One E-BAM | 9 | No | No | |
| PM2.5-ST12-11/19/2007 | 110 Greenwich Street (roof level) | 11/19/07 | 1440 | Particulate | Direct Read | Met One E-BAM | 11 | No | No | |
| PM2.5-ST13-11/19/2007 | Marriott Hotel, 38th Floor (roof level) | 11/19/07 | 1440 | Particulate | Direct Read | Met One E-BAM | 8 | No | No | |
| PM2.5-ST14-11/19/2007 | West Face - South end at corner (scaffolding level) | 11/19/07 | 1440 | Particulate | Direct Read | Met One E-BAM | 11 | No | No | |
| PM2.5-ST15-11/19/2007 | South Face - East end at corner (scaffolding level) | 11/19/07 | 1440 | Particulate | Direct Read | Met One E-BAM | 7 | No | No | |
| PM2.5-ST16-11/19/2007 | East Face - North end at corner (scaffolding level) | 11/19/07 | 1440 | Particulate | Direct Read | Met One E-BAM | 10 | No | No | |
| PM2.5-ST17-11/19/2007 | North Face - West end at corner (scaffolding level) | 11/19/07 | 1440 | Particulate | Direct Read | Met One E-BAM | 10 | No | No | |
| PM2.5-ST1-11/20/2007 | Southwest Area (sidewalk bridge level) | 11/20/07 | 1440 | Particulate | Direct Read | Met One E-BAM | 16 | No | No | |
| PM2.5-ST2-11/20/2007 | Southeast Area (sidewalk bridge level) | 11/20/07 | 1440 | Particulate | Direct Read | Met One E-BAM | 21 | No | No | |
| PM2.5-ST4-11/20/2007 | Northwest Area (street-level) | 11/20/07 | 1440 | Particulate | Direct Read | Met One E-BAM | 19 | No | No | |
| PM2.5-ST5-11/20/2007 | Firehouse #10 (roof level) | 11/20/07 | 1440 | Particulate | Direct Read | Met One E-BAM | 22 | No | No | |
| PM2.5-ST10-11/20/2007 | North Side Sidewalk Bridge | 11/20/07 | 1440 | Particulate | Direct Read | Met One E-BAM | 22 | No | No | |
| PM2.5-ST100-11/20/2007 | Station 10 Field Duplicate | 11/20/07 | 1440 | Particulate | Direct Read | Met One E-BAM | 19 | No | No | |
| PM2.5-ST11-11/20/2007 | 90 Trinity Place (roof level) | 11/20/07 | 1440 | Particulate | Direct Read | Met One E-BAM | 20 | No | No | |
| PM2.5-ST12-11/20/2007 | 110 Greenwich Street (roof level) | 11/20/07 | 1440 | Particulate | Direct Read | Met One E-BAM | 18 | No | No | |
| PM2.5-ST13-11/20/2007 | Marriott Hotel, 38th Floor (roof level) | 11/20/07 | 1440 | Particulate | Direct Read | Met One E-BAM | 19 | No | No | |
| PM2.5-ST14-11/20/2007 | West Face - South end at corner (scaffolding level) | 11/20/07 | 1440 | Particulate | Direct Read | Met One E-BAM | 21 | No | No | |
| PM2.5-ST15-11/20/2007 | South Face - East end at corner (scaffolding level) | 11/20/07 | 1440 | Particulate | Direct Read | Met One E-BAM | 16 | No | No | |
| PM2.5-ST16-11/20/2007 | East Face - North end at corner (scaffolding level) | 11/20/07 | 1440 | Particulate | Direct Read | Met One E-BAM | 18 | No | No | |
| PM2.5-ST17-11/20/2007 | North Face - West end at corner (scaffolding level) | 11/20/07 | 1440 | Particulate | Direct Read | Met One E-BAM | 17 | No | No | |