

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m ³)	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Respirable Silica Concentration (ug/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
									10			
									10			
SILICA-ST1-3/13/08	040806068-0001	Southwest Area (sidewalk bridge level)	3/13/08	3.74	Silica	NIOSH 7500 XRD	EMSL	3/14/08	< 1	No	No	
SILICA-ST2-3/13/08	040806068-0002	Southeast Area (sidewalk bridge level)	3/13/08	3.69	Silica	NIOSH 7500 XRD	EMSL	3/14/08	< 1	No	No	
SILICA-ST4-3/13/08	040806068-0003	Northwest Area (street-level)	3/13/08	3.75	Silica	NIOSH 7500 XRD	EMSL	3/14/08	< 1	No	No	
SILICA-ST5-3/13/08	040806068-0004	Firehouse #10 (roof level)	3/13/08	3.58	Silica	NIOSH 7500 XRD	EMSL	3/14/08	< 1	No	No	
SILICA-ST10-3/13/08	040806068-0005	North Side Sidewalk Bridge	3/13/08	3.59	Silica	NIOSH 7500 XRD	EMSL	3/14/08	< 1	No	No	
SILICA-ST11-3/13/08	040806068-0006	90 Trinity Place (roof level)	3/13/08	3.56	Silica	NIOSH 7500 XRD	EMSL	3/14/08	< 1	No	No	
SILICA-ST12-3/13/08	040806068-0007	110 Greenwich Street (roof level)	3/13/08	3.52	Silica	NIOSH 7500 XRD	EMSL	3/14/08	< 1	No	No	
SILICA-ST13-3/13/08	040806068-0008	Marriott Hotel, 38th Floor (roof level)	3/13/08	3.64	Silica	NIOSH 7500 XRD	EMSL	3/14/08	< 1	No	No	
SILICA-ST14(15th)-3/13/08	040806068-0009	West Face - South end at corner (scaffolding level: 15th floor)	3/13/08	3.48	Silica	NIOSH 7500 XRD	EMSL	3/14/08	< 1	No	No	
SILICA-ST15(15th)-3/13/08	040806068-0010	South Face - East end at corner (scaffolding level: 15th floor)	3/13/08	3.58	Silica	NIOSH 7500 XRD	EMSL	3/14/08	< 1	No	No	
SILICA-ST16(15th)-3/13/08	040806068-0011	East Face - North end at corner (scaffolding level: 15th floor)	3/13/08	3.65	Silica	NIOSH 7500 XRD	EMSL	3/14/08	< 1	No	No	
SILICA-ST17(15th)-3/13/08	040806068-0012	North Face - West end at corner (scaffolding level: 15th floor)	3/13/08	3.54	Silica	NIOSH 7500 XRD	EMSL	3/14/08	< 1	No	No	
SILICA-ST1-3/14/08	040806194-0001	Southwest Area (sidewalk bridge level)	3/14/08	3.54	Silica	NIOSH 7500 XRD	EMSL	3/15/08	< 1	No	No	
SILICA-ST2-3/14/08	040806194-0002	Southeast Area (sidewalk bridge level)	3/14/08	3.62	Silica	NIOSH 7500 XRD	EMSL	3/15/08	< 1	No	No	
SILICA-ST4-3/14/08	040806194-0003	Northwest Area (street-level)	3/14/08	3.55	Silica	NIOSH 7500 XRD	EMSL	3/15/08	< 1	No	No	
SILICA-ST5-3/14/08	040806194-0004	Firehouse #10 (roof level)	3/14/08	3.49	Silica	NIOSH 7500 XRD	EMSL	3/15/08	< 1	No	No	
SILICA-ST10-3/14/08	040806194-0005	North Side Sidewalk Bridge	3/14/08	3.5	Silica	NIOSH 7500 XRD	EMSL	3/15/08	< 1	No	No	
SILICA-ST11-3/14/08	040806194-0006	90 Trinity Place (roof level)	3/14/08	3.59	Silica	NIOSH 7500 XRD	EMSL	3/15/08	< 1	No	No	
SILICA-ST12-3/14/08	040806194-0007	110 Greenwich Street (roof level)	3/14/08	3.53	Silica	NIOSH 7500 XRD	EMSL	3/15/08	< 1	No	No	
SILICA-ST13-3/14/08	040806194-0008	Marriott Hotel, 38th Floor (roof level)	3/14/08	3.57	Silica	NIOSH 7500 XRD	EMSL	3/15/08	< 1	No	No	
SILICA-ST14(15th)-3/14/08	040806194-0009	West Face - South end at corner (scaffolding level: 15th floor)	3/14/08	3.43	Silica	NIOSH 7500 XRD	EMSL	3/15/08	< 1	No	No	
SILICA-ST15(15th)-3/14/08	040806194-0010	South Face - East end at corner (scaffolding level: 15th floor)	3/14/08	3.35	Silica	NIOSH 7500 XRD	EMSL	3/15/08	< 1	No	No	
SILICA-ST16(15th)-3/14/08	040806194-0011	East Face - North end at corner (scaffolding level: 15th floor)	3/14/08	3.39	Silica	NIOSH 7500 XRD	EMSL	3/15/08	< 1	No	No	
SILICA-ST17(15th)-3/14/08	040806194-0012	North Face - West end at corner (scaffolding level: 15th floor)	3/14/08	3.48	Silica	NIOSH 7500 XRD	EMSL	3/15/08	< 1	No	No	
SILICA-ST1-3/15/08	040806240-0001	Southwest Area (sidewalk bridge level)	3/15/08	3.61	Silica	NIOSH 7500 XRD	EMSL	3/17/08	< 1	No	No	
SILICA-ST2-3/15/08	040806240-0002	Southeast Area (sidewalk bridge level)	3/15/08	3.64	Silica	NIOSH 7500 XRD	EMSL	3/17/08	< 1	No	No	
SILICA-ST4-3/15/08	040806240-0003	Northwest Area (street-level)	3/15/08	3.63	Silica	NIOSH 7500 XRD	EMSL	3/17/08	< 1	No	No	
SILICA-ST5-3/15/08	040806240-0004	Firehouse #10 (roof level)	3/15/08	3.58	Silica	NIOSH 7500 XRD	EMSL	3/17/08	< 1	No	No	
SILICA-ST10-3/15/08	040806240-0005	North Side Sidewalk Bridge	3/15/08	3.66	Silica	NIOSH 7500 XRD	EMSL	3/17/08	< 1	No	No	
SILICA-ST11-3/15/08	040806240-0006	90 Trinity Place (roof level)	3/15/08	3.67	Silica	NIOSH 7500 XRD	EMSL	3/17/08	< 1	No	No	
SILICA-ST12-3/15/08	040806240-0007	110 Greenwich Street (roof level)	3/15/08	3.58	Silica	NIOSH 7500 XRD	EMSL	3/17/08	< 1	No	No	
SILICA-ST13-3/15/08	040806240-0008	Marriott Hotel, 38th Floor (roof level)	3/15/08	3.61	Silica	NIOSH 7500 XRD	EMSL	3/17/08	< 1	No	No	
SILICA-ST14(15th)-3/15/08	040806240-0009	West Face - South end at corner (scaffolding level: 15th floor)	3/15/08	3.6	Silica	NIOSH 7500 XRD	EMSL	3/17/08	< 1	No	No	
SILICA-ST15(15th)-3/15/08	040806240-0010	South Face - East end at corner (scaffolding level: 15th floor)	3/15/08	3.51	Silica	NIOSH 7500 XRD	EMSL	3/17/08	< 1	No	No	
SILICA-ST16(15th)-3/15/08	040806240-0011	East Face - North end at corner (scaffolding level: 15th floor)	3/15/08	3.61	Silica	NIOSH 7500 XRD	EMSL	3/17/08	< 1	No	No	
SILICA-ST17(15th)-3/15/08	040806240-0012	North Face - West end at corner (scaffolding level: 15th floor)	3/15/08	3.58	Silica	NIOSH 7500 XRD	EMSL	3/17/08	< 1	No	No	
SILICA-ST1-3/16/08	040806239-0001	Southwest Area (sidewalk bridge level)	3/16/08	3.65	Silica	NIOSH 7500 XRD	EMSL	3/17/08	< 1	No	No	
SILICA-ST2-3/16/08	040806239-0002	Southeast Area (sidewalk bridge level)	3/16/08	3.53	Silica	NIOSH 7500 XRD	EMSL	3/17/08	< 1	No	No	
SILICA-ST4-3/16/08	040806239-0003	Northwest Area (street-level)	3/16/08	3.62	Silica	NIOSH 7500 XRD	EMSL	3/17/08	< 1	No	No	
SILICA-ST5-3/16/08	040806239-0004	Firehouse #10 (roof level)	3/16/08	3.72	Silica	NIOSH 7500 XRD	EMSL	3/17/08	< 1	No	No	
SILICA-ST10-3/16/08	040806239-0005	North Side Sidewalk Bridge	3/16/08	3.59	Silica	NIOSH 7500 XRD	EMSL	3/17/08	< 1	No	No	
SILICA-ST11-3/16/08	040806239-0006	90 Trinity Place (roof level)	3/16/08	3.61	Silica	NIOSH 7500 XRD	EMSL	3/17/08	< 1	No	No	
SILICA-ST12-3/16/08	040806239-0007	110 Greenwich Street (roof level)	3/16/08	3.61	Silica	NIOSH 7500 XRD	EMSL	3/17/08	< 1	No	No	
SILICA-ST13-3/16/08	040806239-0008	Marriott Hotel, 38th Floor (roof level)	3/16/08	3.67	Silica	NIOSH 7500 XRD	EMSL	3/17/08	< 1	No	No	
SILICA-ST14(15th)-3/16/08	040806239-0009	West Face - South end at corner (scaffolding level: 15th floor)	3/16/08	3.72	Silica	NIOSH 7500 XRD	EMSL	3/17/08	< 1	No	No	
SILICA-ST15(15th)-3/16/08	040806239-0010	South Face - East end at corner (scaffolding level: 15th floor)	3/16/08	3.68	Silica	NIOSH 7500 XRD	EMSL	3/17/08	< 1	No	No	
SILICA-ST16(15th)-3/16/08	040806239-0011	East Face - North end at corner (scaffolding level: 15th floor)	3/16/08	3.73	Silica	NIOSH 7500 XRD	EMSL	3/17/08	< 1	No	No	
SILICA-ST17(15th)-3/16/08	040806239-0012	North Face - West end at corner (scaffolding level: 15th floor)	3/16/08	3.71	Silica	NIOSH 7500 XRD	EMSL	3/17/08	< 1	No	No	
SILICA-ST1-3/17/08	040806356-0001	Southwest Area (sidewalk bridge level)	3/17/08	3.48	Silica	NIOSH 7500 XRD	EMSL	3/18/08	< 1	No	No	
SILICA-ST2-3/17/08	040806356-0002	Southeast Area (sidewalk bridge level)	3/17/08	3.52	Silica	NIOSH 7500 XRD	EMSL	3/18/08	< 1	No	No	
SILICA-ST4-3/17/08	040806356-0003	Northwest Area (street-level)	3/17/08	3.65	Silica	NIOSH 7500 XRD	EMSL	3/18/08	3	No	No	
SILICA-ST5-3/17/08	040806356-0004	Firehouse #10 (roof level)	3/17/08	3.81	Silica	NIOSH 7500 XRD	EMSL	3/18/08	< 1	No	No	
SILICA-ST10-3/17/08	040806356-0005	North Side Sidewalk Bridge	3/17/08	3.41	Silica	NIOSH 7500 XRD	EMSL	3/18/08	< 1	No	No	
SILICA-ST11-3/17/08	040806356-0006	90 Trinity Place (roof level)	3/17/08	3.55	Silica	NIOSH 7500 XRD	EMSL	3/18/08	< 1	No	No	
SILICA-ST12-3/17/08	040806356-0007	110 Greenwich Street (roof level)	3/17/08	3.57	Silica	NIOSH 7500 XRD	EMSL	3/18/08	< 1	No	No	
SILICA-ST13-3/17/08	040806356-0008	Marriott Hotel, 38th Floor (roof level)	3/17/08	3.46	Silica	NIOSH 7500 XRD	EMSL	3/18/08	< 1	No	No	
SILICA-ST14(15th)-3/17/08	040806356-0009	West Face - South end at corner (scaffolding level: 15th floor)	3/17/08	3.62	Silica	NIOSH 7500 XRD	EMSL	3/18/08	< 1	No	No	
SILICA-ST15(15th)-3/17/08	040806356-0010	South Face - East end at corner (scaffolding level: 15th floor)	3/17/08	3.36	Silica	NIOSH 7500 XRD	EMSL	3/18/08	< 1	No	No	
SILICA-ST16(15th)-3/17/08	040806356-0011	East Face - North end at corner (scaffolding level: 15th floor)	3/17/08	3.59	Silica	NIOSH 7500 XRD	EMSL	3/18/08	< 1	No	No	
SILICA-ST17(15th)-3/17/08	040806356-0012	North Face - West end at corner (scaffolding level: 15th floor)	3/17/08	3.56	Silica	NIOSH 7500 XRD	EMSL	3/18/08	< 1	No	No	
SILICA-ST1-3/18/08	040806490-0001	Southwest Area (sidewalk bridge level)	3/18/08	3.59	Silica	NIOSH 7500 XRD	EMSL	3/19/08	< 1	No	No	
SILICA-ST2-3/18/08	040806490-0002	Southeast Area (sidewalk bridge level)	3/18/08	3.57	Silica	NIOSH 7500 XRD	EMSL	3/19/08	< 1	No	No	
SILICA-ST4-3/18/08	040806490-0003	Northwest Area (street-level)	3/18/08	3.68	Silica	NIOSH 7500 XRD	EMSL	3/19/08	< 1	No	No	
SILICA-ST5-3/18/08	040806490-0004	Firehouse #10 (roof level)	3/18/08	3.64	Silica	NIOSH 7500 XRD	EMSL	3/19/08	3	No	No	
SILICA-ST10-3/18/08	040806490-0005	North Side Sidewalk Bridge	3/18/08	3.81	Silica	NIOSH 7500 XRD	EMSL	3/19/08	< 1	No	No	
SILICA-ST11-3/18/08	040806490-0006	90 Trinity Place (roof level)	3/18/08	3.56	Silica	NIOSH 7500 XRD	EMSL	3/19/08	< 1	No	No	
SILICA-ST12-3/18/08	040806490-0007	110 Greenwich Street (roof level)	3/18/08	3.54	Silica	NIOSH 7500 XRD	EMSL	3/19/08	< 1	No	No	
SILICA-ST13-3/18/08	040806490-0008	Marriott Hotel, 38th Floor (roof level)	3/18/08	3.59	Silica	NIOSH 7500 XRD	EMSL	3/19/08	< 1	No	No	
SILICA-ST14(15th)-3/18/08	040806490-0009	West Face - South end at corner (scaffolding level: 15th floor)	3/18/08	3.65	Silica	NIOSH 7500 XRD	EMSL	3/19/08	< 1	No	No	
SILICA-ST15(15th)-3/18/08	040806490-0010	South Face - East end at corner (scaffolding level: 15th floor)	3/18/08	3.34	Silica	NIOSH 7500 XRD	EMSL	3/19/08	< 1	No	No	
SILICA-ST16(15th)-3/18/08	040806490-0011	East Face - North end at corner (scaffolding level: 15th floor)	3/18/08	3.58	Silica	NIOSH 7500 XRD	EMSL	3/19/08	< 1	No	No	
SILICA-ST17(15th)-3/18/08	040806490-0012	North Face - West end at corner (scaffolding level: 15th floor)	3/18/08	3.42	Silica	NIOSH 7500 XRD	EMSL	3/19/08	< 1	No	No	