

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m ³)	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Respirable Silica Concentration (ug/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
									10			
									10			
SILICA-ST1-5/26/08	040812815-0001	Southwest Area (sidewalk bridge level)	5/26/08	3.67	Silica	NIOSH 7500 XRD	EMSL	5/27/08	< 1	No	No	
SILICA-ST2-5/26/08	040812815-0002	Southeast Area (sidewalk bridge level)	5/26/08	3.65	Silica	NIOSH 7500 XRD	EMSL	5/27/08	< 1	No	No	
SILICA-ST4-5/26/08	040812815-0003	Northwest Area (street-level)	5/26/08	3.52	Silica	NIOSH 7500 XRD	EMSL	5/27/08	< 1	No	No	
SILICA-ST5-5/26/08	040812815-0004	Firehouse #10 (roof level)	5/26/08	3.42	Silica	NIOSH 7500 XRD	EMSL	5/27/08	< 1	No	No	
SILICA-ST10-5/26/08	040812815-0005	North Side Sidewalk Bridge	5/26/08	3.62	Silica	NIOSH 7500 XRD	EMSL	5/27/08	< 1	No	No	
SILICA-ST11-5/26/08	040812815-0006	90 Trinity Place (roof level)	5/26/08	3.56	Silica	NIOSH 7500 XRD	EMSL	5/27/08	< 1	No	No	
SILICA-ST12-5/26/08	040812815-0007	110 Greenwich Street (roof level)	5/26/08	3.48	Silica	NIOSH 7500 XRD	EMSL	5/27/08	< 1	No	No	
SILICA-ST13-5/26/08	040812815-0008	Marriott Hotel, 38th Floor (roof level)	5/26/08	3.49	Silica	NIOSH 7500 XRD	EMSL	5/27/08	< 1	No	No	
SILICA-ST14(15th) -5/26/08	040812815-0009	West Face - South end at corner (scaffolding level: 15th floor)	5/26/08	3.83	Silica	NIOSH 7500 XRD	EMSL	5/27/08	< 1	No	No	
SILICA-ST15(15th) -5/26/08	040812815-0010	South Face - East end at corner (scaffolding level: 15th floor)	5/26/08	3.87	Silica	NIOSH 7500 XRD	EMSL	5/27/08	< 1	No	No	
SILICA-ST16(15th) -5/26/08	040812815-0011	East Face - North end at corner (scaffolding level: 15th floor)	5/26/08	3.87	Silica	NIOSH 7500 XRD	EMSL	5/27/08	< 1	No	No	
SILICA-ST17(15th) -5/26/08	040812815-0012	North Face - West end at corner (scaffolding level: 15th floor)	5/26/08	3.85	Silica	NIOSH 7500 XRD	EMSL	5/27/08	< 1	No	No	
SILICA-ST1-5/27/08	040812940-0001	Southwest Area (sidewalk bridge level)	5/27/08	3.69	Silica	NIOSH 7500 XRD	EMSL	5/28/08	< 1	No	No	
SILICA-ST2-5/27/08	040812940-0002	Southeast Area (sidewalk bridge level)	5/27/08	3.64	Silica	NIOSH 7500 XRD	EMSL	5/28/08	1	No	No	
SILICA-ST4-5/27/08	040812940-0003	Northwest Area (street-level)	5/27/08	3.54	Silica	NIOSH 7500 XRD	EMSL	5/28/08	< 1	No	No	
SILICA-ST5-5/27/08	040812940-0004	Firehouse #10 (roof level)	5/27/08	3.79	Silica	NIOSH 7500 XRD	EMSL	5/28/08	< 1	No	No	
SILICA-ST10-5/27/08	040812940-0005	North Side Sidewalk Bridge	5/27/08	3.54	Silica	NIOSH 7500 XRD	EMSL	5/28/08	< 1	No	No	
SILICA-ST11-5/27/08	040812940-0006	90 Trinity Place (roof level)	5/27/08	3.63	Silica	NIOSH 7500 XRD	EMSL	5/28/08	< 1	No	No	
SILICA-ST12-5/27/08	040812940-0007	110 Greenwich Street (roof level)	5/27/08	3.6	Silica	NIOSH 7500 XRD	EMSL	5/28/08	< 1	No	No	
SILICA-ST13-5/27/08	040812940-0008	Marriott Hotel, 38th Floor (roof level)	5/27/08	3.6	Silica	NIOSH 7500 XRD	EMSL	5/28/08	< 1	No	No	
SILICA-ST14(15th) -5/27/08	040812940-0009	West Face - South end at corner (scaffolding level: 15th floor)	5/27/08	3.67	Silica	NIOSH 7500 XRD	EMSL	5/28/08	< 1	No	No	
SILICA-ST15(15th) -5/27/08	040812940-0010	South Face - East end at corner (scaffolding level: 15th floor)	5/27/08	3.55	Silica	NIOSH 7500 XRD	EMSL	5/28/08	1	No	No	
SILICA-ST16(15th) -5/27/08	040812940-0011	East Face - North end at corner (scaffolding level: 15th floor)	5/27/08	3.5	Silica	NIOSH 7500 XRD	EMSL	5/28/08	< 1	No	No	
SILICA-ST17(15th) -5/27/08	040812940-0012	North Face - West end at corner (scaffolding level: 15th floor)	5/27/08	3.57	Silica	NIOSH 7500 XRD	EMSL	5/28/08	< 1	No	No	
SILICA-ST1-5/28/08	040813066-0001	Southwest Area (sidewalk bridge level)	5/28/08	3.54	Silica	NIOSH 7500 XRD	EMSL	5/29/08	< 1	No	No	
SILICA-ST2-5/28/08	040813066-0002	Southeast Area (sidewalk bridge level)	5/28/08	3.41	Silica	NIOSH 7500 XRD	EMSL	5/29/08	< 1	No	No	
SILICA-ST4-5/28/08	040813066-0003	Northwest Area (street-level)	5/28/08	3.54	Silica	NIOSH 7500 XRD	EMSL	5/29/08	< 1	No	No	
SILICA-ST5-5/28/08	040813066-0004	Firehouse #10 (roof level)	5/28/08	3.21	Silica	NIOSH 7500 XRD	EMSL	5/29/08	2	No	No	
SILICA-ST10-5/28/08	040813066-0005	North Side Sidewalk Bridge	5/28/08	3.41	Silica	NIOSH 7500 XRD	EMSL	5/29/08	< 1	No	No	
SILICA-ST100-5/28/08	040813066-0013	Station 10 Field Duplicate	5/28/08	3.57	Silica	NIOSH 7500 XRD	EMSL	5/29/08	2	No	No	
SILICA-ST11-5/28/08	040813066-0006	90 Trinity Place (roof level)	5/28/08	3.58	Silica	NIOSH 7500 XRD	EMSL	5/29/08	< 1	No	No	
SILICA-ST12-5/28/08	040813066-0007	110 Greenwich Street (roof level)	5/28/08	3.54	Silica	NIOSH 7500 XRD	EMSL	5/29/08	1	No	No	
SILICA-ST13-5/28/08	040813066-0008	Marriott Hotel, 38th Floor (roof level)	5/28/08	3.57	Silica	NIOSH 7500 XRD	EMSL	5/29/08	< 1	No	No	
SILICA-ST14(15th) -5/28/08	040813066-0009	West Face - South end at corner (scaffolding level: 15th floor)	5/28/08	3.25	Silica	NIOSH 7500 XRD	EMSL	5/29/08	< 2	No	No	
SILICA-ST15(15th) -5/28/08	040813066-0010	South Face - East end at corner (scaffolding level: 15th floor)	5/28/08	3.47	Silica	NIOSH 7500 XRD	EMSL	5/29/08	< 1	No	No	
SILICA-ST16(15th) -5/28/08	040813066-0011	East Face - North end at corner (scaffolding level: 15th floor)	5/28/08	3.54	Silica	NIOSH 7500 XRD	EMSL	5/29/08	1	No	No	
SILICA-ST17(15th) -5/28/08	040813066-0012	North Face - West end at corner (scaffolding level: 15th floor)	5/28/08	3.48	Silica	NIOSH 7500 XRD	EMSL	5/29/08	< 1	No	No	
SILICA-ST1-5/29/08	040813213-0001	Southwest Area (sidewalk bridge level)	5/29/08	3.86	Silica	NIOSH 7500 XRD	EMSL	5/31/08	< 1	No	No	
SILICA-ST2-5/29/08	040813213-0002	Southeast Area (sidewalk bridge level)	5/29/08	3.76	Silica	NIOSH 7500 XRD	EMSL	5/31/08	< 1	No	No	
SILICA-ST4-5/29/08	040813213-0003	Northwest Area (street-level)	5/29/08	3.57	Silica	NIOSH 7500 XRD	EMSL	5/31/08	< 1	No	No	
SILICA-ST5-5/29/08	040813213-0004	Firehouse #10 (roof level)	5/29/08	3.61	Silica	NIOSH 7500 XRD	EMSL	5/31/08	4	No	No	
SILICA-ST10-5/29/08	040813213-0005	North Side Sidewalk Bridge	5/29/08	3.69	Silica	NIOSH 7500 XRD	EMSL	5/31/08	2	No	No	
SILICA-ST11-5/29/08	040813213-0006	90 Trinity Place (roof level)	5/29/08	3.63	Silica	NIOSH 7500 XRD	EMSL	5/31/08	< 1	No	No	
SILICA-ST12-5/29/08	040813213-0007	110 Greenwich Street (roof level)	5/29/08	3.7	Silica	NIOSH 7500 XRD	EMSL	5/31/08	< 1	No	No	
SILICA-ST13-5/29/08	040813213-0008	Marriott Hotel, 38th Floor (roof level)	5/29/08	3.63	Silica	NIOSH 7500 XRD	EMSL	5/31/08	< 1	No	No	
SILICA-ST14(15th) -5/29/08	040813213-0009	West Face - South end at corner (scaffolding level: 15th floor)	5/29/08	3.58	Silica	NIOSH 7500 XRD	EMSL	5/31/08	< 2	No	No	
SILICA-ST15(15th) -5/29/08	040813213-0010	South Face - East end at corner (scaffolding level: 15th floor)	5/29/08	3.63	Silica	NIOSH 7500 XRD	EMSL	5/31/08	2	No	No	
SILICA-ST16(15th) -5/29/08	040813213-0011	East Face - North end at corner (scaffolding level: 15th floor)	5/29/08	3.59	Silica	NIOSH 7500 XRD	EMSL	5/31/08	< 1	No	No	
SILICA-ST17(15th) -5/29/08	040813213-0012	North Face - West end at corner (scaffolding level: 15th floor)	5/29/08	3.73	Silica	NIOSH 7500 XRD	EMSL	5/31/08	< 1	No	No	
SILICA-ST1-5/30/08	040813250-0001	Southwest Area (sidewalk bridge level)	5/30/08	3.45	Silica	NIOSH 7500 XRD	EMSL	5/31/08	< 1	No	No	
SILICA-ST2-5/30/08	040813250-0002	Southeast Area (sidewalk bridge level)	5/30/08	3.35	Silica	NIOSH 7500 XRD	EMSL	5/31/08	< 1	No	No	
SILICA-ST4-5/30/08	040813250-0003	Northwest Area (street-level)	5/30/08	3.42	Silica	NIOSH 7500 XRD	EMSL	5/31/08	< 1	No	No	
SILICA-ST5-5/30/08	040813250-0004	Firehouse #10 (roof level)	5/30/08	3.56	Silica	NIOSH 7500 XRD	EMSL	5/31/08	< 1	No	No	
SILICA-ST10-5/30/08	040813250-0005	North Side Sidewalk Bridge	5/30/08	3.49	Silica	NIOSH 7500 XRD	EMSL	5/31/08	2	No	No	
SILICA-ST11-5/30/08	040813250-0006	90 Trinity Place (roof level)	5/30/08	3.58	Silica	NIOSH 7500 XRD	EMSL	5/31/08	2	No	No	
SILICA-ST12-5/30/08	040813250-0007	110 Greenwich Street (roof level)	5/30/08	3.49	Silica	NIOSH 7500 XRD	EMSL	5/31/08	< 1	No	No	
SILICA-ST13-5/30/08	040813250-0008	Marriott Hotel, 38th Floor (roof level)	5/30/08	3.53	Silica	NIOSH 7500 XRD	EMSL	5/31/08	< 1	No	No	
SILICA-ST14(15th) -5/30/08	040813250-0009	West Face - South end at corner (scaffolding level: 15th floor)	5/30/08	3.37	Silica	NIOSH 7500 XRD	EMSL	5/31/08	< 1	No	No	
SILICA-ST15(15th) -5/30/08	040813250-0010	South Face - East end at corner (scaffolding level: 15th floor)	5/30/08	3.4	Silica	NIOSH 7500 XRD	EMSL	5/31/08	< 1	No	No	
SILICA-ST16(15th) -5/30/08	040813250-0011	East Face - North end at corner (scaffolding level: 15th floor)	5/30/08	3.36	Silica	NIOSH 7500 XRD	EMSL	5/31/08	< 1	No	No	
SILICA-ST17(15th) -5/30/08	040813250-0012	North Face - West end at corner (scaffolding level: 15th floor)	5/30/08	3.36	Silica	NIOSH 7500 XRD	EMSL	5/31/08	1	No	No	