

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m ³)	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Respirable Silica Concentration (ug/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
									10			
									10			
SILICA-ST1-7/23/06	040615169-0001	Southwest Area (sidewalk bridge level)	7/23/06	3.63	Silica	NIOSH 7500 XRD	EMSL	7/24/06	< 1	No	No	
SILICA-ST2-7/23/06	040615169-0002	Southeast Area (sidewalk bridge level)	7/23/06	3.64	Silica	NIOSH 7500 XRD	EMSL	7/24/06	< 1	No	No	
SILICA-ST4-7/23/06	040615169-0003	Northwest Area (street-level)	7/23/06	3.49	Silica	NIOSH 7500 XRD	EMSL	7/24/06	< 1	No	No	
SILICA-ST5-7/23/06	040615169-0004	Firehouse #10 (roof level)	7/23/06	3.65	Silica	NIOSH 7500 XRD	EMSL	7/24/06	< 1	No	No	
SILICA-ST6-7/23/06	040615174-0001	Southwest Area (roof level)	7/23/06	3.63	Silica	NIOSH 7500 XRD	EMSL	7/24/06	< 1	No	No	
SILICA-ST7-7/23/06	040615174-0002	Southeast Area (roof level)	7/23/06	3.58	Silica	NIOSH 7500 XRD	EMSL	7/24/06	< 1	No	No	
SILICA-ST8-7/23/06	040615174-0003	Northeast Area (roof level)	7/23/06	3.61	Silica	NIOSH 7500 XRD	EMSL	7/24/06	< 1	No	No	
SILICA-ST9-7/23/06	040615174-0004	Northwest Area (roof level)	7/23/06	3.61	Silica	NIOSH 7500 XRD	EMSL	7/24/06	< 1	No	No	
SILICA-ST10-7/23/06	040615169-0005	North Side Sidewalk Bridge	7/23/06	3.46	Silica	NIOSH 7500 XRD	EMSL	7/24/06	1	No	No	
SILICA-ST11-7/23/06	040615169-0006	90 Trinity Place (roof level)	7/23/06	3.6	Silica	NIOSH 7500 XRD	EMSL	7/24/06	< 1	No	No	
SILICA-ST12-7/23/06	040615169-0007	110 Greenwich Street (roof level)	7/23/06	3.5	Silica	NIOSH 7500 XRD	EMSL	7/24/06	< 1	No	No	
SILICA-ST13-7/23/06	040615169-0008	Marriott Hotel, 38th Floor (roof level)	7/23/06	3.79	Silica	NIOSH 7500 XRD	EMSL	7/24/06	< 1	No	No	
SILICA-ST14-7/23/06	040615169-0009	West Face - South end at corner (scaffolding level)	7/23/06	3.68	Silica	NIOSH 7500 XRD	EMSL	7/24/06	< 1	No	No	
SILICA-ST15-7/23/06	040615169-0010	South Face - East end at corner (scaffolding level)	7/23/06	3.69	Silica	NIOSH 7500 XRD	EMSL	7/24/06	< 1	No	No	
SILICA-ST16-7/23/06	040615169-0011	East Face - North end at corner (scaffolding level)	7/23/06	3.68	Silica	NIOSH 7500 XRD	EMSL	7/24/06	< 1	No	No	
SILICA-ST17-7/23/06	040615169-0012	North Face - West end at corner (scaffolding level)	7/23/06	3.68	Silica	NIOSH 7500 XRD	EMSL	7/24/06	< 1	No	No	
SILICA-ST1-7/24/06	040615256-0001	Southwest Area (sidewalk bridge level)	7/24/06	3.62	Silica	NIOSH 7500 XRD	EMSL	7/25/06	< 1	No	No	
SILICA-ST2-7/24/06	040615256-0002	Southeast Area (sidewalk bridge level)	7/24/06	3.66	Silica	NIOSH 7500 XRD	EMSL	7/25/06	< 1	No	No	
SILICA-ST4-7/24/06	040615256-0003	Northwest Area (street-level)	7/24/06	3.6	Silica	NIOSH 7500 XRD	EMSL	7/25/06	< 1	No	No	
SILICA-ST5-7/24/06	040615256-0004	Firehouse #10 (roof level)	7/24/06	3.6	Silica	NIOSH 7500 XRD	EMSL	7/25/06	< 1	No	No	
SILICA-ST6-7/24/06	040615261-0001	Southwest Area (roof level)	7/24/06	3.51	Silica	NIOSH 7500 XRD	EMSL	7/25/06	< 1	No	No	
SILICA-ST7-7/24/06	040615261-0002	Southeast Area (roof level)	7/24/06	3.56	Silica	NIOSH 7500 XRD	EMSL	7/25/06	< 1	No	No	
SILICA-ST8-7/24/06	040615261-0003	Northeast Area (roof level)	7/24/06	3.53	Silica	NIOSH 7500 XRD	EMSL	7/25/06	< 1	No	No	
SILICA-ST9-7/24/06	040615261-0004	Northwest Area (roof level)	7/24/06	3.53	Silica	NIOSH 7500 XRD	EMSL	7/25/06	< 1	No	No	
SILICA-ST10-7/24/06	040615256-0005	North Side Sidewalk Bridge	7/24/06	3.52	Silica	NIOSH 7500 XRD	EMSL	7/25/06	< 1	No	No	
SILICA-ST11-7/24/06	040615256-0006	90 Trinity Place (roof level)	7/24/06	3.6	Silica	NIOSH 7500 XRD	EMSL	7/25/06	< 1	No	No	
SILICA-ST12-7/24/06	040615256-0007	110 Greenwich Street (roof level)	7/24/06	3.6	Silica	NIOSH 7500 XRD	EMSL	7/25/06	< 1	No	No	
SILICA-ST13-7/24/06	040615256-0008	Marriott Hotel, 38th Floor (roof level)	7/24/06	3.54	Silica	NIOSH 7500 XRD	EMSL	7/25/06	< 1	No	No	
SILICA-ST14-7/24/06	040615256-0009	West Face - South end at corner (scaffolding level)	7/24/06	3.55	Silica	NIOSH 7500 XRD	EMSL	7/25/06	< 1	No	No	
SILICA-ST15-7/24/06	040615256-0010	South Face - East end at corner (scaffolding level)	7/24/06	3.56	Silica	NIOSH 7500 XRD	EMSL	7/25/06	< 1	No	No	
SILICA-ST16-7/24/06	040615256-0011	East Face - North end at corner (scaffolding level)	7/24/06	3.56	Silica	NIOSH 7500 XRD	EMSL	7/25/06	< 1	No	No	
SILICA-ST17-7/24/06	040615256-0012	North Face - West end at corner (scaffolding level)	7/24/06	3.51	Silica	NIOSH 7500 XRD	EMSL	7/25/06	< 1	No	No	
SILICA-ST1-7/25/06	040615365-0001	Southwest Area (sidewalk bridge level)	7/25/06	3.49	Silica	NIOSH 7500 XRD	EMSL	7/26/06	< 1	No	No	
SILICA-ST2-7/25/06	040615365-0002	Southeast Area (sidewalk bridge level)	7/25/06	3.47	Silica	NIOSH 7500 XRD	EMSL	7/26/06	< 1	No	No	
SILICA-ST4-7/25/06	040615365-0003	Northwest Area (street-level)	7/25/06	3.61	Silica	NIOSH 7500 XRD	EMSL	7/26/06	< 1	No	No	
SILICA-ST5-7/25/06	040615365-0004	Firehouse #10 (roof level)	7/25/06	3.56	Silica	NIOSH 7500 XRD	EMSL	7/26/06	< 1	No	No	
SILICA-ST6-7/25/06	040615368-0001	Southwest Area (roof level)	7/25/06	3.65	Silica	NIOSH 7500 XRD	EMSL	7/26/06	< 1	No	No	
SILICA-ST7-7/25/06	040615368-0002	Southeast Area (roof level)	7/25/06	3.59	Silica	NIOSH 7500 XRD	EMSL	7/26/06	< 1	No	No	
SILICA-ST8-7/25/06	040615368-0003	Northeast Area (roof level)	7/25/06	3.62	Silica	NIOSH 7500 XRD	EMSL	7/26/06	< 1	No	No	
SILICA-ST9-7/25/06	040615368-0004	Northwest Area (roof level)	7/25/06	3.63	Silica	NIOSH 7500 XRD	EMSL	7/26/06	< 1	No	No	
SILICA-ST10-7/25/06	040615365-0005	North Side Sidewalk Bridge	7/25/06	3.65	Silica	NIOSH 7500 XRD	EMSL	7/26/06	< 1	No	No	
SILICA-ST11-7/25/06	040615365-0006	90 Trinity Place (roof level)	7/25/06	3.46	Silica	NIOSH 7500 XRD	EMSL	7/26/06	< 1	No	No	
SILICA-ST12-7/25/06	040615365-0007	110 Greenwich Street (roof level)	7/25/06	3.66	Silica	NIOSH 7500 XRD	EMSL	7/26/06	< 1	No	No	
SILICA-ST13-7/25/06	040615365-0008	Marriott Hotel, 38th Floor (roof level)	7/25/06	3.55	Silica	NIOSH 7500 XRD	EMSL	7/26/06	< 1	No	No	
SILICA-ST14-7/25/06	040615365-0009	West Face - South end at corner (scaffolding level)	7/25/06	3.51	Silica	NIOSH 7500 XRD	EMSL	7/26/06	< 1	No	No	
SILICA-ST15-7/25/06	040615365-0010	South Face - East end at corner (scaffolding level)	7/25/06	3.51	Silica	NIOSH 7500 XRD	EMSL	7/26/06	< 1	No	No	
SILICA-ST16-7/25/06	040615365-0011	East Face - North end at corner (scaffolding level)	7/25/06	3.59	Silica	NIOSH 7500 XRD	EMSL	7/26/06	< 1	No	No	
SILICA-ST17-7/25/06	040615365-0012	North Face - West end at corner (scaffolding level)	7/25/06	3.56	Silica	NIOSH 7500 XRD	EMSL	7/26/06	< 1	No	No	
SILICA-ST1-7/26/06	040615487-0001	Southwest Area (sidewalk bridge level)	7/26/06	3.61	Silica	NIOSH 7500 XRD	EMSL	7/27/06	< 1	No	No	
SILICA-ST2-7/26/06	040615487-0002	Southeast Area (sidewalk bridge level)	7/26/06	3.62	Silica	NIOSH 7500 XRD	EMSL	7/27/06	< 1	No	No	
SILICA-ST4-7/26/06	040615487-0003	Northwest Area (street-level)	7/26/06	3.58	Silica	NIOSH 7500 XRD	EMSL	7/27/06	< 1	No	No	
SILICA-ST5-7/26/06	040615487-0004	Firehouse #10 (roof level)	7/26/06	3.44	Silica	NIOSH 7500 XRD	EMSL	7/27/06	< 1	No	No	
SILICA-ST6-7/26/06	040615490-0001	Southwest Area (roof level)	7/26/06	3.47	Silica	NIOSH 7500 XRD	EMSL	7/27/06	< 1	No	No	
SILICA-ST7-7/26/06	040615490-0002	Southeast Area (roof level)	7/26/06	3.46	Silica	NIOSH 7500 XRD	EMSL	7/27/06	< 1	No	No	
SILICA-ST8-7/26/06	040615490-0003	Northeast Area (roof level)	7/26/06	3.46	Silica	NIOSH 7500 XRD	EMSL	7/27/06	< 1	No	No	
SILICA-ST9-7/26/06	040615490-0004	Northwest Area (roof level)	7/26/06	3.46	Silica	NIOSH 7500 XRD	EMSL	7/27/06	< 1	No	No	
SILICA-ST10-7/26/06	040615487-0005	North Side Sidewalk Bridge	7/26/06	3.59	Silica	NIOSH 7500 XRD	EMSL	7/27/06	< 1	No	No	
SILICA-ST11-7/26/06	040615487-0006	90 Trinity Place (roof level)	7/26/06	3.54	Silica	NIOSH 7500 XRD	EMSL	7/27/06	< 1	No	No	
SILICA-ST12-7/26/06	040615487-0007	110 Greenwich Street (roof level)	7/26/06	3.61	Silica	NIOSH 7500 XRD	EMSL	7/27/06	< 1	No	No	
SILICA-ST13-7/26/06	040615487-0008	Marriott Hotel, 38th Floor (roof level)	7/26/06	3.59	Silica	NIOSH 7500 XRD	EMSL	7/27/06	< 1	No	No	
SILICA-ST14-7/26/06	040615487-0009	West Face - South end at corner (scaffolding level)	7/26/06	3.6	Silica	NIOSH 7500 XRD	EMSL	7/27/06	< 1	No	No	
SILICA-ST15-7/26/06	040615487-0010	South Face - East end at corner (scaffolding level)	7/26/06	3.65	Silica	NIOSH 7500 XRD	EMSL	7/27/06	< 1	No	No	
SILICA-ST16-7/26/06	040615487-0011	East Face - North end at corner (scaffolding level)	7/26/06	3.57	Silica	NIOSH 7500 XRD	EMSL	7/27/06	< 1	No	No	
SILICA-ST17-7/26/06	040615487-0012	North Face - West end at corner (scaffolding level)	7/26/06	3.61	Silica	NIOSH 7500 XRD	EMSL	7/27/06	< 6	No	No	