

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m <sup>3</sup> )	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Respirable Silica Concentration (ug/m3)	Exceeds Target	Exceeds EPA	Comments
									<b>10</b>	<b>Exceeds Target Air Quality Levels</b>	<b>Exceeds EPA Site Specific Trigger Levels</b>	
									<b>10</b>			
<b>Target Air Quality Levels</b>												
<b>EPA Site Specific Trigger Levels</b>												
SILICA-ST1-11/19/09	040928337-0001	Southwest Area (sidewalk bridge level)	11/19/09	3.69	Silica	NIOSH 7500 XRD	EMSL	11/23/09	< 1	No	No	
SILICA-ST2-11/19/09	040928337-0002	Southeast Area (sidewalk bridge level)	11/19/09	3.74	Silica	NIOSH 7500 XRD	EMSL	11/23/09	< 1	No	No	
SILICA-ST4-11/19/09	040928337-0003	Northwest Area (street-level)	11/19/09	3.66	Silica	NIOSH 7500 XRD	EMSL	11/23/09	< 1	No	No	
SILICA-ST5-11/19/09	040928337-0004	Firehouse #10 (roof level)	11/19/09	3.61	Silica	NIOSH 7500 XRD	EMSL	11/23/09	< 1	No	No	
SILICA-ST10-11/19/09	040928337-0005	North Side Sidewalk Bridge	11/19/09	3.59	Silica	NIOSH 7500 XRD	EMSL	11/23/09	< 1	No	No	
SILICA-ST11-11/19/09	040928337-0006	90 Trinity Place (roof level)	11/19/09	3.53	Silica	NIOSH 7500 XRD	EMSL	11/23/09	< 1	No	No	
SILICA-ST12-11/19/09	040928337-0007	110 Greenwich Street (roof level)	11/19/09	3.66	Silica	NIOSH 7500 XRD	EMSL	11/23/09	< 1	No	No	
SILICA-ST13-11/19/09	040928337-0008	Marriott Hotel, 38th Floor (roof level)	11/19/09	3.72	Silica	NIOSH 7500 XRD	EMSL	11/23/09	< 1	No	No	
SILICA-ST1-11/20/09	040928336-0001	Southwest Area (sidewalk bridge level)	11/20/09	3.64	Silica	NIOSH 7500 XRD	EMSL	11/23/09	< 1	No	No	
SILICA-ST2-11/20/09	040928336-0002	Southeast Area (sidewalk bridge level)	11/20/09	3.69	Silica	NIOSH 7500 XRD	EMSL	11/23/09	< 1	No	No	
SILICA-ST4-11/20/09	040928336-0003	Northwest Area (street-level)	11/20/09	3.59	Silica	NIOSH 7500 XRD	EMSL	11/23/09	< 1	No	No	
SILICA-ST5-11/20/09	040928336-0004	Firehouse #10 (roof level)	11/20/09	3.68	Silica	NIOSH 7500 XRD	EMSL	11/23/09	< 1	No	No	
SILICA-ST10-11/20/09	040928336-0005	North Side Sidewalk Bridge	11/20/09	3.61	Silica	NIOSH 7500 XRD	EMSL	11/23/09	< 1	No	No	
SILICA-ST11-11/20/09	040928336-0006	90 Trinity Place (roof level)	11/20/09	3.56	Silica	NIOSH 7500 XRD	EMSL	11/23/09	< 1	No	No	
SILICA-ST12-11/20/09	040928336-0007	110 Greenwich Street (roof level)	11/20/09	3.59	Silica	NIOSH 7500 XRD	EMSL	11/23/09	< 1	No	No	
SILICA-ST13-11/20/09	040928336-0008	Marriott Hotel, 38th Floor (roof level)	11/20/09	3.65	Silica	NIOSH 7500 XRD	EMSL	11/23/09	< 1	No	No	
SILICA-ST1-11/21/09	040928441-0001	Southwest Area (sidewalk bridge level)	11/21/09	3.57	Silica	NIOSH 7500 XRD	EMSL	11/24/09	< 1	No	No	
SILICA-ST2-11/21/09	040928441-0002	Southeast Area (sidewalk bridge level)	11/21/09	3.7	Silica	NIOSH 7500 XRD	EMSL	11/24/09	< 1	No	No	
SILICA-ST4-11/21/09	040928441-0003	Northwest Area (street-level)	11/21/09	3.62	Silica	NIOSH 7500 XRD	EMSL	11/24/09	< 1	No	No	
SILICA-ST5-11/21/09	040928441-0004	Firehouse #10 (roof level)	11/21/09	3.61	Silica	NIOSH 7500 XRD	EMSL	11/24/09	< 1	No	No	
SILICA-ST10-11/21/09	040928441-0005	North Side Sidewalk Bridge	11/21/09	3.58	Silica	NIOSH 7500 XRD	EMSL	11/24/09	< 1	No	No	
SILICA-ST11-11/21/09	040928441-0006	90 Trinity Place (roof level)	11/21/09	3.54	Silica	NIOSH 7500 XRD	EMSL	11/24/09	< 1	No	No	
SILICA-ST12-11/21/09	040928441-0007	110 Greenwich Street (roof level)	11/21/09	3.68	Silica	NIOSH 7500 XRD	EMSL	11/24/09	< 1	No	No	
SILICA-ST13-11/21/09	040928441-0008	Marriott Hotel, 38th Floor (roof level)	11/21/09	3.65	Silica	NIOSH 7500 XRD	EMSL	11/24/09	< 1	No	No	