

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m ³)	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Respirable Silica Concentration (ug/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
									10			
									10			
SILICA-ST1-11/26/05	040522485-0001	Southwest Area (sidewalk bridge level)	11/26/05	3.53	Silica	NIOSH 7500 XRD	EMSL	11/28/05	< 1	No	No	
SILICA-ST2-11/26/05	040522485-0002	Southeast Area (sidewalk bridge level)	11/26/05	3.53	Silica	NIOSH 7500 XRD	EMSL	11/28/05	< 1	No	No	
SILICA-ST4-11/26/05	040522485-0003	Northwest Area (street-level)	11/26/05	3.53	Silica	NIOSH 7500 XRD	EMSL	11/28/05	< 1	No	No	
SILICA-ST5-11/26/05	040522485-0004	Firehouse #10 (roof level)	11/26/05	3.53	Silica	NIOSH 7500 XRD	EMSL	11/28/05	3	No	No	
SILICA-ST10-11/26/05	040522485-0005	North Side Sidewalk Bridge	11/26/05	3.52	Silica	NIOSH 7500 XRD	EMSL	11/28/05	< 1	No	No	
SILICA-ST11-11/26/05	040522485-0006	90 Trinity Place (roof level)	11/26/05	3.54	Silica	NIOSH 7500 XRD	EMSL	11/28/05	< 1	No	No	
SILICA-ST12-11/26/05	040522485-0007	110 Greenwich Street (roof level)	11/26/05	3.37	Silica	NIOSH 7500 XRD	EMSL	11/28/05	< 1	No	No	
SILICA-ST13-11/26/05	040522485-0008	Marriott Hotel, 38th Floor (roof level)	11/26/05	3.45	Silica	NIOSH 7500 XRD	EMSL	11/28/05	< 1	No	No	
SILICA-ST14-11/26/05	040522485-0009	West Face - South end at corner (scaffolding level)	11/26/05	3.77	Silica	NIOSH 7500 XRD	EMSL	11/28/05	< 1	No	No	
SILICA-ST15-11/26/05	040522485-0010	South Face - East end at corner (scaffolding level)	11/26/05	3.59	Silica	NIOSH 7500 XRD	EMSL	11/28/05	< 1	No	No	
SILICA-ST16-11/26/05	040522485-0011	East Face - North end at corner (scaffolding level)	11/26/05	3.63	Silica	NIOSH 7500 XRD	EMSL	11/28/05	< 1	No	No	
SILICA-ST17-11/26/05	040522485-0012	North Face - West end at corner (scaffolding level)	11/26/05	3.74	Silica	NIOSH 7500 XRD	EMSL	11/28/05	< 1	No	No	
SILICA-ST1-11/27/05	040522488-0001	Southwest Area (sidewalk bridge level)	11/27/05	3.57	Silica	NIOSH 7500 XRD	EMSL	11/28/05	< 1	No	No	
SILICA-ST2-11/27/05	040522488-0002	Southeast Area (sidewalk bridge level)	11/27/05	3.65	Silica	NIOSH 7500 XRD	EMSL	11/28/05	< 1	No	No	
SILICA-ST4-11/27/05	040522488-0003	Northwest Area (street-level)	11/27/05	3.64	Silica	NIOSH 7500 XRD	EMSL	11/28/05	< 1	No	No	
SILICA-ST5-11/27/05	040522488-0004	Firehouse #10 (roof level)	11/27/05	3.57	Silica	NIOSH 7500 XRD	EMSL	11/28/05	< 1	No	No	
SILICA-ST10-11/27/05	040522488-0005	North Side Sidewalk Bridge	11/27/05	3.51	Silica	NIOSH 7500 XRD	EMSL	11/28/05	< 1	No	No	
SILICA-ST11-11/27/05	040522488-0006	90 Trinity Place (roof level)	11/27/05	3.53	Silica	NIOSH 7500 XRD	EMSL	11/28/05	< 1	No	No	
SILICA-ST12-11/27/05	040522488-0007	110 Greenwich Street (roof level)	11/27/05	3.76	Silica	NIOSH 7500 XRD	EMSL	11/28/05	< 1	No	No	
SILICA-ST13-11/27/05	040522488-0008	Marriott Hotel, 38th Floor (roof level)	11/27/05	3.64	Silica	NIOSH 7500 XRD	EMSL	11/28/05	< 1	No	No	
SILICA-ST14-11/27/05	040522488-0009	West Face - South end at corner (scaffolding level)	11/27/05	3.63	Silica	NIOSH 7500 XRD	EMSL	11/28/05	< 1	No	No	
SILICA-ST15-11/27/05	040522488-0010	South Face - East end at corner (scaffolding level)	11/27/05	3.58	Silica	NIOSH 7500 XRD	EMSL	11/28/05	< 1	No	No	
SILICA-ST16-11/27/05	040522488-0011	East Face - North end at corner (scaffolding level)	11/27/05	3.57	Silica	NIOSH 7500 XRD	EMSL	11/28/05	< 1	No	No	
SILICA-ST17-11/27/05	040522488-0012	North Face - West end at corner (scaffolding level)	11/27/05	3.61	Silica	NIOSH 7500 XRD	EMSL	11/28/05	< 1	No	No	
SILICA-ST1-11/28/05	040522557-0001	Southwest Area (sidewalk bridge level)	11/28/05	3.55	Silica	NIOSH 7500 XRD	EMSL	11/29/05	< 1	No	No	
SILICA-ST2-11/28/05	040522557-0002	Southeast Area (sidewalk bridge level)	11/28/05	3.48	Silica	NIOSH 7500 XRD	EMSL	11/29/05	< 1	No	No	
SILICA-ST4-11/28/05	040522557-0003	Northwest Area (street-level)	11/28/05	3.52	Silica	NIOSH 7500 XRD	EMSL	11/29/05	1	No	No	
SILICA-ST5-11/28/05	040522557-0004	Firehouse #10 (roof level)	11/28/05	3.62	Silica	NIOSH 7500 XRD	EMSL	11/29/05	< 1	No	No	
SILICA-ST10-11/28/05	040522557-0005	North Side Sidewalk Bridge	11/28/05	3.64	Silica	NIOSH 7500 XRD	EMSL	11/29/05	< 6	No	No	
SILICA-ST100-11/28/05	040522557-0013	Station 10 Field Duplicate	11/28/05	3.61	Silica	NIOSH 7500 XRD	EMSL	11/29/05	< 1	No	No	
SILICA-ST11-11/28/05	040522557-0006	90 Trinity Place (roof level)	11/28/05	3.6	Silica	NIOSH 7500 XRD	EMSL	11/29/05	< 1	No	No	
SILICA-ST12-11/28/05	040522557-0007	110 Greenwich Street (roof level)	11/28/05	3.78	Silica	NIOSH 7500 XRD	EMSL	11/29/05	< 6	No	No	
SILICA-ST13-11/28/05	040522557-0008	Marriott Hotel, 38th Floor (roof level)	11/28/05	3.66	Silica	NIOSH 7500 XRD	EMSL	11/29/05	< 1	No	No	
SILICA-ST14-11/28/05	040522557-0009	West Face - South end at corner (scaffolding level)	11/28/05	3.56	Silica	NIOSH 7500 XRD	EMSL	11/29/05	< 1	No	No	
SILICA-ST15-11/28/05	040522557-0010	South Face - East end at corner (scaffolding level)	11/28/05	3.56	Silica	NIOSH 7500 XRD	EMSL	11/29/05	< 1	No	No	
SILICA-ST16-11/28/05	040522557-0011	East Face - North end at corner (scaffolding level)	11/28/05	3.56	Silica	NIOSH 7500 XRD	EMSL	11/29/05	< 1	No	No	
SILICA-ST17-11/28/05	040522557-0012	North Face - West end at corner (scaffolding level)	11/28/05	3.55	Silica	NIOSH 7500 XRD	EMSL	11/29/05	< 1	No	No	
SILICA-ST1-11/29/05	040522648-0001	Southwest Area (sidewalk bridge level)	11/29/05	3.57	Silica	NIOSH 7500 XRD	EMSL	11/30/05	< 1	No	No	
SILICA-ST2-11/29/05	040522648-0002	Southeast Area (sidewalk bridge level)	11/29/05	3.51	Silica	NIOSH 7500 XRD	EMSL	11/30/05	< 1	No	No	
SILICA-ST4-11/29/05	040522648-0003	Northwest Area (street-level)	11/29/05	3.57	Silica	NIOSH 7500 XRD	EMSL	11/30/05	3	No	No	
SILICA-ST5-11/29/05	040522648-0004	Firehouse #10 (roof level)	11/29/05	3.65	Silica	NIOSH 7500 XRD	EMSL	11/30/05	< 1	No	No	
SILICA-ST10-11/29/05	040522648-0005	North Side Sidewalk Bridge	11/29/05	3.59	Silica	NIOSH 7500 XRD	EMSL	11/30/05	< 1	No	No	
SILICA-ST11-11/29/05	040522648-0006	90 Trinity Place (roof level)	11/29/05	3.61	Silica	NIOSH 7500 XRD	EMSL	11/30/05	< 1	No	No	
SILICA-ST12-11/29/05	040522648-0007	110 Greenwich Street (roof level)	11/29/05	3.89	Silica	NIOSH 7500 XRD	EMSL	11/30/05	< 1	No	No	
SILICA-ST13-11/29/05	040522648-0008	Marriott Hotel, 38th Floor (roof level)	11/29/05	3.75	Silica	NIOSH 7500 XRD	EMSL	11/30/05	< 1	No	No	
SILICA-ST14-11/29/05	040522648-0009	West Face - South end at corner (scaffolding level)	11/29/05	3.61	Silica	NIOSH 7500 XRD	EMSL	11/30/05	< 1	No	No	
SILICA-ST15-11/29/05	040522648-0010	South Face - East end at corner (scaffolding level)	11/29/05	3.67	Silica	NIOSH 7500 XRD	EMSL	11/30/05	< 1	No	No	
SILICA-ST16-11/29/05	040522648-0011	East Face - North end at corner (scaffolding level)	11/29/05	3.66	Silica	NIOSH 7500 XRD	EMSL	11/30/05	< 1	No	No	
SILICA-ST17-11/29/05	040522648-0012	North Face - West end at corner (scaffolding level)	11/29/05	3.63	Silica	NIOSH 7500 XRD	EMSL	11/30/05	< 1	No	No	
SILICA-ST2-11/30/05	040522715-0001	Southeast Area (sidewalk bridge level)	11/30/05	3.63	Silica	NIOSH 7500 XRD	EMSL	12/1/05	< 1	No	No	Silica sample at
SILICA-ST4-11/30/05	040522715-0002	Northwest Area (street-level)	11/30/05	3.64	Silica	NIOSH 7500 XRD	EMSL	12/1/05	1	No	No	Station 1
SILICA-ST5-11/30/05	040522715-0003	Firehouse #10 (roof level)	11/30/05	3.33	Silica	NIOSH 7500 XRD	EMSL	12/1/05	< 2	No	No	(Southwest Area
SILICA-ST10-11/30/05	040522715-0004	North Side Sidewalk Bridge	11/30/05	3.62	Silica	NIOSH 7500 XRD	EMSL	12/1/05	< 1	No	No	[sidewalk bridge
SILICA-ST11-11/30/05	040522715-0005	90 Trinity Place (roof level)	11/30/05	3.46	Silica	NIOSH 7500 XRD	EMSL	12/1/05	< 1	No	No	level]) on
SILICA-ST12-11/30/05	040522715-0006	110 Greenwich Street (roof level)	11/30/05	3.21	Silica	NIOSH 7500 XRD	EMSL	12/1/05	< 2	No	No	November 30,
SILICA-ST13-11/30/05	040522715-0007	Marriott Hotel, 38th Floor (roof level)	11/30/05	3.3	Silica	NIOSH 7500 XRD	EMSL	12/1/05	< 2	No	No	2005 was not
SILICA-ST14-11/30/05	040522715-0008	West Face - South end at corner (scaffolding level)	11/30/05	3.6	Silica	NIOSH 7500 XRD	EMSL	12/1/05	< 1	No	No	available for
SILICA-ST15-11/30/05	040522715-0009	South Face - East end at corner (scaffolding level)	11/30/05	3.59	Silica	NIOSH 7500 XRD	EMSL	12/1/05	< 1	No	No	analysis on
SILICA-ST16-11/30/05	040522715-0010	East Face - North end at corner (scaffolding level)	11/30/05	3.56	Silica	NIOSH 7500 XRD	EMSL	12/1/05	< 1	No	No	account of pump
SILICA-ST17-11/30/05	040522715-0011	North Face - West end at corner (scaffolding level)	11/30/05	3.66	Silica	NIOSH 7500 XRD	EMSL	12/1/05	< 1	No	No	failure.