

| TRC Field Sample No.  | Sample No.     | Sampling Location                                   | Collection Start Date | Sample Volume (m <sup>3</sup> ) | Analyte | Analytical Method | Lab  | Lab Sample Receipt Date | Respirable Silica Concentration (ug/m3) | Exceeds Target | Exceeds EPA    | Comments |
|-----------------------|----------------|---|-----------------------|---------------------------------|---------|-------------------|------|-------------------------|---|----------------|----------------|----------|
|                       |                |   |                       |                                 |         |                   |      |                         | 10                                      | Air Quality    | Site Specific  |          |
|                       |                |   |                       |                                 |         |                   |      |                         | 10                                      | Levels         | Trigger Levels |          |
| SILICA-ST1-12/28/06   | 040627307-0001 | Southwest Area (sidewalk bridge level)              | 12/28/06              | 3.52                            | Silica  | NIOSH 7500 XRD    | EMSL | 12/29/06                | < 1                                     | No             | No             |          |
| SILICA-ST2-12/28/06   | 040627307-0002 | Southeast Area (sidewalk bridge level)              | 12/28/06              | 3.5                             | Silica  | NIOSH 7500 XRD    | EMSL | 12/29/06                | 2                                       | No             | No             |          |
| SILICA-ST4-12/28/06   | 040627307-0003 | Northwest Area (street-level)                       | 12/28/06              | 3.46                            | Silica  | NIOSH 7500 XRD    | EMSL | 12/29/06                | 1                                       | No             | No             |          |
| SILICA-ST5-12/28/06   | 040627307-0004 | Firehouse #10 (roof level)                          | 12/28/06              | 3.68                            | Silica  | NIOSH 7500 XRD    | EMSL | 12/29/06                | < 1                                     | No             | No             |          |
| SILICA-ST10-12/28/06  | 040627307-0005 | North Side Sidewalk Bridge                          | 12/28/06              | 3.52                            | Silica  | NIOSH 7500 XRD    | EMSL | 12/29/06                | < 1                                     | No             | No             |          |
| SILICA-ST100-12/28/06 | 040627307-0013 | Station 10 Field Duplicate                          | 12/28/06              | 3.66                            | Silica  | NIOSH 7500 XRD    | EMSL | 12/29/06                | < 1                                     | No             | No             |          |
| SILICA-ST11-12/28/06  | 040627307-0006 | 90 Trinity Place (roof level)                       | 12/28/06              | 3.58                            | Silica  | NIOSH 7500 XRD    | EMSL | 12/29/06                | < 1                                     | No             | No             |          |
| SILICA-ST12-12/28/06  | 040627307-0007 | 110 Greenwich Street (roof level)                   | 12/28/06              | 3.46                            | Silica  | NIOSH 7500 XRD    | EMSL | 12/29/06                | < 1                                     | No             | No             |          |
| SILICA-ST13-12/28/06  | 040627307-0008 | Marriott Hotel, 38th Floor (roof level)             | 12/28/06              | 3.45                            | Silica  | NIOSH 7500 XRD    | EMSL | 12/29/06                | < 1                                     | No             | No             |          |
| SILICA-ST14-12/28/06  | 040627307-0009 | West Face - South end at corner (scaffolding level) | 12/28/06              | 3.54                            | Silica  | NIOSH 7500 XRD    | EMSL | 12/29/06                | < 1                                     | No             | No             |          |
| SILICA-ST15-12/28/06  | 040627307-0010 | South Face - East end at corner (scaffolding level) | 12/28/06              | 3.57                            | Silica  | NIOSH 7500 XRD    | EMSL | 12/29/06                | < 1                                     | No             | No             |          |
| SILICA-ST16-12/28/06  | 040627307-0011 | East Face - North end at corner (scaffolding level) | 12/28/06              | 3.54                            | Silica  | NIOSH 7500 XRD    | EMSL | 12/29/06                | < 1                                     | No             | No             |          |
| SILICA-ST17-12/28/06  | 040627307-0012 | North Face - West end at corner (scaffolding level) | 12/28/06              | 3.52                            | Silica  | NIOSH 7500 XRD    | EMSL | 12/29/06                | < 1                                     | No             | No             |          |
| SILICA-ST1-12/29/06   | 040700059-0001 | Southwest Area (sidewalk bridge level)              | 12/29/06              | 3.58                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | 3                                       | No             | No             |          |
| SILICA-ST2-12/29/06   | 040700059-0002 | Southeast Area (sidewalk bridge level)              | 12/29/06              | 3.57                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST4-12/29/06   | 040700059-0003 | Northwest Area (street-level)                       | 12/29/06              | 3.41                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST5-12/29/06   | 040700059-0004 | Firehouse #10 (roof level)                          | 12/29/06              | 3.48                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST10-12/29/06  | 040700059-0005 | North Side Sidewalk Bridge                          | 12/29/06              | 3.55                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST11-12/29/06  | 040700059-0006 | 90 Trinity Place (roof level)                       | 12/29/06              | 3.66                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST12-12/29/06  | 040700059-0007 | 110 Greenwich Street (roof level)                   | 12/29/06              | 3.48                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST13-12/29/06  | 040700059-0008 | Marriott Hotel, 38th Floor (roof level)             | 12/29/06              | 3.44                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST14-12/29/06  | 040700059-0009 | West Face - South end at corner (scaffolding level) | 12/29/06              | 3.2                             | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 2                                     | No             | No             |          |
| SILICA-ST15-12/29/06  | 040700059-0010 | South Face - East end at corner (scaffolding level) | 12/29/06              | 3.16                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 2                                     | No             | No             |          |
| SILICA-ST16-12/29/06  | 040700059-0011 | East Face - North end at corner (scaffolding level) | 12/29/06              | 3.11                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 2                                     | No             | No             |          |
| SILICA-ST17-12/29/06  | 040700059-0012 | North Face - West end at corner (scaffolding level) | 12/29/06              | 3.15                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 2                                     | No             | No             |          |
| SILICA-ST1-12/30/06   | 040700061-0001 | Southwest Area (sidewalk bridge level)              | 12/30/06              | 3.58                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | 2                                       | No             | No             |          |
| SILICA-ST2-12/30/06   | 040700061-0002 | Southeast Area (sidewalk bridge level)              | 12/30/06              | 3.59                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | 2                                       | No             | No             |          |
| SILICA-ST4-12/30/06   | 040700061-0003 | Northwest Area (street-level)                       | 12/30/06              | 3.6                             | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST5-12/30/06   | 040700061-0004 | Firehouse #10 (roof level)                          | 12/30/06              | 3.6                             | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST10-12/30/06  | 040700061-0005 | North Side Sidewalk Bridge                          | 12/30/06              | 3.62                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST11-12/30/06  | 040700061-0006 | 90 Trinity Place (roof level)                       | 12/30/06              | 3.57                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST12-12/30/06  | 040700061-0007 | 110 Greenwich Street (roof level)                   | 12/30/06              | 3.59                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST13-12/30/06  | 040700061-0008 | Marriott Hotel, 38th Floor (roof level)             | 12/30/06              | 3.58                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST14-12/30/06  | 040700061-0009 | West Face - South end at corner (scaffolding level) | 12/30/06              | 3.62                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST15-12/30/06  | 040700061-0010 | South Face - East end at corner (scaffolding level) | 12/30/06              | 3.6                             | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST16-12/30/06  | 040700061-0011 | East Face - North end at corner (scaffolding level) | 12/30/06              | 3.52                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST17-12/30/06  | 040700061-0012 | North Face - West end at corner (scaffolding level) | 12/30/06              | 3.62                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST1-12/31/06   | 040700063-0001 | Southwest Area (sidewalk bridge level)              | 12/31/06              | 3.66                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST2-12/31/06   | 040700063-0002 | Southeast Area (sidewalk bridge level)              | 12/31/06              | 3.68                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST4-12/31/06   | 040700063-0003 | Northwest Area (street-level)                       | 12/31/06              | 3.68                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST5-12/31/06   | 040700063-0004 | Firehouse #10 (roof level)                          | 12/31/06              | 3.67                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST10-12/31/06  | 040700063-0005 | North Side Sidewalk Bridge                          | 12/31/06              | 3.58                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST11-12/31/06  | 040700063-0006 | 90 Trinity Place (roof level)                       | 12/31/06              | 3.59                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST12-12/31/06  | 040700063-0007 | 110 Greenwich Street (roof level)                   | 12/31/06              | 3.61                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST13-12/31/06  | 040700063-0008 | Marriott Hotel, 38th Floor (roof level)             | 12/31/06              | 3.74                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST14-12/31/06  | 040700063-0009 | West Face - South end at corner (scaffolding level) | 12/31/06              | 3.71                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST15-12/31/06  | 040700063-0010 | South Face - East end at corner (scaffolding level) | 12/31/06              | 3.72                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST16-12/31/06  | 040700063-0011 | East Face - North end at corner (scaffolding level) | 12/31/06              | 3.65                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST17-12/31/06  | 040700063-0012 | North Face - West end at corner (scaffolding level) | 12/31/06              | 3.72                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST1-1/1/07     | 040700064-0001 | Southwest Area (sidewalk bridge level)              | 1/1/07                | 3.69                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST2-1/1/07     | 040700064-0002 | Southeast Area (sidewalk bridge level)              | 1/1/07                | 3.7                             | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST4-1/1/07     | 040700064-0003 | Northwest Area (street-level)                       | 1/1/07                | 3.7                             | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST5-1/1/07     | 040700064-0004 | Firehouse #10 (roof level)                          | 1/1/07                | 3.49                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST10-1/1/07    | 040700064-0005 | North Side Sidewalk Bridge                          | 1/1/07                | 3.57                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST11-1/1/07    | 040700064-0006 | 90 Trinity Place (roof level)                       | 1/1/07                | 3.47                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST12-1/1/07    | 040700064-0007 | 110 Greenwich Street (roof level)                   | 1/1/07                | 3.63                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST13-1/1/07    | 040700064-0008 | Marriott Hotel, 38th Floor (roof level)             | 1/1/07                | 3.6                             | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST14-1/1/07    | 040700064-0009 | West Face - South end at corner (scaffolding level) | 1/1/07                | 3.93                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST15-1/1/07    | 040700064-0010 | South Face - East end at corner (scaffolding level) | 1/1/07                | 3.81                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST16-1/1/07    | 040700064-0011 | East Face - North end at corner (scaffolding level) | 1/1/07                | 3.78                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |
| SILICA-ST17-1/1/07    | 040700064-0012 | North Face - West end at corner (scaffolding level) | 1/1/07                | 3.78                            | Silica  | NIOSH 7500 XRD    | EMSL | 1/2/07                  | < 1                                     | No             | No             |          |